

BSgenome.Amellifera.BeeBase.assembly4

June 9, 2011

Amellifera

Apis mellifera (Honey Bee) full genome (BeeBase assembly4)

Description

Apis mellifera (Honey Bee) full genome as provided by BeeBase (assembly4, Feb. 2008) and stored in Biostrings objects.

Note

This BSgenome data package was made from the following source data files:

```
-- information not available --
```

See [?BSgenomeForge](#) and the BSgenomeForge vignette (`vignette("BSgenomeForge")`) in the BSgenome software package for how to make a BSgenome data package.

Author(s)

H. Pages

See Also

[BSgenome-class](#), [DNAString-class](#), [available.genomes](#), [BSgenomeForge](#)

Examples

```
Amellifera
seqlengths(Amellifera)
Amellifera$Group1 # same as Amellifera[["Group1"]]

if ("AGAPS" %in% masknames(Amellifera)) {

  ## Check that the assembly gaps contain only Ns:
  checkOnlyNsInGaps <- function(seq)
  {
    ## Replace all masks by the inverted AGAPS mask
    masks(seq) <- gaps(masks(seq) ["AGAPS"])
  }
}
```

```
unique_letters <- uniqueLetters(seq)
if (any(unique_letters != "N"))
  stop("assembly gaps contain more than just Ns")
}

## A message will be printed each time a sequence is removed
## from the cache:
options(verbose=TRUE)

for (seqname in seqnames(Amellifera)) {
  cat("Checking sequence", seqname, "... ")
  seq <- Amellifera[[seqname]]
  checkOnlyNsInGaps(seq)
  cat("OK\n")
}

## See the GenomeSearching vignette in the BSgenome software
## package for some examples of genome-wide motif searching using
## Biostrings and the BSgenome data packages:
if (interactive())
  vignette("GenomeSearching", package="BSgenome")
```

Index

*Topic **data**

Amellifera, [1](#)

*Topic **package**

Amellifera, [1](#)

Amellifera, [1](#)

available.genomes, [1](#)

BSgenome-class, [1](#)

BSgenome.Amellifera.BeeBase.assembly4

(*Amellifera*), [1](#)

BSgenome.Amellifera.BeeBase.assembly4-package

(*Amellifera*), [1](#)

BSgenomeForge, [1](#)

DNAStrng-class, [1](#)