

# cghMCR

March 24, 2012

---

SGOL-class

*Class "SGOL" represents segments of gain or loss across samples*

---

## Description

Segments of gains or losses along chromosomes can be calculated based on segmentation data derived from the segment function of the DNACopy package

## Objects from the Class

Objects can be created by calls of the form `new("SGOL", ...)` or using a constructor `SGOL`.

## Slots

**gol**: Object of class "matrix" holding the gain or loss data for chromosomal segments

**threshold**: Object of class "vector" of length 2 indicating the lower and upper thresholds below/over which data points will be included in the calculation of SGOL score using the method defined by method

**method**: Object of class "function" giving the method used to calculate SGOL scores. Common methods include sum, median, and mean

## Methods

**gol** signature(object = "SGOL"): extracts SGOL scores

**method** signature(object = "SGOL"): gets the name of the function used to calculate the SGOL scores

**plot** signature(x = "SGOL", y = "ANY", ...): plots the data

**threshold** signature(object = "SGOL"): gets the threshold used for the calculation

## Author(s)

Jianhua Zhang

## References

The SGOL score is a modified version of the GISTIC score published in PNAS 104: 20007-20012

**Examples**

```
showClass("SGOL")
require(CNTools)
```

---

cghMCR-class	<i>Class "cghMCR" is a S4 class for the identification of minimum common regions of gains or losses across samples</i>
--------------	--

---

**Description**

Objects of this class provides the functionalities to detecting chromosome regions that show gains or losses across differnet samples

**Objects from the Class**

Objects can be created by calls of the form `new("cghMCR", ...)`. A constructor `cghMCR` may be used to instantiate object of this class

**Slots**

**DNASeg:** Object of class "data.frame" containing segmentation data derived from segmentation analysis using segment

**DNAData:** Object of class "data.frame" containing raw data derived used for the segmentation analysisfrom segmentation analysis

**altered:** Object of class "data.frame" containing data for the altered regions

**gapAllowed:** Object of class `gapAllowed` is an integer specifying low threshold of base pair number to separate two adjacent segments, belower which the two segments will be joined as an altered span

**alteredLow:** Object of class `alteredLow` is a positive number between 0 and 1 specifying the lower reshod percental value. Only segments with values falling below this threshold are considered as altered span

**alteredHigh:** Object of class `alteredHigh` is a positive number between 0 and 1 specifying the upper reshod percental value. Only segments with values falling over this threshold are considered as altered span

**recurrence:** Object of class `recurrence` is an integer between 1 and 100 that specifies the rate of occurrence for a gain or loss that are observed across sample. Only gains or losses with occurence rate grater than the threshold values are declared as MCRs

**spanLimit:** Object of class `spanLimit` is an integer that defines the leangh of altered spans that can be considered as locus. It is not of any use at this time

**thresholdType:** A character string that can be either "quantile", "value" to indicate the type of the value for recurrence

**Methods**

**MCR** `signature(object = "cghMCR")`: identifies minimum common regions of gains/losses across samples

**Note**

The function is a contribution of The Center for Applied Cancer Science of Dana-Farber Cancer Institute

**Author(s)**

Jianhua Zhang

**See Also**

[cghMCR](#)

**Examples**

```
require("CNTools")
data("sampleData")
cghmcr <- cghMCR(sampleData[sampleData[, "ID"] %in%
  sample(unique(sampleData[, "ID"]), 20), ], gapAllowed = 500,
  alteredLow = 0.20, alteredHigh = 0.80, recurrence = 50)
```

---

cghMCR

*The constructor for the cghMCR class*

---

**Description**

Instantiates a cghMCR object using the parameters passed.

**Usage**

```
cghMCR(segments, gapAllowed = 500, alteredLow = 0.03, alteredHigh =
  0.97, spanLimit = 2e+07, recurrence = 75, thresholdType = c("quantile",
  "value"))
```

**Arguments**

segments	segments is a data frame extracted from the "output" element of the object returned by segment of the package DNACopy or <a href="#">getSegments</a>
gapAllowed	gapAllowed is an integer specifying low threshold of base pair number to separate two adjacent segments, below which the two segments will be joined as an altered span
alteredLow	alteredLow is a positive number between 0 and 1 specifying the lower resh-old percentual value. Only segments with values falling below this threshold are considered as altered span
alteredHigh	alteredHigh is a positive number between 0 and 1 specifying the upper resh-old percentual value. Only segments with values falling over this threshold are considered as altered span
recurrence	recurrence is an integer between 1 and 100 that specifies the rate of occurrence for a gain or loss that are observed across sample. Only gains/losses with occurrence rate grater than the threshold values are declared as MCRs

`spanLimit` `spanLimit` is an integer that defines the length of altered spans that can be considered as locus. It is not of any use at this time

`thresholdType` `thresholdType` is a character string that can be either "quantile" or "value" indicating whether `alteredLow` or `alteredHigh` is quantile or actual value

### Details

The function is just a constructor of the `cghMCR` class for the instantiation of a `cghMCR` object

### Value

An object of the `cghMCR` class

### Note

The function is a contribution of The Center for Applied Cancer Science of Dana-Farber Cancer Institute

### Author(s)

Jianhua Zhang

### References

References on S4 class

### See Also

[cghMCR](#)

### Examples

```
data("segData")
cghmcr <- cghMCR(segData, gapAllowed = 500,
  alteredLow = 0.20, alteredHigh = 0.80, recurrence = 50)
```

---

`mergeMCRProbes` *A function that appends probe ids to a data frame containing MCRs*

---

### Description

This function takes a data frame generated by [MCR](#) and then appends probe ids corresponding to each MCR as a column to the data frame.

### Usage

```
mergeMCRProbes(mcr, rawData)
```

## Arguments

<code>mcr</code>	<code>mcr</code> is a data frame generated by <a href="#">MCR</a> that contains MCRs identified and other related data
<code>rawData</code>	<code>rawData</code> is a data frame with at least three columns. The first column should be probe ids, second the chromosome number the probes corresponding to, and the third the starting or ending chromosomal locations of the probes

## Details

The `mcr` data frame passed must have the first column for chromosome numbers, the 7th column for the starting positions of the MCRs, and the 8th column for the ending positions of the MCRs.

## Value

A data frame with MCRs and the corresponding probe ids and other data.

## Note

The function is a contribution of The Center for Applied Cancer Science of Dana-Farber Cancer Institute

## Author(s)

Jianhua Zhang

## See Also

[MCR](#)

## Examples

```
data("segData")
cghmcr <- cghMCR(segData, gapAllowed = 500, alteredLow = 0.20,
                alteredHigh = 0.80, recurrence = 50)
mcrs <- MCR(cghmcr)
mcrs <- mergeMCRProbes(mcrs, segData[["data"]])
```

---

colnames-methods    *Methods for Function colnames/rownames in Package 'cghMCR'*

---

## Description

Methods for function `colnames` or `rownames` in Package 'cghMCR' to extract row or column names from a SGOL object

## Methods

`x = "SGOL"` Extract colnum/row names from SGOL object

plot.DNAcopy      *A function to plot the original data along with the segments identified using segment of DNAcopy.*

---

### Description

This function takes a DNAcopy object generated by running [getSegments](#) and then plots the original data along with the segments identified.

### Usage

```
plot.DNAcopy(x, ..., save = FALSE, layout)
```

### Arguments

x	x is a DNAcopy object generated by <a href="#">getSegments</a>
...	... may contain an optional boolean for save to indicate whether to show the plot on the screen (FALSE. Default) or return the name of the plot (TRUE) to allow the users to save the plot
save	save a boolean indicating wheather the plot will be draw on the screen only (FALSE) or the name of the png file of the plot be returned (TRUE)
layout	layout a numeric vector of two elements defining the values used for mfrow of the function par for the layout of figures on a plot

### Details

This function only works with the DNAcopy returned by [getSegments](#). It will work with the DNAcopy returned by segment of the DNAcopy package when the a column containing the probe ids is added as the first column of the "data" element of the object.

### Value

This function returns invisible() or the name of the plot depending on whether save is set to FALSE or TRUE.

### Note

The function is a contribution of The Center for Applied Cancer Science of Dana-Farber Cancer Institute

### Author(s)

Jianhua Zhang

### References

The DNAcopy package

### See Also

[getSegments](#)

**Examples**

```
if(interactive()){  
  require("cghMCR")  
  data("segData")  
  plot(segData)  
}
```

# Index

## \*Topic **classes**

cghMCR-class, 2  
SGOL-class, 1

## \*Topic **hplot**

plot.DNAcopy, 6

## \*Topic **manip**

mergeMCRProbes, 4

## \*Topic **methods**

cghMCR, 3  
colnames-methods, 5  
[, SGOL-method (*colnames-methods*),  
5  
[-methods (*colnames-methods*), 5

cghMCR, 2, 3, 3, 4

cghMCR-class, 2

colnames, SGOL-method  
(*colnames-methods*), 5

colnames-methods, 5

getSegments, 3, 6

getSegments (*cghMCR-class*), 2

getSegments, marrayNorm-method  
(*cghMCR-class*), 2

getSegments, marrayRaw-method  
(*cghMCR-class*), 2

gol (*SGOL-class*), 1

gol, SGOL-method (*SGOL-class*), 1

MCR, 4, 5

MCR (*cghMCR-class*), 2

MCR, cghMCR-method (*cghMCR-class*),  
2

mergeMCRProbes, 4

method, SGOL-method (*SGOL-class*), 1

plot (*SGOL-class*), 1

plot, ANY-method (*SGOL-class*), 1

plot, methods (*SGOL-class*), 1

plot, SGOL, ANY-method  
(*SGOL-class*), 1

plot, SGOL-method (*SGOL-class*), 1

plot.DNAcopy, 6

rownames, SGOL-method  
(*colnames-methods*), 5

rownames-methods  
(*colnames-methods*), 5

segData (*cghMCR*), 3

SGOL (*SGOL-class*), 1

SGOL-class, 1

threshold, SGOL-method  
(*SGOL-class*), 1