

# Package ‘singleCellTK’

July 5, 2025

**Type** Package

**Title** Comprehensive and Interactive Analysis of Single Cell RNA-Seq Data

**Version** 2.19.1

**Depends** R (>= 4.0), SummarizedExperiment, SingleCellExperiment, DelayedArray, Biobase

**Description** The Single Cell Toolkit (SCTK) in the singleCellTK package provides an interface to popular tools for importing, quality control, analysis, and visualization of single cell RNA-seq data. SCTK allows users to seamlessly integrate tools from various packages at different stages of the analysis workflow. A general “a la carte” workflow gives users the ability access to multiple methods for data importing, calculation of general QC metrics, doublet detection, ambient RNA estimation and removal, filtering, normalization, batch correction or integration, dimensionality reduction, 2-D embedding, clustering, marker detection, differential expression, cell type labeling, pathway analysis, and data exporting. Curated workflows can be used to run Seurat and Celda. Streamlined quality control can be performed on the command line using the SCTK-QC pipeline. Users can analyze their data using commands in the R console or by using an interactive Shiny Graphical User Interface (GUI). Specific analyses or entire workflows can be summarized and shared with comprehensive HTML reports generated by Rmarkdown. Additional documentation and vignettes can be found at [camplab.net/sctk](http://camplab.net/sctk).

**License** MIT + file LICENSE

**Encoding** UTF-8

**biocViews** SingleCell, GeneExpression, DifferentialExpression, Alignment, Clustering, ImmunoOncology, BatchEffect, Normalization, QualityControl, DataImport, GUI

**LazyData** FALSE

**Imports** ape, anndata, AnnotationHub, batchelor, BiocParallel, celldex, colourpicker, colorspace, cowplot, cluster, ComplexHeatmap, data.table, DelayedMatrixStats, DESeq2, dplyr, DT, ExperimentHub, ensemblDb, fields, ggplot2, ggplotify, ggrepel, ggtree, gridExtra, grid, GSVA (>= 1.50.0), GSVAdata, igraph, KernSmooth, limma, MAST, Matrix (>= 1.6-1), matrixStats, methods, msigdb, multtest, plotly, plyr, ROCR, Rtsne, S4Vectors, scatter, scMerge (>= 1.2.0), scan, Seurat (>= 3.1.3), shiny, shinyjs, SingleR, stringr, SoupX, sva, reshape2, shinyalert, circlize, enrichR (>= 3.2), celda, shinycssloaders, DropletUtils, scds (>= 1.2.0), reticulate (>= 1.14), tools,

tximport, tidyr, eds, withr, GSEABase, R.utils, zinbwave,  
 scRNAseq ( $\geq 2.0.2$ ), TENxPBMCDData, yaml, rmarkdown, magrittr,  
 scDbfFinder, metap, VAM ( $\geq 0.5.3$ ), tibble, rlang, TSCAN,  
 TrajectoryUtils, scuttle, utils, stats, zellkonverter

### **RoxygenNote** 7.3.2

**Suggests** testthat, Rsubread, BiocStyle, knitr, lintr, spelling,  
 org.Mm.eg.db, kableExtra, shinythemes, shinyBS, shinyjqui,  
 shinyWidgets, shinyFiles, BiocGenerics, RColorBrewer, fastmap  
 ( $\geq 1.1.0$ ), harmony, SeuratObject, optparse

**VignetteBuilder** knitr

**URL** <https://www.camplab.net/sctk/>

**BugReports** <https://github.com/comptbiomed/singleCellTK/issues>

**Language** en-US

**git\_url** <https://git.bioconductor.org/packages/singleCellTK>

**git\_branch** devel

**git\_last\_commit** 565145a1

**git\_last\_commit\_date** 2025-07-01

**Repository** Bioconductor 3.22

**Date/Publication** 2025-07-04

**Author** Yichen Wang [aut] (ORCID: <https://orcid.org/0000-0003-4347-5199>),  
 Irzam Sarfraz [aut] (ORCID: <https://orcid.org/0000-0001-8121-792X>),  
 Rui Hong [aut],  
 Yusuke Koga [aut],  
 Salam Alabdullatif [aut],  
 Nida Pervaiz [aut],  
 David Jenkins [aut] (ORCID: <https://orcid.org/0000-0002-7451-4288>),  
 Vidya Akavoor [aut],  
 Xinyun Cao [aut],  
 Shruthi Bandyadka [aut],  
 Anastasia Leshchik [aut],  
 Tyler Faits [aut],  
 Mohammed Muzamil Khan [aut],  
 Zhe Wang [aut],  
 W. Evan Johnson [aut] (ORCID: <https://orcid.org/0000-0002-6247-6595>),  
 Ming Liu [aut],  
 Joshua David Campbell [aut, cre] (ORCID:  
<https://orcid.org/0000-0003-0780-8662>)

**Maintainer** Joshua David Campbell <camp@bu.edu>

## **Contents**

|                             |    |
|-----------------------------|----|
| calcEffectSizes . . . . .   | 7  |
| combineSCE . . . . .        | 8  |
| computeHeatmap . . . . .    | 9  |
| computeZScore . . . . .     | 10 |
| constructSCE . . . . .      | 10 |
| convertSCToSeurat . . . . . | 11 |

|                                                                           |    |
|---------------------------------------------------------------------------|----|
| convertSeuratToSCE . . . . .                                              | 12 |
| dedupRowNames . . . . .                                                   | 13 |
| detectCellOutlier . . . . .                                               | 13 |
| diffAbundanceFET . . . . .                                                | 14 |
| discreteColorPalette . . . . .                                            | 15 |
| distinctColors . . . . .                                                  | 16 |
| downSampleCells . . . . .                                                 | 16 |
| downSampleDepth . . . . .                                                 | 18 |
| expData . . . . .                                                         | 19 |
| expData,ANY,character-method . . . . .                                    | 19 |
| expData<- . . . . .                                                       | 20 |
| expData<-,ANY,character,CharacterOrNullOrMissing,logical-method . . . . . | 21 |
| expDataNames . . . . .                                                    | 21 |
| expDataNames,ANY-method . . . . .                                         | 22 |
| expDeleteDataTag . . . . .                                                | 23 |
| exportSCE . . . . .                                                       | 23 |
| exportSCEtoAnnData . . . . .                                              | 24 |
| exportSCEtoFlatFile . . . . .                                             | 25 |
| exportSCEToSeurat . . . . .                                               | 26 |
| expSetDataTag . . . . .                                                   | 27 |
| expTaggedData . . . . .                                                   | 28 |
| featureIndex . . . . .                                                    | 29 |
| generateHTANMeta . . . . .                                                | 30 |
| generateMeta . . . . .                                                    | 31 |
| generateSimulatedData . . . . .                                           | 31 |
| getBiomarker . . . . .                                                    | 32 |
| getDEGTopTable . . . . .                                                  | 33 |
| getDiffAbundanceResults . . . . .                                         | 34 |
| getEnrichRResult<- . . . . .                                              | 35 |
| getFindMarkerTopTable . . . . .                                           | 36 |
| getGenesetNamesFromCollection . . . . .                                   | 37 |
| getMSigDBTable . . . . .                                                  | 38 |
| getPathwayResultNames . . . . .                                           | 38 |
| getSampleSummaryStatsTable . . . . .                                      | 39 |
| getSceParams . . . . .                                                    | 40 |
| getSeuratVariableFeatures . . . . .                                       | 40 |
| getSoupX<- . . . . .                                                      | 41 |
| getTopHVG . . . . .                                                       | 42 |
| getTSCANResults . . . . .                                                 | 44 |
| importAlevin . . . . .                                                    | 45 |
| importAnnData . . . . .                                                   | 46 |
| importBUStools . . . . .                                                  | 47 |
| importCellRanger . . . . .                                                | 49 |
| importCellRangerV2Sample . . . . .                                        | 52 |
| importCellRangerV3Sample . . . . .                                        | 53 |
| importDropEst . . . . .                                                   | 54 |
| importExampleData . . . . .                                               | 55 |
| importFromFiles . . . . .                                                 | 56 |
| importGeneSetsFromCollection . . . . .                                    | 58 |
| importGeneSetsFromGMT . . . . .                                           | 59 |
| importGeneSetsFromList . . . . .                                          | 61 |
| importGeneSetsFromMSigDB . . . . .                                        | 62 |

|                                           |     |
|-------------------------------------------|-----|
| importMitoGeneSet . . . . .               | 64  |
| importMultipleSources . . . . .           | 65  |
| importOptimus . . . . .                   | 66  |
| importSEQC . . . . .                      | 67  |
| importSTARsolo . . . . .                  | 69  |
| iterateSimulations . . . . .              | 70  |
| listSampleSummaryStatsTables . . . . .    | 71  |
| mergeSCEColData . . . . .                 | 72  |
| MitoGenes . . . . .                       | 73  |
| mouseBrainSubsetSCE . . . . .             | 73  |
| msigdb_table . . . . .                    | 74  |
| plotBarcodeRankDropsResults . . . . .     | 75  |
| plotBarcodeRankScatter . . . . .          | 76  |
| plotBatchCorrCompare . . . . .            | 77  |
| plotBatchVariance . . . . .               | 78  |
| plotBcdeResults . . . . .                 | 79  |
| plotBubble . . . . .                      | 82  |
| plotClusterAbundance . . . . .            | 83  |
| plotCxlsResults . . . . .                 | 84  |
| plotDecontXResults . . . . .              | 86  |
| plotDEGHeatmap . . . . .                  | 89  |
| plotDEGRegression . . . . .               | 91  |
| plotDEGViolin . . . . .                   | 92  |
| plotDEGVolcano . . . . .                  | 94  |
| plotDimRed . . . . .                      | 95  |
| plotDoubletFinderResults . . . . .        | 96  |
| plotEmptyDropsResults . . . . .           | 98  |
| plotEmptyDropsScatter . . . . .           | 100 |
| plotFindMarkerHeatmap . . . . .           | 101 |
| plotMASTThresholdGenes . . . . .          | 104 |
| plotPathway . . . . .                     | 105 |
| plotPCA . . . . .                         | 106 |
| plotRunPerCellQCResults . . . . .         | 107 |
| plotScanpyDotPlot . . . . .               | 109 |
| plotScanpyEmbedding . . . . .             | 111 |
| plotScanpyHeatmap . . . . .               | 112 |
| plotScanpyHVG . . . . .                   | 113 |
| plotScanpyMarkerGenes . . . . .           | 113 |
| plotScanpyMarkerGenesDotPlot . . . . .    | 114 |
| plotScanpyMarkerGenesHeatmap . . . . .    | 116 |
| plotScanpyMarkerGenesMatrixPlot . . . . . | 117 |
| plotScanpyMarkerGenesViolin . . . . .     | 118 |
| plotScanpyMatrixPlot . . . . .            | 119 |
| plotScanpyPCA . . . . .                   | 120 |
| plotScanpyPCAGeneRanking . . . . .        | 121 |
| plotScanpyPCAVariance . . . . .           | 122 |
| plotScanpyViolin . . . . .                | 122 |
| plotScDbfFinderResults . . . . .          | 123 |
| plotScdsHybridResults . . . . .           | 126 |
| plotSCEBarAssayData . . . . .             | 128 |
| plotSCEBarColData . . . . .               | 130 |
| plotSCEBatchFeatureMean . . . . .         | 131 |

|                                        |     |
|----------------------------------------|-----|
| plotSCEDensity . . . . .               | 132 |
| plotSCEDensityAssayData . . . . .      | 133 |
| plotSCEDensityColData . . . . .        | 135 |
| plotSCEDimReduceColData . . . . .      | 136 |
| plotSCEDimReduceFeatures . . . . .     | 139 |
| plotSCEHeatmap . . . . .               | 141 |
| plotSCEScatter . . . . .               | 144 |
| plotSCEViolin . . . . .                | 146 |
| plotSCEViolinAssayData . . . . .       | 149 |
| plotSCEViolinColData . . . . .         | 151 |
| plotScrubletResults . . . . .          | 153 |
| plotSeuratElbow . . . . .              | 156 |
| plotSeuratGenes . . . . .              | 157 |
| plotSeuratHeatmap . . . . .            | 158 |
| plotSeuratHVG . . . . .                | 158 |
| plotSeuratJackStraw . . . . .          | 159 |
| plotSeuratReduction . . . . .          | 160 |
| plotSoupXResults . . . . .             | 161 |
| plotTopHVG . . . . .                   | 163 |
| plotTSCANClusterDEG . . . . .          | 164 |
| plotTSCANClusterPseudo . . . . .       | 165 |
| plotTSCANDimReduceFeatures . . . . .   | 166 |
| plotTSCANPseudotimeGenes . . . . .     | 167 |
| plotTSCANPseudotimeHeatmap . . . . .   | 168 |
| plotTSCANResults . . . . .             | 169 |
| plotTSNE . . . . .                     | 170 |
| plotUMAP . . . . .                     | 171 |
| qcInputProcess . . . . .               | 172 |
| readSingleCellMatrix . . . . .         | 173 |
| reportCellQC . . . . .                 | 174 |
| reportClusterAbundance . . . . .       | 175 |
| reportDiffAbundanceFET . . . . .       | 175 |
| reportDiffExp . . . . .                | 176 |
| reportDropletQC . . . . .              | 177 |
| reportFindMarker . . . . .             | 178 |
| reportQCTool . . . . .                 | 179 |
| reportSeurat . . . . .                 | 180 |
| reportSeuratClustering . . . . .       | 182 |
| reportSeuratDimRed . . . . .           | 183 |
| reportSeuratFeatureSelection . . . . . | 185 |
| reportSeuratMarkerSelection . . . . .  | 186 |
| reportSeuratNormalization . . . . .    | 187 |
| reportSeuratResults . . . . .          | 188 |
| reportSeuratRun . . . . .              | 190 |
| reportSeuratScaling . . . . .          | 192 |
| retrieveSCEIndex . . . . .             | 193 |
| runBarcodeRankDrops . . . . .          | 194 |
| runBBKNN . . . . .                     | 195 |
| runBcde . . . . .                      | 196 |
| runCellQC . . . . .                    | 197 |
| runClusterSummaryMetrics . . . . .     | 198 |
| runComBatSeq . . . . .                 | 199 |

|                                     |     |
|-------------------------------------|-----|
| runCxds . . . . .                   | 201 |
| runCxdsBcbsHybrid . . . . .         | 202 |
| runDEAnalysis . . . . .             | 203 |
| runDecontX . . . . .                | 207 |
| runDimReduce . . . . .              | 209 |
| runDoubletFinder . . . . .          | 210 |
| runDropletQC . . . . .              | 212 |
| runEmptyDrops . . . . .             | 213 |
| runEnrichR . . . . .                | 214 |
| runFastMNN . . . . .                | 215 |
| runFeatureSelection . . . . .       | 217 |
| runFindMarker . . . . .             | 218 |
| runGSVA . . . . .                   | 220 |
| runHarmony . . . . .                | 221 |
| runKMeans . . . . .                 | 222 |
| runLimmaBC . . . . .                | 223 |
| runMNNCorrect . . . . .             | 224 |
| runModelGeneVar . . . . .           | 225 |
| runNormalization . . . . .          | 226 |
| runPerCellQC . . . . .              | 228 |
| runSCANORAMA . . . . .              | 230 |
| runScanpyFindClusters . . . . .     | 231 |
| runScanpyFindHVG . . . . .          | 233 |
| runScanpyFindMarkers . . . . .      | 234 |
| runScanpyNormalizeData . . . . .    | 235 |
| runScanpyPCA . . . . .              | 236 |
| runScanpyScaleData . . . . .        | 237 |
| runScanpyTSNE . . . . .             | 238 |
| runScanpyUMAP . . . . .             | 239 |
| runScDblFinder . . . . .            | 240 |
| runSCMerge . . . . .                | 241 |
| runScranSNN . . . . .               | 242 |
| runScrublet . . . . .               | 244 |
| runSeuratFindClusters . . . . .     | 247 |
| runSeuratFindHVG . . . . .          | 248 |
| runSeuratFindMarkers . . . . .      | 249 |
| runSeuratHeatmap . . . . .          | 250 |
| runSeuratICA . . . . .              | 251 |
| runSeuratIntegration . . . . .      | 252 |
| runSeuratJackStraw . . . . .        | 253 |
| runSeuratNormalizeData . . . . .    | 254 |
| runSeuratPCA . . . . .              | 255 |
| runSeuratScaleData . . . . .        | 256 |
| runSeuratSCTransform . . . . .      | 257 |
| runSeuratTSNE . . . . .             | 258 |
| runSeuratUMAP . . . . .             | 259 |
| runSingleR . . . . .                | 260 |
| runSoupX . . . . .                  | 261 |
| runTSCAN . . . . .                  | 263 |
| runTSCANClusterDEAnalysis . . . . . | 264 |
| runTSCANDEG . . . . .               | 265 |
| runTSNE . . . . .                   | 266 |

|                                        |            |
|----------------------------------------|------------|
| runUMAP . . . . .                      | 268        |
| runVAM . . . . .                       | 271        |
| runZINBWaVE . . . . .                  | 272        |
| sampleSummaryStats . . . . .           | 273        |
| scaterCPM . . . . .                    | 274        |
| scaterlogNormCounts . . . . .          | 275        |
| scaterPCA . . . . .                    | 275        |
| sce . . . . .                          | 277        |
| sceBatches . . . . .                   | 277        |
| sctkListGeneSetCollections . . . . .   | 278        |
| sctkPythonInstallConda . . . . .       | 279        |
| sctkPythonInstallVirtualEnv . . . . .  | 280        |
| SEG . . . . .                          | 281        |
| selectSCTKConda . . . . .              | 282        |
| selectSCTKVirtualEnvironment . . . . . | 282        |
| setRowNames . . . . .                  | 283        |
| setSCTKDisplayRow . . . . .            | 284        |
| singleCellTK . . . . .                 | 284        |
| subDiffEx . . . . .                    | 285        |
| subsetSCECols . . . . .                | 286        |
| subsetSCERows . . . . .                | 287        |
| summarizeSCE . . . . .                 | 289        |
| trimCounts . . . . .                   | 289        |
| <b>Index</b>                           | <b>291</b> |

---

|                 |                                                                                                  |
|-----------------|--------------------------------------------------------------------------------------------------|
| calcEffectSizes | <i>Finds the effect sizes for all genes in the original dataset, regardless of significance.</i> |
|-----------------|--------------------------------------------------------------------------------------------------|

---

## Description

Finds the effect sizes for all genes in the original dataset, regardless of significance.

## Usage

```
calcEffectSizes(countMatrix, condition)
```

## Arguments

|             |                                                                                                                                                 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| countMatrix | Matrix. A simulated counts matrix, sans labels.                                                                                                 |
| condition   | Factor. The condition labels for the simulated cells. If more than 2 conditions are given, the first will be compared to all others by default. |

## Value

A vector of cohen's d effect sizes for each gene.

## Examples

```
data("mouseBrainSubsetSCE")
res <- calcEffectSizes(assay(mouseBrainSubsetSCE, "counts"),
                      condition = colData(mouseBrainSubsetSCE)$level1class)
```

---

|            |                                                                                          |
|------------|------------------------------------------------------------------------------------------|
| combineSCE | <i>Combine a list of SingleCellExperiment objects as one SingleCellExperiment object</i> |
|------------|------------------------------------------------------------------------------------------|

---

## Description

Combine a list of SingleCellExperiment objects as one SingleCellExperiment object

## Usage

```
combineSCE(sceList, by.r = NULL, by.c = NULL, combined = TRUE)
```

## Arguments

|          |                                                                                                                                                                                                                                                                                              |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| sceList  | A list contains <a href="#">SingleCellExperiment</a> objects. Currently, combineSCE function only support combining SCE objects with assay in dgCMatrx format. It does not support combining SCE with assay in delayedArray format.                                                          |
| by.r     | Specifications of the columns used for merging rowData. If set as NULL, the rownames of rowData tables will be used to merging rowData. Default is NULL.                                                                                                                                     |
| by.c     | Specifications of the columns used for merging colData. If set as NULL, the rownames of colData tables will be used to merging colData. Default is NULL.                                                                                                                                     |
| combined | logical; if TRUE, it will combine the list of SingleCellExperiment objects and return a SingleCellExperiment. If FALSE, it will return a list of SingleCellExperiment whose rowData, colData, assay and reducedDim data slot are compatible within SCE objects in the list. Default is TRUE. |

## Value

A [SingleCellExperiment](#) object which combines all objects in sceList. The colData is merged.

## Examples

```
data(scExample, package = "singleCellTK")
combinedsce <- combineSCE(list(sce,sce), by.r = NULL, by.c = NULL, combined = TRUE)
```

---

|                |                                                                                           |
|----------------|-------------------------------------------------------------------------------------------|
| computeHeatmap | <i>Computes heatmap for a set of features against dimensionality reduction components</i> |
|----------------|-------------------------------------------------------------------------------------------|

---

## Description

The computeHeatmap method computes the heatmap visualization for a set of features against a set of dimensionality reduction components. This method uses the heatmap computation algorithm code from Seurat but plots the heatmap using ComplexHeatmap and cowplot libraries.

## Usage

```
computeHeatmap(
  inSCE,
  useAssay,
  dims = 10,
  nfeatures = 30,
  cells = NULL,
  reduction = "pca",
  disp.min = -2.5,
  disp.max = 2.5,
  balanced = TRUE,
  nCol = NULL,
  externalReduction = NULL
)
```

## Arguments

|                   |                                                                                                                                                  |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE             | Input SingleCellExperiment object.                                                                                                               |
| useAssay          | Specify the name of the assay that will be scaled by this function for the features that are used in the heatmap.                                |
| dims              | Specify the number of dimensions to use for heatmap. Default 10.                                                                                 |
| nfeatures         | Specify the number of features to use for heatmap. Default is 30.                                                                                |
| cells             | Specify the samples/cells to use for heatmap computation. Default is NULL which will utilize all samples in the assay.                           |
| reduction         | Specify the reduction slot in the input object. Default is "pca".                                                                                |
| disp.min          | Specify the minimum dispersion value to use for floor clipping of assay values. Default is -2.5.                                                 |
| disp.max          | Specify the maximum dispersion value to use for ceiling clipping of assay values. Default is 2.5.                                                |
| balanced          | Specify if the number of up-regulated and down-regulated features should be balanced. Default is TRUE.                                           |
| nCol              | Specify the number of columns in the output plot. Default is NULL which will auto-compute the number of columns.                                 |
| externalReduction | Specify an external reduction if not present in the input object. This external reduction should be created using CreateDimReducObject function. |

**Value**

Heatmap plot object.

---

|               |                        |
|---------------|------------------------|
| computeZScore | <i>Compute Z-Score</i> |
|---------------|------------------------|

---

**Description**

Computes Z-Score from an input count matrix using the formula  $((x - \text{mean}(x)) / \text{sd}(x))$  for each gene across all cells. The input count matrix can either be a base matrix, dgCMatrx or a DelayedMatrix. Computations are performed using DelayedMatrixStats package to efficiently compute the Z-Score matrix.

**Usage**

```
computeZScore(counts)
```

**Arguments**

counts                      matrix (base matrix, dgCMatrx or DelayedMatrix)

**Value**

z-score computed counts matrix (DelayedMatrix)

**Examples**

```
data(sce_chc1, package = "scds")
assay(sce_chc1, "countsZScore") <- computeZScore(assay(sce_chc1, "counts"))
```

---

|              |                                                                 |
|--------------|-----------------------------------------------------------------|
| constructSCE | <i>Create SingleCellExperiment object from csv or txt input</i> |
|--------------|-----------------------------------------------------------------|

---

**Description**

Create SingleCellExperiment object from csv or txt input

**Usage**

```
constructSCE(data, samplename)
```

**Arguments**

data                      A [data.table](#) object containing the count matrix.  
 samplename              The sample name of the data.

**Value**

A [SingleCellExperiment](#) object containing the count matrix.

---

|                    |                                                                                                 |
|--------------------|-------------------------------------------------------------------------------------------------|
| convertSCEToSeurat | <i>convertSCEToSeurat Converts sce object to seurat while retaining all assays and metadata</i> |
|--------------------|-------------------------------------------------------------------------------------------------|

---

## Description

convertSCEToSeurat Converts sce object to seurat while retaining all assays and metadata

## Usage

```
convertSCEToSeurat(
  inSCE,
  countsAssay = NULL,
  normAssay = NULL,
  scaledAssay = NULL,
  copyColData = FALSE,
  copyReducedDim = FALSE,
  copyDecontX = FALSE,
  pcaReducedDim = NULL,
  icaReducedDim = NULL,
  tsneReducedDim = NULL,
  umapReducedDim = NULL
)
```

## Arguments

|                |                                                                                                                                                                                                                                                                              |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE          | A SingleCellExperiment object to convert to a Seurat object.                                                                                                                                                                                                                 |
| countsAssay    | Which assay to use from sce object for raw counts. Default NULL.                                                                                                                                                                                                             |
| normAssay      | Which assay to use from sce object for normalized data. Default NULL.                                                                                                                                                                                                        |
| scaledAssay    | Which assay to use from sce object for scaled data. Default NULL.                                                                                                                                                                                                            |
| copyColData    | Boolean. Whether copy 'colData' of SCE object to the 'meta.data' of Seurat object. Default FALSE.                                                                                                                                                                            |
| copyReducedDim | Boolean. Whether copy 'reducedDims' of the SCE object to the 'reductions' of Seurat object. Default FALSE.                                                                                                                                                                   |
| copyDecontX    | Boolean. Whether copy 'decontXcounts' assay of the SCE object to the 'assays' of Seurat object. Default TRUE.                                                                                                                                                                |
| pcaReducedDim  | Specify a character value indicating the name of the reducedDim to store as default pca computation in the output seurat object. Default is NULL which will not store any reducedDim as the default pca. This will only work when copyReducedDim parameter is set to TRUE.   |
| icaReducedDim  | Specify a character value indicating the name of the reducedDim to store as default ica computation in the output seurat object. Default is NULL which will not store any reducedDim as the default ica. This will only work when copyReducedDim parameter is set to TRUE.   |
| tsneReducedDim | Specify a character value indicating the name of the reducedDim to store as default tsne computation in the output seurat object. Default is NULL which will not store any reducedDim as the default tsne. This will only work when copyReducedDim parameter is set to TRUE. |

**umapReducedDim** Specify a character value indicating the name of the reducedDim to store as default umap computation in the output seurat object. Default is NULL which will not store any reducedDim as the default umap. This will only work when copyReducedDim parameter is set to TRUE.

### Value

Updated seurat object that contains all data from the input sce object

### Examples

```
data(scExample, package = "singleCellTK")
seurat <- convertSCEToSeurat(sce)
```

---

|                    |                                                                            |
|--------------------|----------------------------------------------------------------------------|
| convertSeuratToSCE | <i>convertSeuratToSCE Converts the input seurat object to a sce object</i> |
|--------------------|----------------------------------------------------------------------------|

---

### Description

convertSeuratToSCE Converts the input seurat object to a sce object

### Usage

```
convertSeuratToSCE(
  seuratObject,
  normAssayName = "seuratNormData",
  scaledAssayName = "seuratScaledData"
)
```

### Arguments

|                 |                                                                       |
|-----------------|-----------------------------------------------------------------------|
| seuratObject    | Input Seurat object                                                   |
| normAssayName   | Name of assay to store the normalized data. Default "seuratNormData". |
| scaledAssayName | Name of assay to store the scaled data. Default "seuratScaledData".   |

### Value

SingleCellExperiment output object

### Examples

```
data(scExample, package = "singleCellTK")
seurat <- convertSCEToSeurat(sce)
sce <- convertSeuratToSCE(seurat)
```

---

|               |                                                                            |
|---------------|----------------------------------------------------------------------------|
| dedupRowNames | <i>Deduplicate the rownames of a matrix or SingleCellExperiment object</i> |
|---------------|----------------------------------------------------------------------------|

---

### Description

Adds '-1', '-2', ... '-i' to multiple duplicated rownames, and in place replace the unique rownames, store unique rownames in rowData, or return the unique rownames as character vector.

### Usage

```
dedupRowNames(x, as.rowData = FALSE, return.list = FALSE)
```

### Arguments

|             |                                                                                                                                                                                           |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| x           | A matrix like or <a href="#">SingleCellExperiment</a> object, on which we can apply rownames() to and has duplicated rownames.                                                            |
| as.rowData  | Only applicable when x is a <a href="#">SingleCellExperiment</a> object. When set to TRUE, will insert a new column called "rownames.uniq" to rowData(x), with the deduplicated rownames. |
| return.list | When set to TRUE, will return a character vector of the deduplicated rownames.                                                                                                            |

### Value

By default, a matrix or [SingleCellExperiment](#) object with rownames deduplicated. When x is a [SingleCellExperiment](#) and as.rowData is set to TRUE, will return x with rowData updated. When return.list is set to TRUE, will return a character vector with the deduplicated rownames.

### Examples

```
data("scExample", package = "singleCellTK")
sce <- dedupRowNames(sce)
```

---

|                   |                                                                   |
|-------------------|-------------------------------------------------------------------|
| detectCellOutlier | <i>Detecting outliers within the SingleCellExperiment object.</i> |
|-------------------|-------------------------------------------------------------------|

---

### Description

A wrapper function for [isOutlier](#). Identify outliers from numeric vectors stored in the SingleCellExperiment object.

### Usage

```
detectCellOutlier(
  inSCE,
  slotName,
  itemName,
  sample = NULL,
  nmads = 3,
  type = "both",
  overwrite = TRUE
)
```

**Arguments**

|           |                                                                                                                                                                                                                                                                                                           |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE     | A <a href="#">SingleCellExperiment</a> object.                                                                                                                                                                                                                                                            |
| slotName  | Desired slot of SingleCellExperiment used for plotting. Possible options: "assays", "colData", "metadata", "reducedDims". Required.                                                                                                                                                                       |
| itemName  | Desired vector within the slot used for plotting. Required.                                                                                                                                                                                                                                               |
| sample    | A single character specifying a name that can be found in colData(inSCE) to directly use the cell annotation; or a character vector with as many elements as cells to indicate which sample each cell belongs to. Default NULL. <a href="#">decontX</a> will be run on cells from each sample separately. |
| nmads     | Integer. Number of median absolute deviation. Parameter may be adjusted for more lenient or stringent outlier cutoff. Default 3.                                                                                                                                                                          |
| type      | Character. Type/direction of outlier detection; whether the lower/higher outliers should be detected, or both. Options are "both", "lower", "higher".                                                                                                                                                     |
| overwrite | Boolean. If TRUE, and this function has previously generated an outlier decision on the same itemName, the outlier decision will be overwritten. Default TRUE.                                                                                                                                            |

**Value**

A [SingleCellExperiment](#) object with " " added to the [colData](#) slot. Additionally, the decontaminated counts will be added as an assay called 'decontXCounts'.

**Examples**

```
data(scExample, package = "singleCellTK")
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
sce <- runDecontX(sce[, sample(ncol(sce), 20)])
sce <- detectCellOutlier(sce, slotName = "colData", sample = sce$sample,
  nmads = 4, itemName = "decontX_contamination", type = "both")
```

diffAbundanceFET

*Calculate Differential Abundance with FET***Description**

Calculate Differential Abundance with FET

**Usage**

```
diffAbundanceFET(inSCE, cluster, variable, control, case, analysisName)
```

**Arguments**

|              |                                                                                                     |
|--------------|-----------------------------------------------------------------------------------------------------|
| inSCE        | A <a href="#">SingleCellExperiment</a> object.                                                      |
| cluster      | A single character, specifying the name to store the cluster label in <a href="#">colData</a> .     |
| variable     | A single character, specifying the name to store the phenotype labels in <a href="#">colData</a> .  |
| control      | character. Specifying one or more categories that can be found in the vector specified by variable. |
| case         | character. Specifying one or more categories that can be found in the vector specified by variable. |
| analysisName | A single character. Will be used for naming the result table, which will be saved in metadata slot. |

**Details**

This function will calculate the cell counting and fraction by dividing all cells to groups specified by the arguments, together with statistical summary by performing Fisher Exact Tests (FET).

**Value**

The original `SingleCellExperiment` object with `metadata(inSCE)` updated with a list `diffAbundanceFET`, containing a new `data.frame` for the analysis result, named by `analysisName`. The `data.frame` contains columns for number and fraction of cells that belong to different cases, as well as "Odds\_Ratio", "PValue" and "FDR".

**Examples**

```
data("mouseBrainSubsetSCE", package = "singleCellTK")
mouseBrainSubsetSCE <- diffAbundanceFET(inSCE = mouseBrainSubsetSCE,
                                         cluster = "tissue",
                                         variable = "level1class",
                                         case = "oligodendrocytes",
                                         control = "microglia",
                                         analysisName = "diffAbundFET")
```

---

`discreteColorPalette`    *Generate given number of color codes*

---

**Description**

Three different generation methods are wrapped, including `distinctColors`, `[randomcolorR](SCTK_PerformingQC_Ce` and the `ggplot` default color generation.

**Usage**

```
discreteColorPalette(
  n,
  palette = c("random", "ggplot", "celda"),
  seed = 12345,
  ...
)
```

**Arguments**

|                      |                                                                                                                       |
|----------------------|-----------------------------------------------------------------------------------------------------------------------|
| <code>n</code>       | An integer, the number of color codes to generate.                                                                    |
| <code>palette</code> | A single character string. Select the method, available options are "ggplot", "celda" and "random". Default "random". |
| <code>seed</code>    | An integer. Set the seed for random process that happens only in "random" generation. Default 12345.                  |
| <code>...</code>     | Other arguments that are passed to the internal function, according to the method selected.                           |

**Value**

A character vector of `n` hex color codes.

**Examples**

```
discreteColorPalette(n = 3)
```

---

|                |                                                                    |
|----------------|--------------------------------------------------------------------|
| distinctColors | <i>Generate a distinct palette for coloring different clusters</i> |
|----------------|--------------------------------------------------------------------|

---

**Description**

Generate a distinct palette for coloring different clusters

**Usage**

```
distinctColors(
  n,
  hues = c("red", "cyan", "orange", "blue", "yellow", "purple", "green", "magenta"),
  saturation.range = c(0.7, 1),
  value.range = c(0.7, 1)
)
```

**Arguments**

|                  |                                                                                                                                                                                                                      |
|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| n                | Integer; Number of colors to generate                                                                                                                                                                                |
| hues             | Character vector of R colors available from the colors() function. These will be used as the base colors for the clustering scheme. Different saturations and values (i.e. darkness) will be generated for each hue. |
| saturation.range | Numeric vector of length 2 with values between 0 and 1. Default: c(0.25, 1)                                                                                                                                          |
| value.range      | Numeric vector of length 2 with values between 0 and 1. Default: c(0.5, 1)                                                                                                                                           |

**Value**

A vector of distinct colors that have been converted to HEX from HSV.

**Examples**

```
distinctColors(10)
```

---

|                 |                                                                                                                             |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------|
| downSampleCells | <i>Estimate numbers of detected genes, significantly differentially expressed genes, and median significant effect size</i> |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------|

---

**Description**

Estimate numbers of detected genes, significantly differentially expressed genes, and median significant effect size

**Usage**

```
downSampleCells(
  originalData,
  useAssay = "counts",
  minCountDetec = 10,
  minCellsDetec = 3,
  minCellnum = 10,
  maxCellnum = 1000,
  realLabels,
  depthResolution = 10,
  iterations = 10,
  totalReads = 1e+06
)
```

**Arguments**

|                              |                                                                                                                                                                                                                                   |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>originalData</code>    | The <a href="#">SingleCellExperiment</a> object storing all assay data from the shiny app.                                                                                                                                        |
| <code>useAssay</code>        | Character. The name of the assay to be used for subsampling.                                                                                                                                                                      |
| <code>minCountDetec</code>   | Numeric. The minimum number of reads found for a gene to be considered detected.                                                                                                                                                  |
| <code>minCellsDetec</code>   | Numeric. The minimum number of cells a gene must have at least 1 read in for it to be considered detected.                                                                                                                        |
| <code>minCellnum</code>      | Numeric. The minimum number of virtual cells to include in the smallest simulated dataset.                                                                                                                                        |
| <code>maxCellnum</code>      | Numeric. The maximum number of virtual cells to include in the largest simulated dataset                                                                                                                                          |
| <code>realLabels</code>      | Character. The name of the condition of interest. Must match a name from sample data. If only two factors present in the corresponding <code>colData</code> , will default to t-test. If multiple factors, will default to ANOVA. |
| <code>depthResolution</code> | Numeric. How many different read depth should the script simulate? Will simulate a number of experimental designs ranging from 10 reads to <code>maxReadDepth</code> , with logarithmic spacing.                                  |
| <code>iterations</code>      | Numeric. How many times should each experimental design be simulated?                                                                                                                                                             |
| <code>totalReads</code>      | Numeric. How many aligned reads to put in each simulated dataset.                                                                                                                                                                 |

**Value**

A 3-dimensional array, with dimensions = `c(iterations, depthResolution, 3)`. `[,1]` contains the number of detected genes in each simulated dataset, `[,2]` contains the number of significantly differentially expressed genes in each simulation, and `[,3]` contains the median significant effect size in each simulation. If no genes are significantly differentially expressed, the median effect size defaults to infinity.

**Examples**

```
data("mouseBrainSubsetSCE")
subset <- mouseBrainSubsetSCE[seq(100),]
res <- downSampleCells(subset,
  realLabels = "level1class",
  iterations=2)
```

---

|                 |                                                                                                                             |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------|
| downSampleDepth | <i>Estimate numbers of detected genes, significantly differentially expressed genes, and median significant effect size</i> |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------|

---

## Description

Estimate numbers of detected genes, significantly differentially expressed genes, and median significant effect size

## Usage

```
downSampleDepth(
  originalData,
  useAssay = "counts",
  minCount = 10,
  minCells = 3,
  maxDepth = 1e+07,
  realLabels,
  depthResolution = 10,
  iterations = 10
)
```

## Arguments

|                 |                                                                                                                                                                                    |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| originalData    | <a href="#">SingleCellExperiment</a> object storing all assay data from the shiny app.                                                                                             |
| useAssay        | Character. The name of the assay to be used for subsampling.                                                                                                                       |
| minCount        | Numeric. The minimum number of reads found for a gene to be considered detected.                                                                                                   |
| minCells        | Numeric. The minimum number of cells a gene must have at least 1 read in for it to be considered detected.                                                                         |
| maxDepth        | Numeric. The highest number of total reads to be simulated.                                                                                                                        |
| realLabels      | Character. The name of the condition of interest. Must match a name from sample data.                                                                                              |
| depthResolution | Numeric. How many different read depth should the script simulate? Will simulate a number of experimental designs ranging from 10 reads to maxReadDepth, with logarithmic spacing. |
| iterations      | Numeric. How many times should each experimental design be simulated?                                                                                                              |

## Value

A 3-dimensional array, with dimensions = c(iterations, depthResolution, 3). [.,1] contains the number of detected genes in each simulated dataset, [.,2] contains the number of significantly differentially expressed genes in each simulation, and [.,3] contains the median significant effect size in each simulation. If no genes are significantly differentially expressed, the median effect size defaults to infinity.

**Examples**

```
data("mouseBrainSubsetSCE")
subset <- mouseBrainSubsetSCE[seq(1000),]
res <- downSampleDepth(subset,
                        realLabels = "level1class",
                        iterations=2)
```

---

|         |                                                                                                                                                                                                |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| expData | <i>expData Get data item from an input SingleCellExperiment object. The data item can be an assay, altExp (subset) or a reducedDim, which is retrieved based on the name of the data item.</i> |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

---

**Description**

expData Get data item from an input SingleCellExperiment object. The data item can be an assay, altExp (subset) or a reducedDim, which is retrieved based on the name of the data item.

**Usage**

```
expData(inSCE, assayName)
```

**Arguments**

|           |                                                |
|-----------|------------------------------------------------|
| inSCE     | Input SingleCellExperiment object.             |
| assayName | Specify the name of the data item to retrieve. |

**Value**

Specified data item.

**Examples**

```
data(scExample, package = "singleCellTK")
mat <- expData(sce, "counts")
```

---

|                                |                                                                                                                                                                                                |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| expData, ANY, character-method | <i>expData Get data item from an input SingleCellExperiment object. The data item can be an assay, altExp (subset) or a reducedDim, which is retrieved based on the name of the data item.</i> |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

---

**Description**

expData Get data item from an input SingleCellExperiment object. The data item can be an assay, altExp (subset) or a reducedDim, which is retrieved based on the name of the data item.

**Usage**

```
## S4 method for signature 'ANY,character'
expData(inSCE, assayName)
```

**Arguments**

inSCE            Input SingleCellExperiment object.  
 assayName       Specify the name of the data item to retrieve.

**Value**

Specified data item.

**Examples**

```
data(scExample, package = "singleCellTK")
mat <- expData(sce, "counts")
```

---

|           |                                                                                                                                                                                                            |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| expData<- | <i>expData Store data items using tags to identify the type of data item stored. To be used as a replacement for assay&lt;- setter function but with additional parameter to set a tag to a data item.</i> |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

---

**Description**

expData Store data items using tags to identify the type of data item stored. To be used as a replacement for assay<- setter function but with additional parameter to set a tag to a data item.

**Usage**

```
expData(inSCE, assayName, tag = NULL, altExp = FALSE) <- value
```

**Arguments**

inSCE            Input SingleCellExperiment object.  
 assayName       Specify the name of the input assay.  
 tag              Specify the tag to store against the input assay. Default is NULL, which will set the tag to "uncategorized".  
 altExp           A logical value indicating if the input assay is a altExp or a subset assay.  
 value            An input matrix-like value to store in the SCE object.

**Value**

A SingleCellExperiment object containing the newly stored data.

**Examples**

```
data(scExample, package = "singleCellTK")
mat <- expData(sce, "counts")
expData(sce, "counts", tag = "raw") <- mat
```

---

```
expData<-,ANY,character,CharacterOrNullOrMissing,logical-method
```

*expData Store data items using tags to identify the type of data item stored. To be used as a replacement for assay<- setter function but with additional parameter to set a tag to a data item.*

---

## Description

expData Store data items using tags to identify the type of data item stored. To be used as a replacement for assay<- setter function but with additional parameter to set a tag to a data item.

## Usage

```
## S4 replacement method for signature 'ANY,character,CharacterOrNullOrMissing,logical'
expData(inSCE, assayName, tag = NULL, altExp = FALSE) <- value
```

## Arguments

|           |                                                                                                               |
|-----------|---------------------------------------------------------------------------------------------------------------|
| inSCE     | Input SingleCellExperiment object.                                                                            |
| assayName | Specify the name of the input assay.                                                                          |
| tag       | Specify the tag to store against the input assay. Default is NULL, which will set the tag to "uncategorized". |
| altExp    | A logical value indicating if the input assay is a altExp or a subset assay.                                  |
| value     | An input matrix-like value to store in the SCE object.                                                        |

## Value

A SingleCellExperiment object containing the newly stored data.

## Examples

```
data(scExample, package = "singleCellTK")
mat <- expData(sce, "counts")
expData(sce, "counts", tag = "raw") <- mat
```

---

|              |                                                                                                                                         |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| expDataNames | <i>expDataNames Get names of all the data items in the input SingleCellExperiment object including assays, altExps and reducedDims.</i> |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------|

---

## Description

expDataNames Get names of all the data items in the input SingleCellExperiment object including assays, altExps and reducedDims.

## Usage

```
expDataNames(inSCE)
```

**Arguments**

inSCE                      Input SingleCellExperiment object.

**Value**

A combined vector of assayNames, altExpNames and reducedDimNames.

**Examples**

```
data(scExample, package = "singleCellTK")
expDataNames(sce)
```

---

expDataNames, ANY-method

*expDataNames* Get names of all the data items in the input SingleCellExperiment object including assays, altExps and reducedDims.

---

**Description**

expDataNames Get names of all the data items in the input SingleCellExperiment object including assays, altExps and reducedDims.

**Usage**

```
## S4 method for signature 'ANY'
expDataNames(inSCE)
```

**Arguments**

inSCE                      Input SingleCellExperiment object.

**Value**

A combined vector of assayNames, altExpNames and reducedDimNames.

**Examples**

```
data(scExample, package = "singleCellTK")
expDataNames(sce)
```

---

|                  |                                                                                                                               |
|------------------|-------------------------------------------------------------------------------------------------------------------------------|
| expDeleteDataTag | <i>expDeleteDataTag Remove tag against an input data from the stored tag information in the metadata of the input object.</i> |
|------------------|-------------------------------------------------------------------------------------------------------------------------------|

---

### Description

expDeleteDataTag Remove tag against an input data from the stored tag information in the metadata of the input object.

### Usage

```
expDeleteDataTag(inSCE, assay)
```

### Arguments

|       |                                                                           |
|-------|---------------------------------------------------------------------------|
| inSCE | Input SingleCellExperiment object.                                        |
| assay | Name of the assay or the data item against which a tag should be removed. |

### Value

The input SingleCellExperiment object with tag information removed from the metadata slot.

### Examples

```
data(scExample, package = "singleCellTK")
sce <- expSetDataTag(sce, "raw", "counts")
sce <- expDeleteDataTag(sce, "counts")
```

---

|           |                                                   |
|-----------|---------------------------------------------------|
| exportSCE | <i>Export data in SingleCellExperiment object</i> |
|-----------|---------------------------------------------------|

---

### Description

Export data in SingleCellExperiment object

### Usage

```
exportSCE(
  inSCE,
  samplename = "sample",
  directory = "./",
  type = "Cells",
  format = c("SCE", "AnnData", "FlatFile", "HTAN", "Seurat")
)
```

**Arguments**

|            |                                                                                                                                                                          |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE      | A <a href="#">SingleCellExperiment</a> object that contains the data. QC metrics are stored in colData of the singleCellExperiment object.                               |
| samplename | Sample name. This will be used as name of subdirectories and the prefix of flat file output. Default is 'sample'.                                                        |
| directory  | Output directory. Default is './'.                                                                                                                                       |
| type       | Type of data. The type of data stored in SingleCellExperiment object. It can be 'Droplets'(raw droplets matrix) or 'Cells' (cells matrix).                               |
| format     | The format of output. It currently supports flat files, rds files and python h5 files. It can output multiple formats. Default: c("SCE", "AnnData", "FlatFile", "HTAN"). |

**Value**

Generates a file containing data from inSCE, in specified format.

**Examples**

```
data(scExample)
## Not run:
exportSCE(sce, format = "SCE")

## End(Not run)
```

---

|                    |                                                                                        |
|--------------------|----------------------------------------------------------------------------------------|
| exportSCEtoAnnData | <i>Export a <a href="#">SingleCellExperiment</a> R object as Python annData object</i> |
|--------------------|----------------------------------------------------------------------------------------|

---

**Description**

Writes all assays, colData, rowData, reducedDims, and altExps objects in a [SingleCellExperiment](#) to a Python annData object in the .h5ad format All parameters of Anndata.write\_h5ad function ([https://icb-anndata.readthedocs-hosted.com/en/stable/anndata.AnnData.write\\_h5ad.html](https://icb-anndata.readthedocs-hosted.com/en/stable/anndata.AnnData.write_h5ad.html)) are available as parameters to this export function and set to defaults. Defaults can be overridden at function call.

**Usage**

```
exportSCEtoAnnData(
  sce,
  useAssay = "counts",
  outputDir = "./",
  prefix = "sample",
  overwrite = TRUE,
  compression = c("gzip", "lzf", "None"),
  compressionOpts = NULL,
  forceDense = FALSE
)
```

**Arguments**

|                 |                                                                                                                                   |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------|
| sce             | <a href="#">SingleCellExperiment</a> R object to be exported.                                                                     |
| useAssay        | Character. The name of assay of interests that will be set as the primary matrix of the output AnnData. Default "counts".         |
| outputDir       | Path to the directory where .h5ad outputs will be written. Default is the current working directory.                              |
| prefix          | Prefix to use for the name of the output file. Default "sample".                                                                  |
| overwrite       | Boolean. Default TRUE.                                                                                                            |
| compression     | If output file compression is required, this variable accepts 'gzip', 'lzf' or "None" as inputs. Default "gzip".                  |
| compressionOpts | Integer. Sets the compression level                                                                                               |
| forceDense      | Default False Write sparse data as a dense matrix. Refer <code>anndata.write_h5ad</code> documentation for details. Default NULL. |

**Value**

Generates a Python anndata object containing data from inSCE.

**Examples**

```
data(sce_chcl, package = "scds")
## Not run:
exportSCEtoAnnData(sce=sce_chcl, compression="gzip")

## End(Not run)
```

---

exportSCEtoFlatFile     *Export a [SingleCellExperiment](#) object to flat text files*

---

**Description**

Writes all assays, colData, rowData, reducedDims, and altExps objects in a [SingleCellExperiment](#) to text files. The items in the 'metadata' slot remain stored in list and are saved in an RDS file.

**Usage**

```
exportSCEtoFlatFile(
  sce,
  outputDir = "./",
  overwrite = TRUE,
  gzipped = TRUE,
  prefix = "SCE"
)
```

**Arguments**

|           |                                                                                             |
|-----------|---------------------------------------------------------------------------------------------|
| sce       | <a href="#">SingleCellExperiment</a> object to be exported.                                 |
| outputDir | Name of the directory to store the exported file(s).                                        |
| overwrite | Boolean. Whether to overwrite the output files. Default TRUE.                               |
| gzipped   | Boolean. TRUE if the output files are to be gzip compressed. FALSE otherwise. Default TRUE. |
| prefix    | Prefix of file names.                                                                       |

**Value**

Generates text files containing data from inSCE.

**Examples**

```
data(sce_chcl, package = "scds")
## Not run:
exportSCEToFlatFile(sce_chcl, "sce_chcl")

## End(Not run)
```

---

|                   |                                     |
|-------------------|-------------------------------------|
| exportSCEToSeurat | <i>Export data in Seurat object</i> |
|-------------------|-------------------------------------|

---

**Description**

Export data in Seurat object

**Usage**

```
exportSCEToSeurat(
  inSCE,
  prefix = "sample",
  outputDir = "./",
  overwrite = TRUE,
  copyColData = TRUE,
  copyReducedDim = TRUE,
  copyDecontX = TRUE
)
```

**Arguments**

|           |                                                                                                                                            |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE     | A <a href="#">SingleCellExperiment</a> object that contains the data. QC metrics are stored in colData of the singleCellExperiment object. |
| prefix    | Prefix to use for the name of the output file. Default "sample".                                                                           |
| outputDir | Path to the directory where outputs will be written. Default is the current working directory.                                             |
| overwrite | Boolean. Whether overwrite the output if it already exists in the outputDir. Default TRUE.                                                 |

|                |                                                                                                               |
|----------------|---------------------------------------------------------------------------------------------------------------|
| copyColData    | Boolean. Whether copy 'colData' of SCE object to the 'meta.data' of Seurat object. Default TRUE.              |
| copyReducedDim | Boolean. Whether copy 'reducedDims' of the SCE object to the 'reductions' of Seurat object. Default TRUE.     |
| copyDecontX    | Boolean. Whether copy 'decontXcounts' assay of the SCE object to the 'assays' of Seurat object. Default TRUE. |

**Value**

Generates a Seurat object containing data from inSCE.

---

|               |                                                                                  |
|---------------|----------------------------------------------------------------------------------|
| expSetDataTag | <i>expSetDataTag</i> Set tag to an assay or a data item in the input SCE object. |
|---------------|----------------------------------------------------------------------------------|

---

**Description**

expSetDataTag Set tag to an assay or a data item in the input SCE object.

**Usage**

```
expSetDataTag(inSCE, assayType, assays)
```

**Arguments**

|           |                                                                                  |
|-----------|----------------------------------------------------------------------------------|
| inSCE     | Input SingleCellExperiment object.                                               |
| assayType | Specify a character(1) value as a tag that should be set against a data item.    |
| assays    | Specify name(s) character() of data item(s) against which the tag should be set. |

**Value**

The input SingleCellExperiment object with tag information stored in the metadata slot.

**Examples**

```
data(scExample, package = "singleCellTK")
sce <- expSetDataTag(sce, "raw", "counts")
```

---

|               |                                                                                                                                        |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------|
| expTaggedData | <i>expTaggedData Returns a list of names of data items from the input SingleCellExperiment object based upon the input parameters.</i> |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------|

---

## Description

expTaggedData Returns a list of names of data items from the input SingleCellExperiment object based upon the input parameters.

## Usage

```
expTaggedData(
  inSCE,
  tags = NULL,
  redDims = FALSE,
  recommended = NULL,
  showTags = TRUE
)
```

## Arguments

|             |                                                                                                                                                                                                                                          |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE       | Input SingleCellExperiment object.                                                                                                                                                                                                       |
| tags        | A character() value indicating if the data items should be returned separated by the specified tags. Default is NULL indicating that returned names of the data items are simply returned as a list with default tag as "uncategorized". |
| redDims     | A logical value indicating if reducedDims should be returned as well separated with 'redDims' tag.                                                                                                                                       |
| recommended | A character() vector indicating the tags that should be displayed as recommended. Default is NULL.                                                                                                                                       |
| showTags    | A logical value indicating if the tags should be shown. If FALSE, output is just a simple list, not separated by tags.                                                                                                                   |

## Value

A list of names of data items specified by the other parameters.

## Examples

```
data(scExample, package = "singleCellTK")
sce <- expSetDataTag(sce, "raw", "counts")
tags <- expTaggedData(sce)
```

---

|              |                                                 |
|--------------|-------------------------------------------------|
| featureIndex | <i>Retrieve row index for a set of features</i> |
|--------------|-------------------------------------------------|

---

### Description

This will return indices of features among the rownames or rowData of a data.frame, matrix, or a [SummarizedExperiment](#) object including a [SingleCellExperiment](#). Partial matching (i.e. grepping) can be used by setting `exactMatch = FALSE`.

### Usage

```
featureIndex(
  features,
  inSCE,
  by = "rownames",
  exactMatch = TRUE,
  removeNA = FALSE,
  errorOnNoMatch = TRUE,
  warningOnPartialMatch = TRUE
)
```

### Arguments

|                       |                                                                                                                                                                                                                                                                                                                    |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| features              | Character vector of feature names to find in the rows of inSCE.                                                                                                                                                                                                                                                    |
| inSCE                 | A data.frame, matrix, or <a href="#">SingleCellExperiment</a> object to search.                                                                                                                                                                                                                                    |
| by                    | Character. Where to search for features in inSCE. If set to "rownames" then the features will be searched for among rownames(inSCE). If inSCE inherits from class <a href="#">SummarizedExperiment</a> , then by can be one of the fields in the row annotation data.frame (i.e. one of colnames(rowData(inSCE))). |
| exactMatch            | Boolean. Whether to only identify exact matches or to identify partial matches using <a href="#">grep</a> .                                                                                                                                                                                                        |
| removeNA              | Boolean. If set to FALSE, features not found in inSCE will be given NA and the returned vector will be the same length as features. If set to TRUE, then the NA values will be removed from the returned vector. Default FALSE.                                                                                    |
| errorOnNoMatch        | Boolean. If TRUE, an error will be given if no matches are found. If FALSE, an empty vector will be returned if removeNA is set to TRUE or a vector of NA if removeNA is set to FALSE. Default TRUE.                                                                                                               |
| warningOnPartialMatch | Boolean. If TRUE, a warning will be given if some of the entries in features were not found in inSCE. The warning will list the features not found. Default TRUE.                                                                                                                                                  |

### Value

A vector of row indices for the matching features in inSCE.

### Author(s)

Yusuke Koga, Joshua D. Campbell

**See Also**

'[retrieveFeatureInfo](#)' from package 'scater' and `link{regex}` for how to use regular expressions when `exactMatch = FALSE`.

**Examples**

```
data(scExample)
ix <- featureIndex(features = c("MT-CYB", "MT-ND2"),
                    inSCE = sce,
                    by = "feature_name")
```

---

|                  |                                                                    |
|------------------|--------------------------------------------------------------------|
| generateHTANMeta | <i>Generate HTAN manifest file for droplet and cell count data</i> |
|------------------|--------------------------------------------------------------------|

---

**Description**

Generate HTAN manifest file for droplet and cell count data

**Usage**

```
generateHTANMeta(
  dropletSCE = NULL,
  cellSCE = NULL,
  samplename,
  htan_biospecimen_id,
  dir,
  dataType = c("Droplet", "Cell", "Both")
)
```

**Arguments**

|                     |                                                                                      |
|---------------------|--------------------------------------------------------------------------------------|
| dropletSCE          | A <a href="#">SingleCellExperiment</a> object containing droplet count matrix data   |
| cellSCE             | A <a href="#">SingleCellExperiment</a> object containing cell count matrix data      |
| samplename          | The sample name of the <a href="#">SingleCellExperiment</a> objects                  |
| htan_biospecimen_id | The HTAN biospecimen id of the sample in <a href="#">SingleCellExperiment</a> object |
| dir                 | The output directory of the SCTK QC pipeline.                                        |
| dataType            | Type of the input data. It can be one of "Droplet", "Cell" or "Both".                |

**Value**

A [SingleCellExperiment](#) object which combines all objects in `sceList`. The `colData` is merged.

---

|              |                                                                    |
|--------------|--------------------------------------------------------------------|
| generateMeta | <i>Generate HTAN manifest file for droplet and cell count data</i> |
|--------------|--------------------------------------------------------------------|

---

### Description

Generate HTAN manifest file for droplet and cell count data

### Usage

```
generateMeta(
  dropletSCE = NULL,
  cellSCE = NULL,
  samplename,
  dir,
  HTAN = TRUE,
  dataType = c("Droplet", "Cell", "Both")
)
```

### Arguments

|            |                                                                                                                                             |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| dropletSCE | A <a href="#">SingleCellExperiment</a> object containing droplet count matrix data                                                          |
| cellSCE    | A <a href="#">SingleCellExperiment</a> object containing cell count matrix data                                                             |
| samplename | The sample name of the <a href="#">SingleCellExperiment</a> objects                                                                         |
| dir        | The output directory of the SCTK QC pipeline.                                                                                               |
| HTAN       | Whether generates manifest file including HTAN specific ID (HTAN Biospecimen ID, HTAN parent file ID and HTAN patient ID). Default is TRUE. |
| dataType   | Type of the input data. It can be one of "Droplet", "Cell" or "Both".                                                                       |

### Value

A [SingleCellExperiment](#) object which combines all objects in sceList. The colData is merged.

---

|                       |                                                                                          |
|-----------------------|------------------------------------------------------------------------------------------|
| generateSimulatedData | <i>Generates a single simulated dataset, bootstrapping from the input counts matrix.</i> |
|-----------------------|------------------------------------------------------------------------------------------|

---

### Description

Generates a single simulated dataset, bootstrapping from the input counts matrix.

### Usage

```
generateSimulatedData(totalReads, cells, originalData, realLabels)
```

**Arguments**

|              |                                                                                                                                                            |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| totalReads   | Numeric. The total number of reads in the simulated dataset, to be split between all simulated cells.                                                      |
| cells        | Numeric. The number of virtual cells to simulate.                                                                                                          |
| originalData | Matrix. The original raw read count matrix. When used within the Shiny app, this will be assay(SCEsetObject, "counts").                                    |
| realLabels   | Factor. The condition labels for differential expression. If only two factors present, will default to t-test. If multiple factors, will default to ANOVA. |

**Value**

A simulated counts matrix, the first row of which contains the 'true' labels for each virtual cell.

**Examples**

```
data("mouseBrainSubsetSCE")
res <- generateSimulatedData(
  totalReads = 1000, cells=10,
  originalData = assay(mouseBrainSubsetSCE, "counts"),
  realLabels = colData(mouseBrainSubsetSCE)[, "level1class"])
```

---

|              |                                                                                                                          |
|--------------|--------------------------------------------------------------------------------------------------------------------------|
| getBiomarker | <i>Given a list of genes and a SingleCellExperiment object, return the binary or continuous expression of the genes.</i> |
|--------------|--------------------------------------------------------------------------------------------------------------------------|

---

**Description**

Given a list of genes and a SingleCellExperiment object, return the binary or continuous expression of the genes.

**Usage**

```
getBiomarker(
  inSCE,
  gene,
  binary = "Binary",
  useAssay = "counts",
  featureLocation = NULL,
  featureDisplay = NULL
)
```

**Arguments**

|          |                                                                                  |
|----------|----------------------------------------------------------------------------------|
| inSCE    | Input <a href="#">SingleCellExperiment</a> object.                               |
| gene     | gene list                                                                        |
| binary   | "Binary" for binary expression or "Continuous" for a gradient. Default: "Binary" |
| useAssay | Indicates which assay to use. The default is "counts".                           |

featureLocation Indicates which column name of rowData to query gene.

featureDisplay Indicates which column name of rowData to use to display feature for visualization.

### Value

getBiomarker(): A data.frame of expression values

### Examples

```
data("mouseBrainSubsetSCE")
getBiomarker(mouseBrainSubsetSCE, gene="C1qa")
```

---

|                |                                        |
|----------------|----------------------------------------|
| getDEGTopTable | <i>Get Top Table of a DEG analysis</i> |
|----------------|----------------------------------------|

---

### Description

Users have to run `runDEAnalysis()` first, any of the wrapped functions of this generic function. Users can set further filters on the result. A `data.frame` object, with variables of Gene, Log2\_FC, Pvalue, and FDR, will be returned.

### Usage

```
getDEGTopTable(
  inSCE,
  useResult,
  labelBy = S4Vectors::metadata(inSCE)$featureDisplay,
  onlyPos = FALSE,
  log2fcThreshold = 0.25,
  fdrThreshold = 0.05,
  minGroup1MeanExp = NULL,
  maxGroup2MeanExp = NULL,
  minGroup1ExprPerc = NULL,
  maxGroup2ExprPerc = NULL
)
```

### Arguments

|           |                                                                                                                                                                                                                                  |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE     | <a href="#">SingleCellExperiment</a> inherited object, with of the singleCellTK DEG method performed in advance.                                                                                                                 |
| useResult | character. A string specifying the analysisName used when running a differential expression analysis function.                                                                                                                   |
| labelBy   | A single character for a column of <code>rowData(inSCE)</code> as where to search for the labeling text. Leave NULL for rownames. Default <code>metadata(inSCE)\$featureDisplay</code> (see <a href="#">setSCTKDisplayRow</a> ). |
| onlyPos   | logical. Whether to only fetch DEG with positive log2_FC value. Default FALSE.                                                                                                                                                   |

log2fcThreshold      numeric. Only fetch DEGs with the absolute values of log2FC larger than this value. Default 0.25.

fdrThreshold      numeric. Only fetch DEGs with FDR value smaller than this value. Default 0.05.

minGroup1MeanExp      numeric. Only fetch DEGs with mean expression in group1 greater than this value. Default NULL.

maxGroup2MeanExp      numeric. Only fetch DEGs with mean expression in group2 less than this value. Default NULL.

minGroup1ExprPerc      numeric. Only fetch DEGs expressed in greater than this fraction of cells in group1. Default NULL.

maxGroup2ExprPerc      numeric. Only fetch DEGs expressed in less than this fraction of cells in group2. Default NULL.

### Value

A data.frame object of the top DEGs, with variables of Gene, Log2\_FC, Pvalue, and FDR.

### Examples

```
data("sceBatches")
sceBatches <- scatterlogNormCounts(sceBatches, "logcounts")
sce.w <- subsetSCECols(sceBatches, colData = "batch == 'w'")
sce.w <- runWilcox(sce.w, class = "cell_type",
                  classGroup1 = "alpha", classGroup2 = "beta",
                  groupName1 = "w.alpha", groupName2 = "w.beta",
                  analysisName = "w.aVSb")
getDEGTopTable(sce.w, "w.aVSb")
```

---

getDiffAbundanceResults

*Get/Set diffAbundanceFET result table*

---

### Description

Get/Set diffAbundanceFET result table

### Usage

```
getDiffAbundanceResults(x, analysisName)

## S4 method for signature 'SingleCellExperiment'
getDiffAbundanceResults(x, analysisName)

getDiffAbundanceResults(x, analysisName) <- value

## S4 replacement method for signature 'SingleCellExperiment'
getDiffAbundanceResults(x, analysisName) <- value
```

**Arguments**

x                    A [SingleCellExperiment](#) object.

analysisName      A single character string specifying an analysis performed with [diffAbundanceFET](#)

value               The output table of [diffAbundanceFET](#)

**Value**

The differential abundance table for getter method, or update the SCE object with new result for setter method.

**Examples**

```
data("mouseBrainSubsetSCE", package = "singleCellTK")
mouseBrainSubsetSCE <- diffAbundanceFET(inSCE = mouseBrainSubsetSCE,
                                         cluster = "tissue",
                                         variable = "level1class",
                                         case = "oligodendrocytes",
                                         control = "microglia",
                                         analysisName = "diffAbund")
result <- getDiffAbundanceResults(mouseBrainSubsetSCE, "diffAbund")
```

---

getEnrichRResult<-      *Get or Set EnrichR Result*

---

**Description**

Get or Set EnrichR Result

**Usage**

```
getEnrichRResult(inSCE, analysisName) <- value

getEnrichRResult(inSCE, analysisName)

## S4 method for signature 'SingleCellExperiment'
getEnrichRResult(inSCE, analysisName)

## S4 replacement method for signature 'SingleCellExperiment'
getEnrichRResult(inSCE, analysisName) <- value
```

**Arguments**

inSCE               A [SingleCellExperiment](#) object.

analysisName      A string that identifies each specific analysis

value               The EnrichR result table

**Value**

For getter method, a data.frame of the EnrichR result; For setter method, inSCE with EnrichR results updated.

**See Also**[runEnrichR](#)**Examples**

```
data("mouseBrainSubsetSCE")
if (Biobase::testBioCConnection()) {
  mouseBrainSubsetSCE <- runEnrichR(mouseBrainSubsetSCE, features = c("Vamp7", "Cntn2", "Olig1"),
                                   db = "GO_Cellular_Component_2025",
                                   analysisName = "analysis1")
  result <- getEnrichRResult(mouseBrainSubsetSCE, "analysis1")
}
```

---

getFindMarkerTopTable *Fetch the table of top markers that pass the filtering*

---

**Description**

Fetch the table of top markers that pass the filtering

**Usage**

```
getFindMarkerTopTable(
  inSCE,
  log2fcThreshold = 0,
  fdrThreshold = 0.05,
  minClustExprPerc = 0.5,
  maxCtrlExprPerc = 0.5,
  minMeanExpr = 0,
  topN = 1
)

findMarkerTopTable(
  inSCE,
  log2fcThreshold = 1,
  fdrThreshold = 0.05,
  minClustExprPerc = 0.7,
  maxCtrlExprPerc = 0.4,
  minMeanExpr = 1,
  topN = 10
)
```

**Arguments**

|                 |                                                                                    |
|-----------------|------------------------------------------------------------------------------------|
| inSCE           | <a href="#">SingleCellExperiment</a> inherited object.                             |
| log2fcThreshold | Only use DEGs with the absolute values of log2FC larger than this value. Default 1 |
| fdrThreshold    | Only use DEGs with FDR value smaller than this value. Default 0.05                 |

|                  |                                                                                                                                                                    |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| minClustExprPerc | A numeric scalar. The minimum cutoff of the percentage of cells in the cluster of interests that expressed the marker gene. Default 0.7.                           |
| maxCtrlExprPerc  | A numeric scalar. The maximum cutoff of the percentage of cells out of the cluster (control group) that expressed the marker gene. Default 0.4.                    |
| minMeanExpr      | A numeric scalar. The minimum cutoff of the mean expression value of the marker in the cluster of interests. Default 1.                                            |
| topN             | An integer. Only to fetch this number of top markers for each cluster in maximum, in terms of log2FC value. Use NULL to cancel the top N subscription. Default 10. |

### Details

Users have to run [runFindMarker](#) prior to using this function to extract a top marker table.

### Value

An organized data.frame object, with the top marker gene information.

### See Also

[runFindMarker](#), [plotFindMarkerHeatmap](#)

### Examples

```
data("mouseBrainSubsetSCE", package = "singleCellTK")
mouseBrainSubsetSCE <- runFindMarker(mouseBrainSubsetSCE,
                                     useAssay = "logcounts",
                                     cluster = "level1class")
getFindMarkerTopTable(mouseBrainSubsetSCE)
```

---

getGenesetNamesFromCollection

*List geneset names from geneSetCollection*

---

### Description

List geneset names from geneSetCollection

### Usage

```
getGenesetNamesFromCollection(inSCE, geneSetCollectionName)
```

### Arguments

**inSCE**                    Input [SingleCellExperiment](#) object.  
**geneSetCollectionName**    The name of an imported geneSetCollection.

### Value

A character vector of available genesets from the collection.

---

|                |                                |
|----------------|--------------------------------|
| getMSigDBTable | <i>Shows MSigDB categories</i> |
|----------------|--------------------------------|

---

**Description**

Returns a data.frame that shows MSigDB categories and subcategories as well as descriptions for each. The entries in the ID column in this table can be used as input for [importGeneSetsFromMSigDB](#).

**Usage**

```
getMSigDBTable()
```

**Value**

data.frame, containing MSigDB categories

**Author(s)**

Joshua D. Campbell

**See Also**

[importGeneSetsFromMSigDB](#) for importing MSigDB gene sets.

**Examples**

```
getMSigDBTable()
```

---

|                       |                                           |
|-----------------------|-------------------------------------------|
| getPathwayResultNames | <i>List pathway analysis result names</i> |
|-----------------------|-------------------------------------------|

---

**Description**

List pathway analysis result names

**Usage**

```
getPathwayResultNames(inSCE, stopIfNone = FALSE, verbose = FALSE)
```

**Arguments**

|            |                                                                                                          |
|------------|----------------------------------------------------------------------------------------------------------|
| inSCE      | Input <a href="#">SingleCellExperiment</a> object.                                                       |
| stopIfNone | Whether to stop and raise an error if no results found. If FALSE, will return an empty character vector. |
| verbose    | Show warning if no result found. Default FALSE                                                           |

**Details**

Pathway analysis results will be stored as matrices in reducedDims slot of inSCE. This function lists the result names stored in metadata slot when analysis is performed.

**Value**

A character vector of valid pathway analysis result names.

**Examples**

```
data(scExample)
getPathwayResultNames(sce)
```

---

```
getSampleSummaryStatsTable
```

*Stores and returns table of SCTK QC outputs to metadata.*

---

**Description**

Stores and returns table of QC metrics generated from QC algorithms within the metadata slot of the SingleCellExperiment object.

**Usage**

```
getSampleSummaryStatsTable(inSCE, statsName, ...)

setSampleSummaryStatsTable(inSCE, statsName, ...) <- value

## S4 method for signature 'SingleCellExperiment'
getSampleSummaryStatsTable(inSCE, statsName, ...)

## S4 replacement method for signature 'SingleCellExperiment'
setSampleSummaryStatsTable(inSCE, statsName, ...) <- value
```

**Arguments**

|           |                                                                                                                                        |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------|
| inSCE     | Input <a href="#">SingleCellExperiment</a> object with saved <a href="#">assay</a> data and/or <a href="#">colData</a> data. Required. |
| statsName | A character value indicating the slot that stores the stats table within the metadata of the SingleCellExperiment object. Required.    |
| ...       | Other arguments passed to the function.                                                                                                |
| value     | The summary table for QC statistics generated from SingleCellTK to be added to the SCE object.                                         |

**Value**

For `getSampleSummaryStatsTable`, A matrix/array object. Contains a summary table for QC statistics generated from SingleCellTK. For `setSampleSummaryStatsTable<-`, A SingleCellExperiment object where the summary table is updated in the metadata slot.

**Examples**

```
data(scExample, package = "singleCellTK")
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
sce <- sampleSummaryStats(sce, simple = TRUE, statsName = "qc_table")
getSampleSummaryStatsTable(sce, statsName = "qc_table")
```

---

|              |                                                                   |
|--------------|-------------------------------------------------------------------|
| getSceParams | <i>Extract QC parameters from the SingleCellExperiment object</i> |
|--------------|-------------------------------------------------------------------|

---

### Description

Extract QC parameters from the SingleCellExperiment object

### Usage

```
getSceParams(
  inSCE,
  skip = c("runScrublet", "runDecontX", "runBarcodeRanksMetaOutput", "genesets",
    "runSoupX"),
  ignore = c("algorithms", "estimates", "contamination", "z", "sample", "rank",
    "BPPARAM", "batch", "geneSetCollection", "barcodeArgs"),
  directory = "./",
  samplename = "",
  writeYAML = TRUE
)
```

### Arguments

|            |                                                                                                   |
|------------|---------------------------------------------------------------------------------------------------|
| inSCE      | A <a href="#">SingleCellExperiment</a> object.                                                    |
| skip       | Skip extracting the parameters of the provided QC functions.                                      |
| ignore     | Skip extracting the content within QC functions.                                                  |
| directory  | The output directory of the SCTK_runQC.R pipeline.                                                |
| samplename | The sample name of the <a href="#">SingleCellExperiment</a> objects.                              |
| writeYAML  | Whether output yaml file to store parameters. Default if TRUE. If FALSE, return character object. |

### Value

If writeYAML TRUE, a yaml object will be generated. If FALSE, character object.

---

|                           |                                                                           |
|---------------------------|---------------------------------------------------------------------------|
| getSeuratVariableFeatures | <i>Get variable feature names after running runSeuratFindHVG function</i> |
|---------------------------|---------------------------------------------------------------------------|

---

### Description

Get variable feature names after running runSeuratFindHVG function

### Usage

```
getSeuratVariableFeatures(inSCE)
```

### Arguments

|       |                                    |
|-------|------------------------------------|
| inSCE | Input SingleCellExperiment object. |
|-------|------------------------------------|

**Value**

A list of variable feature names.

---

|            |                                |
|------------|--------------------------------|
| getSoupX<- | <i>Get or Set SoupX Result</i> |
|------------|--------------------------------|

---

**Description**

S4 method for getting and setting SoupX results that cannot be appended to either `rowData(inSCE)` or `colData(inSCE)`.

S4 method for getting and setting SoupX results that cannot be appended to either `rowData(inSCE)` or `colData(inSCE)`.

**Usage**

```
getSoupX(inSCE, sampleID, background = FALSE) <- value

getSoupX(inSCE, sampleID = NULL, background = FALSE)

## S4 method for signature 'SingleCellExperiment'
getSoupX(inSCE, sampleID = NULL, background = FALSE)

## S4 replacement method for signature 'SingleCellExperiment'
getSoupX(inSCE, sampleID, background = FALSE) <- value
```

**Arguments**

|                         |                                                                                                                                                                                           |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>inSCE</code>      | A <a href="#">SingleCellExperiment</a> object. For getter method, <a href="#">runSoupX</a> must have been already applied.                                                                |
| <code>sampleID</code>   | Character vector. For getter method, the samples that should be included in the returned list. Leave this NULL for all samples. Default NULL. For setter method, only one sample allowed. |
| <code>background</code> | Logical. Whether background was applied when running <a href="#">runSoupX</a> . Default FALSE.                                                                                            |
| <code>value</code>      | Dedicated list object of SoupX results.                                                                                                                                                   |

**Value**

For getter method, a list with SoupX results for specified samples. For setter method, `inSCE` with SoupX results updated.

For getter method, a list with SoupX results for specified samples. For setter method, `inSCE` with SoupX results updated.

**See Also**

[runSoupX](#), [plotSoupXResults](#)

## Examples

```
## Not run:
sce <- importExampleData("pbmc3k")
sce <- runSoupX(sce, sample = "sample")
soupXResults <- getSoupX(sce)

## End(Not run)
```

---

getTopHVG

*Get or set top HVG after calculation*


---

## Description

Extracts or select the top variable genes from an input [SingleCellExperiment](#) object. Note that the variability metrics must be computed using the `runFeatureSelection` method before extracting the feature names of the top variable features. `getTopHVG` only returns a character vector of the HVG selection, while with `setTopHVG`, a logical vector of the selection will be saved in the `rowData`, and optionally, a subset object for the HVGs can be stored in the `altExps` slot at the same time.

## Usage

```
getTopHVG(
  inSCE,
  method = c("vst", "dispersion", "mean.var.plot", "modelGeneVar", "seurat", "seurat_v3",
    "cell_ranger"),
  hvgNumber = 2000,
  useFeatureSubset = "hvf",
  featureDisplay = metadata(inSCE)$featureDisplay
)

setTopHVG(
  inSCE,
  method = c("vst", "dispersion", "mean.var.plot", "modelGeneVar", "seurat", "seurat_v3",
    "cell_ranger"),
  hvgNumber = 2000,
  featureSubsetName = "hvg2000",
  genes = NULL,
  genesBy = NULL,
  altExp = FALSE
)
```

## Arguments

|                               |                                                                                                                                                                                                 |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>inSCE</code>            | Input <a href="#">SingleCellExperiment</a> object                                                                                                                                               |
| <code>method</code>           | Specify which method to use for variable gene extraction from Seurat "vst", "mean.var.plot", "dispersion" or Scran "modelGeneVar" or Scanpy "seurat", "cell_ranger", "seurat_v3". Default "vst" |
| <code>hvgNumber</code>        | Specify the number of top variable genes to extract.                                                                                                                                            |
| <code>useFeatureSubset</code> | Get the feature names in the HVG list set by <code>setTopHVG</code> . <code>method</code> and <code>hvgNumber</code> will not be used if not this is not NULL. Default "hvf".                   |

|                   |                                                                                                                                                                                                                    |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| featureDisplay    | A character string for the rowData variable name to indicate what type of feature ID should be displayed. If set by <a href="#">setSCTKDisplayRow</a> , will by default use it. If NULL, will use rownames(inSCE). |
| featureSubsetName | A character string for the rowData variable name to store a logical index of selected features. Default "hvg2000".                                                                                                 |
| genes             | A customized character vector of gene list to be set as a rowData variable. Will ignore method and hvgNumber if set. Default NULL.                                                                                 |
| genesBy           | If setting customized genes, where should it be found in rowData? Leave NULL for matching rownames. Default NULL.                                                                                                  |
| altExp            | TRUE for also creating a subset inSCE object with the selected HVGs and store this subset in the altExps slot, named by hvgListName. Default FALSE.                                                                |

**Value**

|           |                                                                                                                                                                           |
|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| getTopHVG | A character vector of the top hvgNumber variable feature names                                                                                                            |
| setTopHVG | The input inSCE object with the logical vector of HVG selection updated in rowData, and related parameter updated in metadata. If altExp is TRUE, an altExp is also added |

**Author(s)**

Irzam Sarfraz, Yichen Wang

**See Also**

[runFeatureSelection](#), [runSeuratFindHVG](#), [runModelGeneVar](#), [plotTopHVG](#)

**Examples**

```
data("scExample", package = "singleCellTK")

# Create a "highly variable feature" subset using Seurat's vst method:
sce <- runSeuratFindHVG(sce, method = "vst", hvgNumber = 2000,
  createFeatureSubset = "hvf")

# Get the list of genes for a feature subset:
hvgs <- getTopHVG(sce, useFeatureSubset = "hvf")

# Create a new feature subset on the fly without rerunning the algorithm:
sce <- setTopHVG(sce, method = "vst", hvgNumber = 100,
  featureSubsetName = "hvf100")
hvgs <- getTopHVG(sce, useFeatureSubset = "hvf100")

# Get a list of variable features without creating a new feature subset:
hvgs <- getTopHVG(sce, useFeatureSubset = NULL,
  method = "vst", hvgNumber = 10)
```

---

|                 |                                          |
|-----------------|------------------------------------------|
| getTSCANResults | <i>getTSCANResults accessor function</i> |
|-----------------|------------------------------------------|

---

## Description

SCTK allows user to access all TSCAN related results with "getTSCANResults". See details.

## Usage

```
getTSCANResults(x, analysisName = NULL, pathName = NULL)

## S4 method for signature 'SingleCellExperiment'
getTSCANResults(x, analysisName = NULL, pathName = NULL)

getTSCANResults(x, analysisName, pathName = NULL) <- value

## S4 replacement method for signature 'SingleCellExperiment'
getTSCANResults(x, analysisName, pathName = NULL) <- value

listTSCANResults(x)

## S4 method for signature 'SingleCellExperiment'
listTSCANResults(x)

listTSCANTerminalNodes(x)

## S4 method for signature 'SingleCellExperiment'
listTSCANTerminalNodes(x)
```

## Arguments

|              |                                                                                           |
|--------------|-------------------------------------------------------------------------------------------|
| x            | Input <a href="#">SingleCellExperiment</a> object.                                        |
| analysisName | Algorithm name implemented, should be one of "Pseudotime", "DEG", or "ClusterDEAnalysis". |
| pathName     | Sub folder name within the analysisName. See details.                                     |
| value        | Value to be stored within the pathName or analysisName                                    |

## Details

When analysisName = "Pseudotime", returns the list result from [runTSCAN](#), including the MST structure.

When analysisName = "DEG", returns the list result from [runTSCANDEG](#), including DataFrames containing genes that increase/decrease along each the pseudotime paths. pathName indicates the path index, the available options of which can be listed by [listTSCANTerminalNodes](#).

When analysisName = "ClusterDEAnalysis", returns the list result from [runTSCANClusterDEAnalysis](#). Here pathName needs to match with the useCluster argument when running the algorithm.

## Value

Get or set TSCAN results

## Examples

```
data("mouseBrainSubsetSCE", package = "singleCellTK")
mouseBrainSubsetSCE <- runTSCAN(inSCE = mouseBrainSubsetSCE,
                                useReducedDim = "PCA_logcounts")
results <- getTSCANResults(mouseBrainSubsetSCE, "Pseudotime")
```

---

|              |                                                       |
|--------------|-------------------------------------------------------|
| importAlevin | <i>Construct SCE object from Salmon-Alevin output</i> |
|--------------|-------------------------------------------------------|

---

## Description

Construct SCE object from Salmon-Alevin output

## Usage

```
importAlevin(
  alevinDir = NULL,
  sampleName = "sample",
  delayedArray = FALSE,
  class = c("Matrix", "matrix"),
  rowNamesDedup = TRUE
)
```

## Arguments

|               |                                                                                                                                                                                                                                  |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| alevinDir     | Character. The output directory of salmon-Alevin pipeline. It should contain subfolder named 'alevin', which contains the count data which is stored in 'quants_mat.gz'. Default NULL.                                           |
| sampleName    | Character. A user-defined sample name for the sample to be imported. The 'sampleName' will be appended to the beginning of cell barcodes. Default is 'sample'.                                                                   |
| delayedArray  | Boolean. Whether to read the expression matrix as <a href="#">DelayedArray</a> object or not. Default FALSE.                                                                                                                     |
| class         | Character. The class of the expression matrix stored in the SCE object. Can be one of "Matrix" (as returned by <a href="#">readMM</a> function), or "matrix" (as returned by <a href="#">matrix</a> function). Default "Matrix". |
| rowNamesDedup | Boolean. Whether to deduplicate rownames. Default TRUE.                                                                                                                                                                          |

## Value

A SingleCellExperiment object containing the count matrix, the feature annotations, and the cell annotation (which includes QC metrics stored in 'featureDump.txt').

---

|               |                                                                             |
|---------------|-----------------------------------------------------------------------------|
| importAnnData | <i>Create a SingleCellExperiment Object from Python AnnData .h5ad files</i> |
|---------------|-----------------------------------------------------------------------------|

---

## Description

This function reads in one or more Python AnnData files in the .h5ad format and returns a single [SingleCellExperiment](#) object containing all the AnnData samples by concatenating their counts matrices and related information slots.

## Usage

```
importAnnData(
  sampleDirs = NULL,
  sampleNames = NULL,
  delayedArray = FALSE,
  class = c("Matrix", "matrix"),
  rowNamesDedup = TRUE
)
```

## Arguments

|               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| sampleDirs    | Folder containing the .h5ad file. Can be one of - <ul style="list-style-type: none"> <li>• Default current working directory.</li> <li>• Full path to the directory containing the .h5ad file. E.g sampleDirs = '/path/to/sample'</li> <li>• A vector of folder paths for the samples to import. E.g. sampleDirs = c('/path/to/sample1', '/path/to/sample2', '/path/to/sample3') importAnnData will return a single SCE object containing all the samples with the sample name appended to each colname in colData</li> </ul> |
| sampleNames   | The prefix/name of the .h5ad file without the .h5ad extension e.g. if 'sample.h5ad' is the filename, pass sampleNames = 'sample'. Can be one of - <ul style="list-style-type: none"> <li>• Default sample.</li> <li>• A vector of samples to import. Length of vector must be equal to length of sampleDirs vector E.g. sampleDirs = c('sample1', 'sample2', 'sample3') importAnnData will return a single SCE object containing all the samples with the sample name appended to each colname in colData</li> </ul>          |
| delayedArray  | Boolean. Whether to read the expression matrix as <a href="#">DelayedArray</a> object. Default FALSE.                                                                                                                                                                                                                                                                                                                                                                                                                         |
| class         | Character. The class of the expression matrix stored in the SCE object. Can be one of "Matrix" (as returned by <a href="#">readMM</a> function), or "matrix" (as returned by <a href="#">matrix</a> function). Default "Matrix".                                                                                                                                                                                                                                                                                              |
| rowNamesDedup | Boolean. Whether to deduplicate rownames. Default TRUE.                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

## Details

importAnnData converts scRNA-seq data in the AnnData format to the SingleCellExperiment object. The .X slot in AnnData is transposed to the features x cells format and becomes the 'counts' matrix in the assay slot. The .vars AnnData slot becomes the SCE rowData and the .obs AnnData

slot becomes the SCE colData. Multidimensional data in the .obsm AnnData slot is ported over to the SCE reducedDims slot. Additionally, unstructured data in the .uns AnnData slot is available through the SCE metadata slot. There are 2 currently known minor issues - Anndata python module depends on another python module h5py to read hd5 format files. If there are errors reading the .h5ad files, such as "ValueError: invalid shape in fixed-type tuple." the user will need to do down-grade h5py by running `pip3 install --user h5py==2.9.0`. Additionally there might be errors in converting some python objects in the unstructured data slots. There are no known R solutions at present. Refer <https://github.com/rstudio/reticulate/issues/209>

## Value

A SingleCellExperiment object.

## Examples

```
file.path <- system.file("extdata/annData_pbmc_3k", package = "singleCellTK")
## Not run:
sce <- importAnnData(sampleDirs = file.path,
                     sampleNames = 'pbmc3k_20by20')

## End(Not run)
```

---

importBUSTools

---

Construct SCE object from BUSTools output

---

## Description

Read the barcodes, features (genes), and matrix from BUSTools output. Import them as one [Single-CellExperiment](#) object. Note the cells in the output files for BUSTools 0.39.4 are not filtered.

## Usage

```
importBUSTools(
  BUSToolsDirs,
  samples,
  matrixFileNames = "genes.mtx",
  featuresFileNames = "genes.genes.txt",
  barcodesFileNames = "genes.barcodes.txt",
  gzipped = "auto",
  class = c("Matrix", "matrix"),
  delayedArray = FALSE,
  rowNamesDedup = TRUE
)
```

## Arguments

|              |                                                                                                                                                                 |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BUSToolsDirs | A vector of paths to BUSTools output files. Each sample should have its own path. For example: <code>./genecount</code> . Must have the same length as samples. |
| samples      | A vector of user-defined sample names for the samples to be imported. Must have the same length as BUSToolsDirs.                                                |

|                   |                                                                                                                                                                                                                                                                                             |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| matrixFileNames   | Filenames for the Market Exchange Format (MEX) sparse matrix files (.mtx files). Must have length 1 or the same length as samples.                                                                                                                                                          |
| featuresFileNames | Filenames for the feature annotation files. Must have length 1 or the same length as samples.                                                                                                                                                                                               |
| barcodesFileNames | Filenames for the cell barcode list file. Must have length 1 or the same length as samples.                                                                                                                                                                                                 |
| gzipped           | Boolean. TRUE if the BUSTools output files (barcodes.txt, genes.txt, and genes.mtx) were gzip compressed. FALSE otherwise. This is FALSE in BUSTools 0.39.4. Default "auto" which automatically detects if the files are gzip compressed. Must have length 1 or the same length as samples. |
| class             | Character. The class of the expression matrix stored in the SCE object. Can be one of "Matrix" (as returned by <a href="#">readMM</a> function), or "matrix" (as returned by <a href="#">matrix</a> function). Default "Matrix".                                                            |
| delayedArray      | Boolean. Whether to read the expression matrix as <a href="#">DelayedArray-class</a> object or not. Default FALSE.                                                                                                                                                                          |
| rowNamesDedup     | Boolean. Whether to deduplicate rownames. Default TRUE.                                                                                                                                                                                                                                     |

### Value

A SingleCellExperiment object containing the count matrix, the gene annotation, and the cell annotation.

### Examples

```
# Example #1
# FASTQ files were downloaded from
# https://support.10xgenomics.com/single-cell-gene-expression/datasets/3.0.0
# /pbmc_1k_v3
# They were concatenated as follows:
# cat pbmc_1k_v3_S1_L001_R1_001.fastq.gz pbmc_1k_v3_S1_L002_R1_001.fastq.gz >
# pbmc_1k_v3_R1.fastq.gz
# cat pbmc_1k_v3_S1_L001_R2_001.fastq.gz pbmc_1k_v3_S1_L002_R2_001.fastq.gz >
# pbmc_1k_v3_R2.fastq.gz
# The following BUSTools command generates the gene, cell, and
# matrix files

# bustools correct -w ./3M-february-2018.txt -p output.bus | \
# bustools sort -T tmp/ -t 4 -p - | \
# bustools count -o genecount/genes \
#   -g ./transcripts_to_genes.txt \
#   -e matrix.ec \
#   -t transcripts.txt \
#   --genecounts -

# The top 20 genes and the first 20 cells are included in this example.
sce <- importBUSTools(
  BUSToolsDirs = system.file("extdata/BUSTools_PBMC_1k_v3_20x20/genecount/",
    package = "singleCellTK"),
  samples = "PBMC_1k_v3_20x20")
```

---

|                  |                                                     |
|------------------|-----------------------------------------------------|
| importCellRanger | <i>Construct SCE object from Cell Ranger output</i> |
|------------------|-----------------------------------------------------|

---

## Description

Read the filtered barcodes, features, and matrices for all samples from (preferably a single run of) Cell Ranger output. Import and combine them as one big [SingleCellExperiment](#) object.

## Usage

```
importCellRanger(  
  cellRangerDirs = NULL,  
  sampleDirs = NULL,  
  sampleNames = NULL,  
  cellRangerOuts = NULL,  
  dataType = c("filtered", "raw"),  
  matrixFileNames = "matrix.mtx.gz",  
  featuresFileNames = "features.tsv.gz",  
  barcodesFileNames = "barcodes.tsv.gz",  
  gzipped = "auto",  
  class = c("Matrix", "matrix"),  
  delayedArray = FALSE,  
  rowNamesDedup = TRUE  
)
```

```
importCellRangerV2(  
  cellRangerDirs = NULL,  
  sampleDirs = NULL,  
  sampleNames = NULL,  
  dataTypeV2 = c("filtered", "raw"),  
  class = c("Matrix", "matrix"),  
  delayedArray = FALSE,  
  reference = NULL,  
  cellRangerOutsV2 = NULL,  
  rowNamesDedup = TRUE  
)
```

```
importCellRangerV3(  
  cellRangerDirs = NULL,  
  sampleDirs = NULL,  
  sampleNames = NULL,  
  dataType = c("filtered", "raw"),  
  class = c("Matrix", "matrix"),  
  delayedArray = FALSE,  
  rowNamesDedup = TRUE  
)
```

## Arguments

**cellRangerDirs** The root directories where Cell Ranger was run. These folders should contain sample specific folders. Default NULL, meaning the paths for each sample will be specified in *samples* argument.

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| sampleDirs        | <p>Default NULL. Can be one of</p> <ul style="list-style-type: none"> <li>• NULL. All samples within cellRangerDirs will be imported. The order of samples will be first determined by the order of cellRangerDirs and then by <a href="#">list.dirs</a>. This is only for the case where cellRangerDirs is specified.</li> <li>• A list of vectors containing the folder names for samples to import. Each vector in the list corresponds to samples from one of cellRangerDirs. These names are the same as the folder names under cellRangerDirs. This is only for the case where cellRangerDirs is specified.</li> <li>• A vector of folder paths for the samples to import. This is only for the case where cellRangerDirs is NULL.</li> </ul> <p>The cells in the final SCE object will be ordered in the same order of sampleDirs.</p>                                                                                                      |
| sampleNames       | <p>A vector of user-defined sample names for the samples to be imported. Must have the same length as <code>length(unlist(sampleDirs))</code> if sampleDirs is not NULL. Otherwise, make sure the length and order match the output of <code>unlist(lapply(cellRangerDirs, list.dirs, recursive = FALSE))</code>. Default NULL, in which case the folder names will be used as sample names.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| cellRangerOuts    | <p>Character vector. The intermediate paths to filtered or raw cell barcode, feature, and matrix files for each sample. <b>Supersedes</b> <code>dataType</code>. If NULL, <code>dataType</code> will be used to determine Cell Ranger output directory. If not NULL, <code>dataType</code> will be ignored and <code>cellRangerOuts</code> specifies the paths. Must have length 1 or the same length as <code>length(unlist(sampleDirs))</code> if sampleDirs is not NULL. Otherwise, make sure the length and order match the output of <code>unlist(lapply(cellRangerDirs, list.dirs, recursive = FALSE))</code>. Reference genome names might need to be appended for Cell Ranger version below 3.0.0 if reads were mapped to multiple genomes when running Cell Ranger pipeline. Probable options include "outs/filtered_feature_bc_matrix/", "outs/raw_feature_bc_matrix/", "outs/filtered_gene_bc_matrix/", "outs/raw_gene_bc_matrix/".</p> |
| dataType          | <p>Character. The type of data to import. Can be one of "filtered" (which is equivalent to <code>cellRangerOuts = "outs/filtered_feature_bc_matrix/"</code> or <code>cellRangerOuts = "outs/filtered_gene_bc_matrix/"</code>) or "raw" (which is equivalent to <code>cellRangerOuts = "outs/raw_feature_bc_matrix/"</code> or <code>cellRangerOuts = "outs/raw_gene_bc_matrix/"</code>). Default "filtered" which imports the counts for filtered cell barcodes only.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| matrixFileNames   | <p>Character vector. Filenames for the Market Exchange Format (MEX) sparse matrix files (matrix.mtx or matrix.mtx.gz files). Must have length 1 or the same length as <code>length(unlist(sampleDirs))</code> if sampleDirs is not NULL. Otherwise, make sure the length and order match the output of <code>unlist(lapply(cellRangerDirs, list.dirs, recursive = FALSE))</code>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| featuresFileNames | <p>Character vector. Filenames for the feature annotation files. They are usually named <i>features.tsv.gz</i> or <i>genes.tsv</i>. Must have length 1 or the same length as <code>length(unlist(sampleDirs))</code> if sampleDirs is not NULL. Otherwise, make sure the length and order match the output of <code>unlist(lapply(cellRangerDirs, list.dirs, recursive = FALSE))</code>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| barcodesFileNames | <p>Character vector. Filename for the cell barcode list files. They are usually named <i>barcodes.tsv.gz</i> or <i>barcodes.tsv</i>. Must have length 1 or the same length as <code>length(unlist(sampleDirs))</code> if sampleDirs is not NULL. Otherwise, make sure the length and order match the output of <code>unlist(lapply(cellRangerDirs, list.dirs, recursive = FALSE))</code>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

|                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| gzipped          | TRUE if the Cell Ranger output files (barcodes.tsv, features.tsv, and matrix.mtx) were gzip compressed. FALSE otherwise. This is true after Cell Ranger 3.0.0 update. Default "auto" which automatically detects if the files are gzip compressed. If not "auto", gzipped must have length 1 or the same length as length(unlist(sampleDirs)) if sampleDirs is not NULL. Otherwise, make sure the length and order match the output of unlist(lapply(cellRangerDirs, list.dirs, recursive = FALSE)). |
| class            | Character. The class of the expression matrix stored in the SCE object. Can be one of "Matrix" (as returned by <a href="#">readMM</a> function), or "matrix" (as returned by <a href="#">matrix</a> function). Default "Matrix".                                                                                                                                                                                                                                                                     |
| delayedArray     | Boolean. Whether to read the expression matrix as <a href="#">DelayedArray</a> object or not. Default FALSE.                                                                                                                                                                                                                                                                                                                                                                                         |
| rowNamesDedup    | Boolean. Whether to deduplicate rownames. Default TRUE.                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| dataTypeV2       | Character. The type of output to import for Cellranger version below 3.0.0. Whether to import the filtered or the raw data. Can be one of 'filtered' or 'raw'. Default 'filtered'. When cellRangerOuts is specified, dataTypeV2 and reference will be ignored.                                                                                                                                                                                                                                       |
| reference        | Character vector. The reference genome names. Default NULL. If not NULL, it must give the length and order as length(unlist(sampleDirs)) if sampleDirs is not NULL. Otherwise, make sure the length and order match the output of unlist(lapply(cellRangerDirs, list.dirs, recursive = FALSE)). Only needed for Cellranger version below 3.0.0.                                                                                                                                                      |
| cellRangerOutsV2 | Character vector. The intermediate paths to filtered or raw cell barcode, feature, and matrix files for each sample for Cellranger version below 3.0.0. If NULL, reference and dataTypeV2 will be used to determine Cell Ranger output directory. If it has length 1, it assumes that all samples use the same genome reference and the function will load only filtered or raw data.                                                                                                                |

## Details

importCellRangerV2 imports output from Cell Ranger V2. importCellRangerV2Sample imports output from one sample from Cell Ranger V2. importCellRangerV3 imports output from Cell Ranger V3. importCellRangerV3Sample imports output from one sample from Cell Ranger V3. Some implicit assumptions which match the output structure of Cell Ranger V2 & V3 are made in these 4 functions including cellRangerOuts, matrixFileName, featuresFileName, barcodesFileName, and gzipped. Alternatively, user can call importCellRanger to explicitly specify these arguments.

## Value

A SingleCellExperiment object containing the combined count matrix, the feature annotations, and the cell annotation.

## Examples

```
# Example #1
# The following filtered feature, cell, and matrix files were downloaded from
# https://support.10xgenomics.com/single-cell-gene-expression/datasets/
# 3.0.0/hgmm_1k_v3
# The top 10 hg19 & mm10 genes are included in this example.
# Only the first 20 cells are included.
sce <- importCellRanger(
```

```

cellRangerDirs = system.file("extdata/", package = "singleCellTK"),
sampleDirs = "hgmm_1k_v3_20x20",
sampleNames = "hgmm1kv3",
dataType = "filtered")
# The following filtered feature, cell, and matrix files were downloaded from
# https://support.10xgenomics.com/single-cell-gene-expression/datasets/
# 2.1.0/pbmc4k
# Top 20 genes are kept. 20 cell barcodes are extracted.
sce <- importCellRangerV2(
  cellRangerDirs = system.file("extdata/", package = "singleCellTK"),
  sampleDirs = "pbmc_4k_v2_20x20",
  sampleNames = "pbmc4k_20",
  reference = 'GRCh38',
  dataTypeV2 = "filtered")
sce <- importCellRangerV3(
  cellRangerDirs = system.file("extdata/", package = "singleCellTK"),
  sampleDirs = "hgmm_1k_v3_20x20",
  sampleNames = "hgmm1kv3",
  dataType = "filtered")

```

---

importCellRangerV2Sample

*Construct SCE object from Cell Ranger V2 output for a single sample*

---

## Description

Read the filtered barcodes, features, and matrices for all samples from Cell Ranger V2 output. Files are assumed to be named "matrix.mtx", "genes.tsv", and "barcodes.tsv".

## Usage

```

importCellRangerV2Sample(
  dataDir = NULL,
  sampleName = NULL,
  class = c("Matrix", "matrix"),
  delayedArray = FALSE,
  rowNamesDedup = TRUE
)

```

## Arguments

|               |                                                                                                                                                                                                                                  |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| dataDir       | A path to the directory containing the data files. Default "/".                                                                                                                                                                  |
| sampleName    | A User-defined sample name. This will be prepended to all cell barcode IDs. Default "sample".                                                                                                                                    |
| class         | Character. The class of the expression matrix stored in the SCE object. Can be one of "Matrix" (as returned by <a href="#">readMM</a> function), or "matrix" (as returned by <a href="#">matrix</a> function). Default "Matrix". |
| delayedArray  | Boolean. Whether to read the expression matrix as <a href="#">DelayedArray</a> object or not. Default FALSE.                                                                                                                     |
| rowNamesDedup | Boolean. Whether to deduplicate rownames. Default TRUE.                                                                                                                                                                          |

**Value**

A SingleCellExperiment object containing the count matrix, the feature annotations, and the cell annotation for the sample.

**Examples**

```
sce <- importCellRangerV2Sample(
  dataDir = system.file("extdata/pbmc_4k_v2_20x20/outs/",
    "filtered_gene_bc_matrices/GRCh38", package = "singleCellTK"),
  sampleName = "pbmc4k_20")
```

---

```
importCellRangerV3Sample
```

*Construct SCE object from Cell Ranger V3 output for a single sample*

---

**Description**

Read the filtered barcodes, features, and matrices for all samples from Cell Ranger V3 output. Files are assumed to be named "matrix.mtx.gz", "features.tsv.gz", and "barcodes.tsv.gz".

**Usage**

```
importCellRangerV3Sample(
  dataDir = "./",
  sampleName = "sample",
  class = c("Matrix", "matrix"),
  delayedArray = FALSE,
  rowNamesDedup = TRUE
)
```

**Arguments**

|               |                                                                                                                                                                                                                                  |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| dataDir       | A path to the directory containing the data files. Default "/".                                                                                                                                                                  |
| sampleName    | A User-defined sample name. This will be prepended to all cell barcode IDs. Default "sample".                                                                                                                                    |
| class         | Character. The class of the expression matrix stored in the SCE object. Can be one of "Matrix" (as returned by <a href="#">readMM</a> function), or "matrix" (as returned by <a href="#">matrix</a> function). Default "Matrix". |
| delayedArray  | Boolean. Whether to read the expression matrix as <a href="#">DelayedArray</a> object or not. Default FALSE.                                                                                                                     |
| rowNamesDedup | Boolean. Whether to deduplicate rownames. Default TRUE.                                                                                                                                                                          |

**Value**

A SingleCellExperiment object containing the count matrix, the feature annotations, and the cell annotation for the sample.

## Examples

```
sce <- importCellRangerV3Sample(
  dataDir = system.file("extdata/hgmm_1k_v3_20x20/outs/",
    "filtered_feature_bc_matrix", package = "singleCellTK"),
  sampleName = "hgmm1kv3")
```

---

importDropEst

---

*Create a SingleCellExperiment Object from DropEst output*


---

## Description

imports the RDS file created by DropEst (<https://github.com/hms-dbmi/dropEst>) and create a SingleCellExperiment object from either the raw or filtered counts matrix. Additionally parse through the RDS to obtain appropriate feature annotations as SCE coldata, in addition to any metadata.

## Usage

```
importDropEst(
  sampleDirs = NULL,
  dataType = c("filtered", "raw"),
  rdsFileName = "cell.counts",
  sampleNames = NULL,
  delayedArray = FALSE,
  class = c("Matrix", "matrix"),
  rowNamesDedup = TRUE
)
```

## Arguments

|               |                                                                                                                                                                                                                                  |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| sampleDirs    | A path to the directory containing the data files. Default ".".                                                                                                                                                                  |
| dataType      | can be "filtered" or "raw". Default "filtered".                                                                                                                                                                                  |
| rdsFileName   | File name prefix of the DropEst RDS output. default is "cell.counts"                                                                                                                                                             |
| sampleNames   | A User-defined sample name. This will be prepended to all cell barcode IDs. Default "sample".                                                                                                                                    |
| delayedArray  | Boolean. Whether to read the expression matrix as <a href="#">DelayedArray</a> object or not. Default FALSE.                                                                                                                     |
| class         | Character. The class of the expression matrix stored in the SCE object. Can be one of "Matrix" (as returned by <a href="#">readMM</a> function), or "matrix" (as returned by <a href="#">matrix</a> function). Default "Matrix". |
| rowNamesDedup | Boolean. Whether to deduplicate rownames. Default TRUE.                                                                                                                                                                          |

## Details

importDropEst expects either raw counts matrix stored as "cm\_raw" or filtered counts matrix stored as "cm" in the DropEst rds output. ColData is obtained from the DropEst corresponding to "mean\_reads\_per\_umi", "aligned\_reads\_per\_cell", "aligned\_umis\_per\_cell", "requested\_umis\_per\_cb", "requested\_reads". If using filtered counts matrix, the colData dataframe is subset to contain features from the filtered counts matrix alone. If any annotations of ("saturation\_info", "merge\_targets", "reads\_per\_umi\_per\_cell") are found in the DropEst rds, they will be added to the SCE metadata field

**Value**

A `SingleCellExperiment` object containing the count matrix, the feature annotations from DropEst as `ColData`, and any metadata from DropEst

**Examples**

```
# Example results were generated as per instructions from the developers of dropEst described in
# https://github.com/hms-dbmi/dropEst/blob/master/examples/EXAMPLES.md
sce <- importDropEst(sampleDirs = system.file("extdata/dropEst_scg71", package = "singleCellTK"),
                    sampleNames = 'scg71')
```

---

|                                |                                  |
|--------------------------------|----------------------------------|
| <code>importExampleData</code> | <i>Retrieve example datasets</i> |
|--------------------------------|----------------------------------|

---

**Description**

Retrieves published example datasets stored in [SingleCellExperiment](#) using the [scRNAseq](#) and [TENxPBMCDData](#) packages. See 'Details' for a list of available datasets.

**Usage**

```
importExampleData(
  dataset,
  class = c("Matrix", "matrix"),
  delayedArray = FALSE,
  rowNamesDedup = TRUE
)
```

**Arguments**

|                            |                                                                                                                                                                                                                                                                            |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>dataset</code>       | Character. Name of the dataset to retrieve.                                                                                                                                                                                                                                |
| <code>class</code>         | Character. The class of the expression matrix stored in the SCE object. Can be one of "Matrix" or "matrix". "Matrix" will store the data as a sparse matrix from package <a href="#">Matrix</a> while "matrix" will store the data in a standard matrix. Default "Matrix". |
| <code>delayedArray</code>  | Boolean. Whether to read the expression matrix as <a href="#">DelayedArray</a> object or not. Default FALSE.                                                                                                                                                               |
| <code>rowNamesDedup</code> | Boolean. Whether to deduplicate rownames. Default TRUE.                                                                                                                                                                                                                    |

**Details**

See the list below for the available datasets and their descriptions.

**"fluidigm\_pollen"** Retrieved with [ReprocessedFluidigmData](#). Returns a dataset of 65 human neural cells from Pollen et al. (2014), each sequenced at high and low coverage (SRA accession SRP041736).

**"allen\_tasic"** Retrieved with [ReprocessedAllenData](#). Returns a dataset of 379 mouse brain cells from Tasic et al. (2016).

**"NestorowaHSCData"** Retrieved with [NestorowaHSCData](#). Returns a dataset of 1920 mouse haematopoietic stem cells from Nestorowa et al. 2015

"pbmc3k" Retrieved with [TENxPBMCData](#). 2,700 peripheral blood mononuclear cells (PBMCs) from 10X Genomics.

"pbmc4k" Retrieved with [TENxPBMCData](#). 4,340 peripheral blood mononuclear cells (PBMCs) from 10X Genomics.

"pbmc6k" Retrieved with [TENxPBMCData](#). 5,419 peripheral blood mononuclear cells (PBMCs) from 10X Genomics.

"pbmc8k" Retrieved with [TENxPBMCData](#). 8,381 peripheral blood mononuclear cells (PBMCs) from 10X Genomics.

"pbmc33k" Retrieved with [TENxPBMCData](#). 33,148 peripheral blood mononuclear cells (PBMCs) from 10X Genomics.

"pbmc68k" Retrieved with [TENxPBMCData](#). 68,579 peripheral blood mononuclear cells (PBMCs) from 10X Genomics.

### Value

The specified [SingleCellExperiment](#) object.

### Author(s)

Joshua D. Campbell, David Jenkins

### Examples

```
sce <- importExampleData("pbmc3k")
```

---

|                 |                                                        |
|-----------------|--------------------------------------------------------|
| importFromFiles | <i>Create a SingleCellExperiment object from files</i> |
|-----------------|--------------------------------------------------------|

---

### Description

Create a `SingleCellExperiment` object from files

### Usage

```
importFromFiles(
  assayFile,
  annotFile = NULL,
  featureFile = NULL,
  assayName = "counts",
  inputDataFrames = FALSE,
  class = c("Matrix", "matrix"),
  delayedArray = FALSE,
  annotFileHeader = FALSE,
  annotFileRowName = 1,
  annotFileSep = "\t",
  featureHeader = FALSE,
  featureRowName = 1,
  featureSep = "\t",
  gzipped = "auto",
  rowNamesDedup = TRUE
)
```

**Arguments**

|                  |                                                                                                                                                                                                                                                                                                                           |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| assayFile        | The path to a file in .mtx, .txt, .csv, .tab, or .tsv format.                                                                                                                                                                                                                                                             |
| annotFile        | The path to a text file that contains columns of annotation information for each cell in the assayFile. This file should have the same number of rows as there are columns in the assayFile. If multiple samples are represented in the dataset, this should be denoted by a column called 'sample' within the annotFile. |
| featureFile      | The path to a text file that contains columns of annotation information for each gene in the count matrix. This file should have the same genes in the same order as assayFile. This is optional.                                                                                                                         |
| assayName        | The name of the assay that you are uploading. The default is "counts".                                                                                                                                                                                                                                                    |
| inputDataFrames  | If TRUE, assayFile, annotFile and featureFile should be data.frames object (or its inheritance) instead of file paths. The default is FALSE.                                                                                                                                                                              |
| class            | Character. The class of the expression matrix stored in the SCE object. Can be one of "Matrix" (as returned by <a href="#">readMM</a> function), or "matrix" (as returned by <a href="#">matrix</a> function). Default "Matrix".                                                                                          |
| delayedArray     | Boolean. Whether to read the expression matrix as <a href="#">DelayedArray</a> object or not. Default FALSE.                                                                                                                                                                                                              |
| annotFileHeader  | Whether there's a header (colnames) in the cell annotation file. Default is FALSE.                                                                                                                                                                                                                                        |
| annotFileRowName | Which column is used as the rownames for the cell annotation file. This should match to the colnames of the assayFile. Default is 1 (first column).                                                                                                                                                                       |
| annotFileSep     | Separator used for the cell annotation file. Default is "\t".                                                                                                                                                                                                                                                             |
| featureHeader    | Whether there's a header (colnames) in the feature annotation file. Default is FALSE.                                                                                                                                                                                                                                     |
| featureRowName   | Which column is used as the rownames for the feature annotation file. This should match to the rownames of the assayFile. Default is 1. (first column).                                                                                                                                                                   |
| featureSep       | Separator used for the feature annotation file. Default is "\t".                                                                                                                                                                                                                                                          |
| gzipped          | Whether the input file is gzipped. Default is "auto" and it will automatically detect whether the file is gzipped. Other options are TRUE or FALSE.                                                                                                                                                                       |
| rowNamesDedup    | Boolean. Whether to deduplicate rownames. Default TRUE.                                                                                                                                                                                                                                                                   |

**Details**

Creates a [SingleCellExperiment](#) object from a counts file in various formats, and files of cell and feature annotation.

**Value**

a [SingleCellExperiment](#) object

---

importGeneSetsFromCollection

*Imports gene sets from a GeneSetCollection object*


---

## Description

Converts a list of gene sets stored in a [GeneSetCollection](#) object and stores it in the metadata of the [SingleCellExperiment](#) object. These gene sets can be used in downstream quality control and analysis functions in [singleCellTK](#).

## Usage

```
importGeneSetsFromCollection(
  inSCE,
  geneSetCollection,
  collectionName = "GeneSetCollection",
  by = "rownames",
  noMatchError = TRUE
)
```

## Arguments

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE             | Input <a href="#">SingleCellExperiment</a> object.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| geneSetCollection | A <a href="#">GeneSetCollection</a> object. See <a href="#">GeneSetCollection</a> for more details.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| collectionName    | Character. Name of collection to add gene sets to. If this collection already exists in inSCE, then these gene sets will be added to that collection. Any gene sets within the collection with the same name will be overwritten. Default <a href="#">GeneSetCollection</a> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| by                | Character, character vector, or NULL. Describes the location within inSCE where the gene identifiers in geneSetCollection should be mapped. If set to "rownames" then the features will be searched for among rownames(inSCE). This can also be set to one of the column names of rowData(inSCE) in which case the gene identifiers will be mapped to that column in the rowData of inSCE. by can be a vector the same length as the number of gene sets in the GeneSetCollection and the elements of the vector can point to different locations within inSCE. Finally, by can be NULL. In this case, the location of the gene identifiers in inSCE should be saved in the description slot for each gene set in the GeneSetCollection. See <a href="#">featureIndex</a> for more information. Default "rownames". |
| noMatchError      | Boolean. Show an error if a collection does not have any matching features. Default TRUE.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

## Details

The gene identifiers in gene sets in the GeneSetCollection will be mapped to the rownames of inSCE using the by parameter and stored in a [GeneSetCollection](#) object from package [GSEABase](#). This object is stored in metadata(inSCE)\$sctk\$genesets, which can be accessed in downstream analysis functions such as [runCellQC](#).

**Value**

A [SingleCellExperiment](#) object with gene set from collectionName output stored to the [metadata](#) slot.

**Author(s)**

Joshua D. Campbell

**See Also**

[importGeneSetsFromList](#) for importing from lists, [importGeneSetsFromGMT](#) for importing from GMT files, and [importGeneSetsFromMSigDB](#) for importing MSigDB gene sets.

**Examples**

```
data(scExample)
gs1 <- GSEABase::GeneSet(setName = "geneset1",
                        geneIds = rownames(sce)[seq(10)])
gs2 <- GSEABase::GeneSet(setName = "geneset2",
                        geneIds = rownames(sce)[seq(11,20)])
gsc <- GSEABase::GeneSetCollection(list(gs1, gs2))
sce <- importGeneSetsFromCollection(inSCE = sce,
                                geneSetCollection = gsc,
                                by = "rownames")
```

---

`importGeneSetsFromGMT` *Imports gene sets from a GMT file*

---

**Description**

Converts a list of gene sets stored in a GMT file into a [GeneSetCollection](#) and stores it in the metadata of the [SingleCellExperiment](#) object. These gene sets can be used in downstream quality control and analysis functions in [singleCellTK](#).

**Usage**

```
importGeneSetsFromGMT(
  inSCE,
  file,
  collectionName = "GeneSetCollection",
  by = "rownames",
  sep = "\t",
  noMatchError = TRUE
)
```

**Arguments**

|                    |                                                                                                    |
|--------------------|----------------------------------------------------------------------------------------------------|
| <code>inSCE</code> | Input <a href="#">SingleCellExperiment</a> object.                                                 |
| <code>file</code>  | Character. Path to GMT file. See <a href="#">getGmt</a> for more information on reading GMT files. |

|                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| collectionName | Character. Name of collection to add gene sets to. If this collection already exists in inSCE, then these gene sets will be added to that collection. Any gene sets within the collection with the same name will be overwritten. Default GeneSetCollection.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| by             | Character, character vector, or NULL. Describes the location within inSCE where the gene identifiers in geneSetList should be mapped. If set to "rownames" then the features will be searched for among rownames(inSCE). This can also be set to one of the column names of rowData(inSCE) in which case the gene identifiers will be mapped to that column in the rowData of inSCE. by can be a vector the same length as the number of gene sets in the GMT file and the elements of the vector can point to different locations within inSCE. Finally, by can be NULL. In this case, the location of the gene identifiers in inSCE should be saved in the description (2nd column) of the GMT file. See <a href="#">featureIndex</a> for more information. Default "rownames". |
| sep            | Character. Delimiter of the GMT file. Default "\t".                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| noMatchError   | Boolean. Show an error if a collection does not have any matching features. Default TRUE.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

### Details

The gene identifiers in gene sets in the GMT file will be mapped to the rownames of inSCE using the by parameter and stored in a [GeneSetCollection](#) object from package [GSEABase](#). This object is stored in metadata(inSCE)\$sctk\$genesets, which can be accessed in downstream analysis functions such as [runCellQC](#).

### Value

A [SingleCellExperiment](#) object with gene set from collectionName output stored to the [metadata](#) slot.

### Author(s)

Joshua D. Campbell

### See Also

[importGeneSetsFromList](#) for importing from lists, [importGeneSetsFromCollection](#) for importing from [GeneSetCollection](#) objects, and [importGeneSetsFromMSigDB](#) for importing MSigDB gene sets.

### Examples

```
data(scExample)

# GMT file containing gene symbols for a subset of human mitochondrial genes
gmt <- system.file("extdata/mito_subset.gmt", package = "singleCellTK")

# "feature_name" is the second column in the GMT file, so the ids will
# be mapped using this column in the 'rowData' of 'sce'. This
# could also be accomplished by setting by = "feature_name" in the
# function call.
sce <- importGeneSetsFromGMT(inSCE = sce, file = gmt, by = NULL)
```

---

importGeneSetsFromList

*Imports gene sets from a list*


---

## Description

Converts a list of gene sets into a [GeneSetCollection](#) and stores it in the metadata of the [SingleCellExperiment](#) object. These gene sets can be used in downstream quality control and analysis functions in [singleCellTK](#).

## Usage

```
importGeneSetsFromList(
  inSCE,
  geneSetList,
  collectionName = "GeneSetCollection",
  by = "rownames",
  noMatchError = TRUE
)
```

## Arguments

|                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE          | Input <a href="#">SingleCellExperiment</a> object.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| geneSetList    | Named List. A list containing one or more gene sets. Each element of the list should be a character vector of gene identifiers. The names of the list will become the gene set names in the <a href="#">GeneSetCollection</a> object.                                                                                                                                                                                                                                                                                                                                                                                        |
| collectionName | Character. Name of collection to add gene sets to. If this collection already exists in inSCE, then these gene sets will be added to that collection. Any gene sets within the collection with the same name will be overwritten. Default <a href="#">GeneSetCollection</a> .                                                                                                                                                                                                                                                                                                                                                |
| by             | Character or character vector. Describes the location within inSCE where the gene identifiers in geneSetList should be mapped. If set to "rownames" then the features will be searched for among rownames(inSCE). This can also be set to one of the column names of rowData(inSCE) in which case the gene identifiers will be mapped to that column in the rowData of inSCE. Finally, by can be a vector the same length as the number of gene sets in geneSetList and the elements of the vector can point to different locations within inSCE. See <a href="#">featureIndex</a> for more information. Default "rownames". |
| noMatchError   | Boolean. Show an error if a collection does not have any matching features. Default TRUE.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

## Details

The gene identifiers in gene sets in geneSetList will be mapped to the rownames of inSCE using the by parameter and stored in a [GeneSetCollection](#) object from package [GSEABase](#). This object is stored in metadata(inSCE)\$sctk\$genesets, which can be accessed in downstream analysis functions such as [runCellQC](#).

**Value**

A [SingleCellExperiment](#) object with gene set from collectionName output stored to the [metadata](#) slot.

**Author(s)**

Joshua D. Campbell

**See Also**

[importGeneSetsFromCollection](#) for importing from [GeneSetCollection](#) objects, [importGeneSetsFromGMT](#) for importing from GMT files, and [importGeneSetsFromMSigDB](#) for importing MSigDB gene sets.

**Examples**

```
data(scExample)

# Generate gene sets from 'rownames'
gs1 <- rownames(sce)[seq(10)]
gs2 <- rownames(sce)[seq(11,20)]
gs <- list("geneset1" = gs1, "geneset2" = gs2)
sce <- importGeneSetsFromList(inSCE = sce,
                             geneSetList = gs,
                             by = "rownames")

# Generate a gene set for mitochondrial genes using
# Gene Symbols stored in 'rowData'
mito.ix <- grep("^MT-", rowData(sce)$feature_name)
mito <- list(mito = rowData(sce)$feature_name[mito.ix])
sce <- importGeneSetsFromList(inSCE = sce,
                             geneSetList = mito,
                             by = "feature_name")
```

---

```
importGeneSetsFromMSigDB
```

*Imports gene sets from MSigDB*

---

**Description**

Gets a list of MSigDB gene sets stores it in the metadata of the [SingleCellExperiment](#) object. These gene sets can be used in downstream quality control and analysis functions in [singleCellTK](#).

**Usage**

```
importGeneSetsFromMSigDB(
  inSCE,
  categoryIDs = "H",
  species = "Homo sapiens",
  mapping = c("gene_symbol", "human_gene_symbol", "entrez_gene"),
  by = "rownames",
  verbose = TRUE,
  noMatchError = TRUE
)
```

**Arguments**

|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE        | Input <a href="#">SingleCellExperiment</a> object.                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| categoryIDs  | Character vector containing the MSigDB gene set ids. The column ID in the table returned by <code>getMSigDBTable()</code> shows the list of possible gene set IDs that can be obtained. Default is "H".                                                                                                                                                                                                                                                                              |
| species      | Character. Species available can be found using the function <code>msigdb_species</code> . Default "Homo sapiens".                                                                                                                                                                                                                                                                                                                                                                   |
| mapping      | Character. One of "gene_symbol", "human_gene_symbol", or "entrez_gene". Gene identifiers to be used for MSigDB gene sets. IDs denoted by the by parameter must be either in gene symbol or Entrez gene id format to match IDs from MSigDB.                                                                                                                                                                                                                                           |
| by           | Character. Describes the location within inSCE where the gene identifiers in the MSigDB gene sets should be mapped. If set to "rownames" then the features will be searched for among <code>rownames(inSCE)</code> . This can also be set to one of the column names of <code>rowData(inSCE)</code> in which case the gene identifies will be mapped to that column in the <code>rowData</code> of inSCE. See <a href="#">featureIndex</a> for more information. Default "rownames". |
| verbose      | Boolean. Whether to display progress. Default TRUE.                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| noMatchError | Boolean. Show an error if a collection does not have any matching features. Default TRUE.                                                                                                                                                                                                                                                                                                                                                                                            |

**Details**

The gene identifiers in gene sets from MSigDB will be retrieved using the `msigdb` package. They will be mapped to the IDs in inSCE using the `by` parameter and stored in a [GeneSetCollection](#) object from package [GSEABase](#). This object is stored in `metadata(inSCE)$sctk$genesets`, which can be accessed in downstream analysis functions such as [runCellQC](#).

**Value**

A [SingleCellExperiment](#) object with gene set from `collectionName` output stored to the `metadata` slot.

**Author(s)**

Joshua D. Campbell

**See Also**

[importGeneSetsFromList](#) for importing from lists, [importGeneSetsFromGMT](#) for importing from GMT files, and [GeneSetCollection](#) objects.

**Examples**

```
data(scExample)
sce <- importGeneSetsFromMSigDB(inSCE = sce,
                                categoryIDs = "H",
                                species = "Homo sapiens",
                                mapping = "gene_symbol",
                                by = "feature_name")
```

---

|                   |                                       |
|-------------------|---------------------------------------|
| importMitoGeneSet | <i>Import mitochondrial gene sets</i> |
|-------------------|---------------------------------------|

---

## Description

Imports mitochondrial gene sets and stores it in the metadata of the [SingleCellExperiment](#) object. These gene sets can be used in downstream quality control and analysis functions in [singleCellTK](#).

## Usage

```
importMitoGeneSet(
  inSCE,
  reference = "human",
  id = "ensembl",
  by = "rownames",
  collectionName = "mito",
  noMatchError = TRUE
)
```

## Arguments

|                |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE          | Input <a href="#">SingleCellExperiment</a> object.                                                                                                                                                                                                                                                                                                                                                                                                   |
| reference      | Character. Species available are "human" and "mouse".                                                                                                                                                                                                                                                                                                                                                                                                |
| id             | Types of gene id. Now it supports "symbol", "entrez", "ensembl" and "ensemblTranscriptID".                                                                                                                                                                                                                                                                                                                                                           |
| by             | Character. Describes the location within inSCE where the gene identifiers in the mitochondrial gene sets should be mapped. If set to "rownames" then the features will be searched for among rownames(inSCE). This can also be set to one of the column names of rowData(inSCE) in which case the gene identifiers will be mapped to that column in the rowData of inSCE. See <a href="#">featureIndex</a> for more information. Default "rownames". |
| collectionName | Character. Name of collection to add gene sets to. If this collection already exists in inSCE, then these gene sets will be added to that collection. Any gene sets within the collection with the same name will be overwritten. Default "mito".                                                                                                                                                                                                    |
| noMatchError   | Boolean. Show an error if a collection does not have any matching features. Default TRUE.                                                                                                                                                                                                                                                                                                                                                            |

## Details

The gene identifiers of mitochondrial genes will be loaded with "data(AllMito)". Currently, it supports human and mouse references. Also, it supports entrez ID, gene symbol, ensemble ID and ensemble transcript ID. They will be mapped to the IDs in inSCE using the by parameter and stored in a [GeneSetCollection](#) object from package [GSEABase](#). This object is stored in metadata(inSCE)\$sctk\$genesets, which can be accessed in downstream analysis functions such as [runCellQC](#).

## Value

A [SingleCellExperiment](#) object with gene set from collectionName output stored to the [metadata](#) slot.

**Author(s)**

Rui Hong

**See Also**

[importGeneSetsFromList](#) for importing from lists, [importGeneSetsFromGMT](#) for importing from GMT files, and [GeneSetCollection](#) objects.

**Examples**

```
data(scExample)
sce <- importMitoGeneSet(inSCE = sce,
                        reference = "human",
                        id = "ensembl",
                        collectionName = "human_mito",
                        by = "rownames")
```

---

`importMultipleSources` *Imports samples from different sources and compiles them into a list of SCE objects*

---

**Description**

Imports samples from different sources and compiles them into a list of SCE objects

**Usage**

```
importMultipleSources(allImportEntries, delayedArray = FALSE)
```

**Arguments**

|                               |                                                                                                              |
|-------------------------------|--------------------------------------------------------------------------------------------------------------|
| <code>allImportEntries</code> | object containing the sources and parameters of all the samples being imported (from the UI)                 |
| <code>delayedArray</code>     | Boolean. Whether to read the expression matrix as <a href="#">DelayedArray</a> object or not. Default FALSE. |

**Value**

A list of [SingleCellExperiment](#) object containing the droplet or cell data or both, depending on the `dataType` that users provided.

importOptimus

*Construct SCE object from Optimus output***Description**

Read the barcodes, features (genes), and matrices from Optimus outputs. Import them as one [SingleCellExperiment](#) object.

**Usage**

```
importOptimus(
  OptimusDirs,
  samples,
  matrixLocation = "call-MergeCountFiles/sparse_counts.npz",
  colIndexLocation = "call-MergeCountFiles/sparse_counts_col_index.npy",
  rowIndexLocation = "call-MergeCountFiles/sparse_counts_row_index.npy",
  cellMetricsLocation = "call-MergeCellMetrics/merged-cell-metrics.csv.gz",
  geneMetricsLocation = "call-MergeGeneMetrics/merged-gene-metrics.csv.gz",
  emptyDropsLocation = "call-RunEmptyDrops/empty_drops_result.csv",
  class = c("Matrix", "matrix"),
  delayedArray = FALSE,
  rowNamesDedup = TRUE
)
```

**Arguments**

|                     |                                                                                                                                                                                                                                                                    |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OptimusDirs         | A vector of root directories of Optimus output files. The paths should be something like this: /PATH/T0/bb4a2a5e-ff34-41b6-97d2-0c0c0c534530. Each entry in OptimusDirs is considered a sample and should have its own path. Must have the same length as samples. |
| samples             | A vector of user-defined sample names for the sample to be imported. Must have the same length as OptimusDirs.                                                                                                                                                     |
| matrixLocation      | Character. It is the intermediate path to the filtered count matrix file saved in sparse matrix format (.npz). Default call-MergeCountFiles/sparse_counts.npz which works for optimus_v1.4.0.                                                                      |
| colIndexLocation    | Character. The intermediate path to the barcode index file. Default call-MergeCountFiles/sparse_                                                                                                                                                                   |
| rowIndexLocation    | Character. The intermediate path to the feature (gene) index file. Default call-MergeCountFiles/sp                                                                                                                                                                 |
| cellMetricsLocation | Character. It is the intermediate path to the cell metrics file (merged-cell-metrics.csv.gz). Default call-MergeCellMetrics/merged-cell-metrics.csv.gz which works for optimus_v1.4.0.                                                                             |
| geneMetricsLocation | Character. It is the intermediate path to the feature (gene) metrics file (merged-gene-metrics.csv.g. Default call-MergeGeneMetrics/merged-gene-metrics.csv.gz which works for optimus_v1.4.0.                                                                     |

|                    |                                                                                                                                                                                                                                         |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| emptyDropsLocation | Character. It is the intermediate path to <a href="#">emptyDrops</a> metrics file ( <code>empty_drops_result.csv</code> ). Default <code>call-RunEmptyDrops/empty_drops_result.csv</code> which works for <code>optimus_v1.4.0</code> . |
| class              | Character. The class of the expression matrix stored in the SCE object. Can be one of "Matrix" (as returned by <a href="#">readMM</a> function), or "matrix" (as returned by <a href="#">matrix</a> function). Default "Matrix".        |
| delayedArray       | Boolean. Whether to read the expression matrix as <a href="#">DelayedArray</a> object or not. Default FALSE.                                                                                                                            |
| rowNamesDedup      | Boolean. Whether to deduplicate rownames. Default TRUE.                                                                                                                                                                                 |

### Value

A [SingleCellExperiment](#) object containing the count matrix, the gene annotation, and the cell annotation.

### Examples

```
file.path <- system.file("extdata/Optimus_20x1000",
  package = "singleCellTK")
## Not run:
sce <- importOptimus(OptimusDirs = file.path,
  samples = "Optimus_20x1000")

## End(Not run)
```

---

importSEQC

---

Construct SCE object from seqc output

---

### Description

Read the filtered barcodes, features, and matrices for all samples from (preferably a single run of) seqc output. Import and combine them as one big [SingleCellExperiment](#) object.

### Usage

```
importSEQC(
  seqcDirs = NULL,
  samples = NULL,
  prefix = NULL,
  gzipped = FALSE,
  class = c("Matrix", "matrix"),
  delayedArray = FALSE,
  cbNotFirstCol = TRUE,
  feNotFirstCol = TRUE,
  combinedSample = TRUE,
  rowNamesDedup = TRUE
)
```

## Arguments

|                |                                                                                                                                                                                                                                                                                                                                                                                                                          |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| seqcDirs       | A vector of paths to seqc output files. Each sample should have its own path. For example: <code>"/pbmc_1k_50x50"</code> . Must have the same length as <code>samples</code> .                                                                                                                                                                                                                                           |
| samples        | A vector of user-defined sample names for the samples to be imported. Must have the same length as <code>seqcDirs</code> .                                                                                                                                                                                                                                                                                               |
| prefix         | A vector containing the prefix of file names within each sample directory. It cannot be null and the vector should have the same length as <code>samples</code> .                                                                                                                                                                                                                                                        |
| gzipped        | Boolean. TRUE if the seqc output files ( <code>sparse_counts_barcode.csv</code> , <code>sparse_counts_genes.csv</code> , and <code>sparse_molecule_counts.mtx</code> ) were gzip compressed. FALSE otherwise. Default seqc outputs are not gzipped. Default FALSE.                                                                                                                                                       |
| class          | Character. The class of the expression matrix stored in the SCE object. Can be one of "Matrix" (as returned by <code>readMM</code> function), or "matrix" (as returned by <code>matrix</code> function). Default "Matrix".                                                                                                                                                                                               |
| delayedArray   | Boolean. Whether to read the expression matrix as <code>DelayedArray</code> object or not. Default FALSE.                                                                                                                                                                                                                                                                                                                |
| cbNotFirstCol  | Boolean. TRUE if first column of <code>sparse_counts_barcode.csv</code> is row index and it will be removed. FALSE the first column will be kept.                                                                                                                                                                                                                                                                        |
| feNotFirstCol  | Boolean. TRUE if first column of <code>sparse_counts_genes.csv</code> is row index and it will be removed. FALSE the first column will be kept.                                                                                                                                                                                                                                                                          |
| combinedSample | Boolean. If TRUE, <code>importSEQC</code> returns a <code>SingleCellExperiment</code> object containing the combined count matrix, feature annotations and the cell annotations. If FALSE, <code>importSEQC</code> returns a list containing multiple <code>SingleCellExperiment</code> objects. Each <code>SingleCellExperiment</code> contains count matrix, feature annotations and cell annotations for each sample. |
| rowNamesDedup  | Boolean. Whether to deduplicate rownames. Only applied if <code>combinedSample</code> is TRUE or only one <code>seqcDirs</code> specified. Default TRUE.                                                                                                                                                                                                                                                                 |

## Details

`importSEQC` imports output from seqc. The default `sparse_counts_barcode.csv` or `sparse_counts_genes.csv` from seqc output contains two columns. The first column is row index and the second column is cell-barcode or gene symbol. `importSEQC` will remove first column. Alternatively, user can call `cbNotFirstCol` or `feNotFirstCol` as FALSE to keep the first column of these files. When `combinedSample` is TRUE, `importSEQC` will combined count matrix with genes detected in at least one sample.

## Value

A `SingleCellExperiment` object containing the combined count matrix, the feature annotations, and the cell annotation.

## Examples

```
# Example #1
# The following filtered feature, cell, and matrix files were downloaded from
# https://support.10xgenomics.com/single-cell-gene-expression/datasets/
# 3.0.0/pbmc_1k_v3
# The top 50 hg38 genes are included in this example.
# Only the top 50 cells are included.
sce <- importSEQC(
```

```
seqcDirs = system.file("extdata/pbmc_1k_50x50", package = "singleCellTK"),
samples = "pbmc_1k_50x50",
prefix = "pbmc_1k",
combinedSample = FALSE)
```

importSTARsolo

*Construct SCE object from STARsolo outputs*

## Description

Read the barcodes, features (genes), and matrices from STARsolo outputs. Import them as one [SingleCellExperiment](#) object.

## Usage

```
importSTARsolo(
  STARsoloDirs,
  samples,
  STARsoloOuts = c("Gene", "GeneFull"),
  matrixFileNames = "matrix.mtx",
  featuresFileNames = "features.tsv",
  barcodesFileNames = "barcodes.tsv",
  gzipped = "auto",
  class = c("Matrix", "matrix"),
  delayedArray = FALSE,
  rowNamesDedup = TRUE
)
```

## Arguments

- |                   |                                                                                                                                                                                                                                                                                             |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARsoloDirs      | A vector of root directories of STARsolo output files. The paths should be something like this: <i>/PATH/TO/prefixSolo.out</i> . For example: <i>./Solo.out</i> . Each sample should have its own path. Must have the same length as samples.                                               |
| samples           | A vector of user-defined sample names for the sample to be imported. Must have the same length as STARsoloDirs.                                                                                                                                                                             |
| STARsoloOuts      | Character. The intermediate folder to filtered or raw cell barcode, feature, and matrix files for each of samples. Default "Gene". It can be either Gene or GeneFull as the main folder from which data needs to be imported.                                                               |
| matrixFileNames   | Filenames for the Market Exchange Format (MEX) sparse matrix file (.mtx file). Must have length 1 or the same length as samples.                                                                                                                                                            |
| featuresFileNames | Filenames for the feature annotation file. Must have length 1 or the same length as samples.                                                                                                                                                                                                |
| barcodesFileNames | Filenames for the cell barcode list file. Must have length 1 or the same length as samples.                                                                                                                                                                                                 |
| gzipped           | Boolean. TRUE if the STARsolo output files (barcodes.tsv, features.tsv, and matrix.mtx) were gzip compressed. FALSE otherwise. This is FALSE in STAR 2.7.3a. Default "auto" which automatically detects if the files are gzip compressed. Must have length 1 or the same length as samples. |

|               |                                                                                                                                                                                                                                  |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| class         | Character. The class of the expression matrix stored in the SCE object. Can be one of "Matrix" (as returned by <a href="#">readMM</a> function), or "matrix" (as returned by <a href="#">matrix</a> function). Default "Matrix". |
| delayedArray  | Boolean. Whether to read the expression matrix as <a href="#">DelayedArray</a> object or not. Default FALSE.                                                                                                                     |
| rowNamesDedup | Boolean. Whether to deduplicate rownames. Default TRUE.                                                                                                                                                                          |

### Value

A SingleCellExperiment object containing the count matrix, the gene annotation, and the cell annotation.

### Examples

```
# Example #1
# FASTQ files were downloaded from
# https://support.10xgenomics.com/single-cell-gene-expression/datasets/3.0.0
# /pbmc_1k_v3
# They were concatenated as follows:
# cat pbmc_1k_v3_S1_L001_R1_001.fastq.gz pbmc_1k_v3_S1_L002_R1_001.fastq.gz >
# pbmc_1k_v3_R1.fastq.gz
# cat pbmc_1k_v3_S1_L001_R2_001.fastq.gz pbmc_1k_v3_S1_L002_R2_001.fastq.gz >
# pbmc_1k_v3_R2.fastq.gz
# The following STARsolo command generates the filtered feature, cell, and
# matrix files
# STAR \
#   --genomeDir ./index \
#   --readFilesIn ./pbmc_1k_v3_R2.fastq.gz \
#   ./pbmc_1k_v3_R1.fastq.gz \
#   --readFilesCommand zcat \
#   --outSAMtype BAM Unsorted \
#   --outBAMcompression -1 \
#   --soloType CB_UMI_Simple \
#   --soloCBwhitelist ./737K-august-2016.txt \
#   --soloUMIlen 12

# The top 20 genes and the first 20 cells are included in this example.
sce <- importSTARsolo(
  STARsoloDirs = system.file("extdata/STARsolo_PBMC_1k_v3_20x20",
    package = "singleCellTK"),
  samples = "PBMC_1k_v3_20x20")
```

---

|                    |                                                   |
|--------------------|---------------------------------------------------|
| iterateSimulations | <i>Returns significance data from a snapshot.</i> |
|--------------------|---------------------------------------------------|

---

### Description

Returns significance data from a snapshot.

**Usage**

```
iterateSimulations(
  originalData,
  useAssay = "counts",
  realLabels,
  totalReads,
  cells,
  iterations
)
```

**Arguments**

|              |                                                                                                       |
|--------------|-------------------------------------------------------------------------------------------------------|
| originalData | The <a href="#">SingleCellExperiment</a> object storing all assay data from the shiny app.            |
| useAssay     | Character. The name of the assay to be used for subsampling.                                          |
| realLabels   | Character. The name of the condition of interest. Must match a name from sample data.                 |
| totalReads   | Numeric. The total number of reads in the simulated dataset, to be split between all simulated cells. |
| cells        | Numeric. The number of virtual cells to simulate.                                                     |
| iterations   | Numeric. How many times should each experimental design be simulated.                                 |

**Value**

A matrix of significance information from a snapshot

**Examples**

```
data("mouseBrainSubsetSCE")
res <- iterateSimulations(mouseBrainSubsetSCE, realLabels = "level1class",
  totalReads = 1000, cells = 10, iterations = 2)
```

---

```
listSampleSummaryStatsTables
```

*Lists the table of SCTK QC outputs stored within the metadata.*

---

**Description**

Returns a character vector of the tables within the metadata slot of the `SingleCellExperiment` object.

**Usage**

```
listSampleSummaryStatsTables(inSCE, ...)

## S4 method for signature 'SingleCellExperiment'
listSampleSummaryStatsTables(inSCE, ...)
```

**Arguments**

- `inSCE` Input [SingleCellExperiment](#) object with saved table within the [metadata](#) data. Required.
- `...` Other arguments passed to the function.

**Value**

A character vector. Contains a list of summary tables within the [SingleCellExperiment](#) object.

**Examples**

```
data(scExample, package = "singleCellTK")
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
sce <- sampleSummaryStats(sce, simple = TRUE, statsName = "qc_table")
listSampleSummaryStatsTables(sce)
```

---

mergeSCEColData

---

*Merging colData from two singleCellExperiment objects*


---

**Description**

Merges colData of the [singleCellExperiment](#) objects obtained from the same dataset which contain differing colData. (i.e. raw data and filtered data)

**Usage**

```
mergeSCEColData(inSCE1, inSCE2, id1 = "column_name", id2 = "column_name")
```

**Arguments**

- `inSCE1` Input [SingleCellExperiment](#) object. The function will output this [singleCellExperiment](#) object with a combined colData from `inSCE1` and `inSCE2`.
- `inSCE2` Input [SingleCellExperiment](#) object. colData from this object will be merged with colData from `inSCE1` and loaded into `inSCE1`.
- `id1` Character vector. Column in colData of `inSCE1` that will be used to combine `inSCE1` and `inSCE2`. Default "column\_name"
- `id2` Character vector. Column in colData of `inSCE2` that will be used to combine `inSCE1` and `inSCE2`. Default "column\_name"

**Value**

[SingleCellExperiment](#) object containing combined colData from both [singleCellExperiment](#) for samples in `inSCE1`.

**Examples**

```
sce1 <- importCellRanger(
  cellRangerDirs = system.file("extdata/", package = "singleCellTK"),
  sampleDirs = "hgmm_1k_v3_20x20",
  sampleNames = "hgmm1kv3",
  dataType = "filtered")
data(scExample)
sce2 <- sce
sce <- mergeSCEColData(inSCE1 = sce1, inSCE2 = sce2, id1 = "column_name", id2 = "column_name")
```

---

|           |                                                          |
|-----------|----------------------------------------------------------|
| MitoGenes | <i>List of mitochondrial genes of multiple reference</i> |
|-----------|----------------------------------------------------------|

---

**Description**

A list of gene set that contains mitochondrial genes of multiple reference (hg38, hg19, mm10 and mm9). It contains multiple types of gene identifier: gene symbol, entrez ID, ensemble ID and ensemble transcript ID. It's used for the function 'importMitoGeneSet'.

**Usage**

```
data("MitoGenes")
```

**Format**

A list

**Value**

List of mitochondrial genes of multiple reference

**Examples**

```
data("MitoGenes")
```

---

|                     |                                                                                         |
|---------------------|-----------------------------------------------------------------------------------------|
| mouseBrainSubsetSCE | <i>Example Single Cell RNA-Seq data in SingleCellExperiment Object, GSE60361 subset</i> |
|---------------------|-----------------------------------------------------------------------------------------|

---

**Description**

A subset of 30 cells from a single cell RNA-Seq experiment from Zeisel, et al. Science 2015. The data was produced from cells from the mouse somatosensory cortex (S1) and hippocampus (CA1). 15 of the cells were identified as oligodendrocytes and 15 of the cell were identified as microglia.

**Usage**

```
data("mouseBrainSubsetSCE")
```

**Format**

SingleCellExperiment

**Value**

A subset of 30 cells from a single cell RNA-Seq experiment

**Source**

DOI: 10.1126/science.aaa1934

**Examples**

```
data("mouseBrainSubsetSCE")
```

---

msigdb\_table

*MSigDB gene set Category table*

---

**Description**

A table of gene set categories that can be download from MSigDB. The categories and descriptions can be found here: <https://www.gsea-msigdb.org/gsea/msigdb/collections.jsp>. The IDs in the first column can be used to retrieve the gene sets for these categories using the [importGeneSetsFromMSigDB](#) function.

**Usage**

```
data("msigdb_table")
```

**Format**

A data.frame.

**Value**

A table of gene set categories

**Examples**

```
data("msigdb_table")
```

---

plotBarcodeRankDropsResults

*Plots for runBarcodeRankDrops outputs.*


---

## Description

A wrapper function which visualizes outputs from the runBarcodeRankDrops function stored in the metadata slot of the [SingleCellExperiment](#) object.

## Usage

```
plotBarcodeRankDropsResults(
  inSCE,
  sample = NULL,
  defaultTheme = TRUE,
  dotSize = 0.5,
  titleSize = 18,
  axisSize = 15,
  axisLabelSize = 18,
  legendSize = 15
)
```

## Arguments

|               |                                                                                                                                                                                   |
|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE         | Input <a href="#">SingleCellExperiment</a> object with saved dimension reduction components or a variable with saved results from <a href="#">runBarcodeRankDrops</a> . Required. |
| sample        | Character vector or colData variable name. Indicates which sample each cell belongs to. Default NULL.                                                                             |
| defaultTheme  | Removes grid in plot and sets axis title size to 10 when TRUE. Default TRUE.                                                                                                      |
| dotSize       | Size of dots. Default 0.5.                                                                                                                                                        |
| titleSize     | Size of title of plot. Default 18.                                                                                                                                                |
| axisSize      | Size of x/y-axis ticks. Default 15.                                                                                                                                               |
| axisLabelSize | Size of x/y-axis labels. Default 18.                                                                                                                                              |
| legendSize    | size of legend. Default 15.                                                                                                                                                       |

## Value

list of .ggplot objects

## Examples

```
data(scExample, package = "singleCellTK")
sce <- runBarcodeRankDrops(inSCE = sce)
plotBarcodeRankDropsResults(inSCE = sce)
```

---

plotBarcodeRankScatter

*Plots for runBarcodeRankDrops outputs.*


---

## Description

A plotting function which visualizes outputs from the runBarcodeRankDrops function stored in the colData slot of the SingleCellExperiment object via scatterplot.

## Usage

```
plotBarcodeRankScatter(
  inSCE,
  sample = NULL,
  defaultTheme = TRUE,
  dotSize = 0.1,
  title = NULL,
  titleSize = 18,
  xlab = NULL,
  ylab = NULL,
  axisSize = 12,
  axisLabelSize = 15,
  legendSize = 10,
  combinePlot = "none",
  sampleRelHeights = 1,
  sampleRelWidths = 1
)
```

## Arguments

|               |                                                                                                                                                                                      |
|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE         | Input <a href="#">SingleCellExperiment</a> object with saved dimension reduction components or a variable with saved results from <a href="#">runBarcodeRankDrops</a> . Required.    |
| sample        | Character vector or colData variable name. Indicates which sample each cell belongs to. Default NULL.                                                                                |
| defaultTheme  | Removes grid in plot and sets axis title size to 10 when TRUE. Default TRUE.                                                                                                         |
| dotSize       | Size of dots. Default 0.1.                                                                                                                                                           |
| title         | Title of plot. Default NULL.                                                                                                                                                         |
| titleSize     | Size of title of plot. Default 18.                                                                                                                                                   |
| xlab          | Character vector. Label for x-axis. Default NULL.                                                                                                                                    |
| ylab          | Character vector. Label for y-axis. Default NULL.                                                                                                                                    |
| axisSize      | Size of x/y-axis ticks. Default 12.                                                                                                                                                  |
| axisLabelSize | Size of x/y-axis labels. Default 15.                                                                                                                                                 |
| legendSize    | size of legend. Default 10.                                                                                                                                                          |
| combinePlot   | Must be either "all", "sample", or "none". "all" will combine all plots into a single .ggplot object, while "sample" will output a list of plots separated by sample. Default "all". |

sampleRelHeights

If there are multiple samples and combining by "all", the relative heights for each plot. Default 1.

sampleRelWidths

If there are multiple samples and combining by "all", the relative widths for each plot. Default 1.

### Value

a ggplot object of the scatter plot.

### See Also

[plotBarcodeRankDropsResults](#), [runBarcodeRankDrops](#)

### Examples

```
data(scExample, package = "singleCellTK")
sce <- runBarcodeRankDrops(inSCE = sce)
plotBarcodeRankScatter(inSCE = sce)
```

---

plotBatchCorrCompare    *Plot comparison of batch corrected result against original assay*

---

### Description

Plot comparison of batch corrected result against original assay

### Usage

```
plotBatchCorrCompare(
  inSCE,
  corrMat,
  batch = NULL,
  condition = NULL,
  origAssay = NULL,
  origLogged = NULL,
  method = NULL,
  matType = NULL
)
```

### Arguments

|            |                                                                                                            |
|------------|------------------------------------------------------------------------------------------------------------|
| inSCE      | <a href="#">SingleCellExperiment</a> inherited object.                                                     |
| corrMat    | A single character indicating the name of the corrected matrix.                                            |
| batch      | A single character. The name of batch annotation column in <code>colData(inSCE)</code> .                   |
| condition  | A single character. The name of an additional covariate annotation column in <code>colData(inSCE)</code> . |
| origAssay  | A single character indicating what the original assay used for batch correction is.                        |
| origLogged | Logical scalar indicating whether <code>origAssay</code> is log-normalized.                                |

|         |                                                                                                                            |
|---------|----------------------------------------------------------------------------------------------------------------------------|
| method  | A single character indicating the name of the batch correction method. Only used for the titles of plots.                  |
| matType | A single character indicating the type of the batch correction result matrix, choose from "assay", "altExp", "reducedDim". |

### Details

Four plots will be combined. Two of them are violin/box-plots for percent variance explained by the batch variation, and optionally the covariate, for original and corrected. The other two are UMAPs of the original assay and the correction result matrix. If SCTK batch correction methods are performed in advance, this function will automatically detect necessary input. Otherwise, users can also customize the input. Future improvement might include solution to reduce redundant UMAP calculation.

### Value

An object of class "gtable", combining four ggplots.

### Author(s)

Yichen Wang

### Examples

```
data("sceBatches")
logcounts(sceBatches) <- log1p(counts(sceBatches))
sceBatches <- runLimmaBC(sceBatches)
plotBatchCorrCompare(sceBatches, "LIMMA", condition = "cell_type")
```

---

|                   |                                                                                               |
|-------------------|-----------------------------------------------------------------------------------------------|
| plotBatchVariance | <i>Plot the percent of the variation that is explained by batch and condition in the data</i> |
|-------------------|-----------------------------------------------------------------------------------------------|

---

### Description

Visualize the percent variation in the data that is explained by batch and condition, individually, and that explained by combining both annotations. Plotting only the variation explained by batch is supported but not recommended, because this can be confounded by potential condition.

### Usage

```
plotBatchVariance(
  inSCE,
  useAssay = NULL,
  useReddim = NULL,
  useAltExp = NULL,
  batch = "batch",
  condition = NULL,
  title = NULL
)
```

**Arguments**

|           |                                                                                                                          |
|-----------|--------------------------------------------------------------------------------------------------------------------------|
| inSCE     | <a href="#">SingleCellExperiment</a> inherited object.                                                                   |
| useAssay  | A single character. The name of the assay that stores the value to plot. For useReddim and useAltExp also. Default NULL. |
| useReddim | A single character. The name of the dimension reduced matrix that stores the value to plot. Default NULL.                |
| useAltExp | A single character. The name of the alternative experiment that stores an assay of the value to plot. Default NULL.      |
| batch     | A single character. The name of batch annotation column in colData(inSCE). Default "batch".                              |
| condition | A single character. The name of an additional condition annotation column in colData(inSCE). Default NULL.               |
| title     | A single character. The title text on the top. Default NULL.                                                             |

**Details**

When condition and batch both are causing some variation, if the difference between full variation and condition variation is close to batch variation, this might imply that batches are causing some effect; if the difference is much less than batch variation, then the batches are likely to be confounded by the conditions.

**Value**

A ggplot object of a boxplot of variation explained by batch, condition, and batch+condition.

**Examples**

```
data('sceBatches', package = 'singleCellTK')
plotBatchVariance(sceBatches,
                  useAssay="counts",
                  batch="batch",
                  condition = "cell_type")
```

---

|                 |                                   |
|-----------------|-----------------------------------|
| plotBcdsResults | <i>Plots for runBcds outputs.</i> |
|-----------------|-----------------------------------|

---

**Description**

A wrapper function which visualizes outputs from the [runBcds](#) function stored in the colData slot of the [SingleCellExperiment](#) object via various plots.

**Usage**

```
plotBcdsResults(
  inSCE,
  sample = NULL,
  shape = NULL,
  groupBy = NULL,
  combinePlot = "all",
  violin = TRUE,
```

```

boxplot = FALSE,
dots = TRUE,
reducedDimName = "UMAP",
xlab = NULL,
ylab = NULL,
dim1 = NULL,
dim2 = NULL,
bin = NULL,
binLabel = NULL,
defaultTheme = TRUE,
dotSize = 0.5,
summary = "median",
summaryTextSize = 3,
transparency = 1,
baseSize = 15,
titleSize = NULL,
axisLabelSize = NULL,
axisSize = NULL,
legendSize = NULL,
legendTitleSize = NULL,
relHeights = 1,
relWidths = c(1, 1, 1),
plotNcols = NULL,
plotNrows = NULL,
labelSamples = TRUE,
samplePerColumn = TRUE,
sampleRelHeights = 1,
sampleRelWidths = 1
)

```

### Arguments

|                |                                                                                                                                                                                      |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE          | Input <a href="#">SingleCellExperiment</a> object with saved dimension reduction components or a variable with saved results from <a href="#">runBcds</a> . Required.                |
| sample         | Character vector or colData variable name. Indicates which sample each cell belongs to. Default NULL.                                                                                |
| shape          | If provided, add shapes based on the value. Default NULL.                                                                                                                            |
| groupBy        | Groupings for each numeric value. A user may input a vector equal length to the number of the samples in inSCE, or can be retrieved from the colData slot. Default NULL.             |
| combinePlot    | Must be either "all", "sample", or "none". "all" will combine all plots into a single .ggplot object, while "sample" will output a list of plots separated by sample. Default "all". |
| violin         | Boolean. If TRUE, will plot the violin plot. Default TRUE.                                                                                                                           |
| boxplot        | Boolean. If TRUE, will plot boxplots for each violin plot. Default TRUE.                                                                                                             |
| dots           | Boolean. If TRUE, will plot dots for each violin plot. Default TRUE.                                                                                                                 |
| reducedDimName | Saved dimension reduction name in inSCE. Default "UMAP".                                                                                                                             |
| xlab           | Character vector. Label for x-axis. Default NULL.                                                                                                                                    |
| ylab           | Character vector. Label for y-axis. Default NULL.                                                                                                                                    |

|                  |                                                                                                                                                                                                                                       |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| dim1             | 1st dimension to be used for plotting. Can either be a string which specifies the name of the dimension to be plotted from reducedDims, or a numeric value which specifies the index of the dimension to be plotted. Default is NULL. |
| dim2             | 2nd dimension to be used for plotting. Similar to dim1. Default is NULL.                                                                                                                                                              |
| bin              | Numeric vector. If single value, will divide the numeric values into bin groups. If more than one value, will bin numeric values using values as a cut point. Default NULL.                                                           |
| binLabel         | Character vector. Labels for the bins created by bin. Default NULL.                                                                                                                                                                   |
| defaultTheme     | Removes grid in plot and sets axis title size to 10 when TRUE. Default TRUE.                                                                                                                                                          |
| dotSize          | Size of dots. Default 0.5.                                                                                                                                                                                                            |
| summary          | Adds a summary statistic, as well as a crossbar to the violin plot. Options are "mean" or "median". Default NULL.                                                                                                                     |
| summaryTextSize  | The text size of the summary statistic displayed above the violin plot. Default 3.                                                                                                                                                    |
| transparency     | Transparency of the dots, values will be 0-1. Default 1.                                                                                                                                                                              |
| baseSize         | The base font size for all text. Default 12. Can be overwritten by titleSize, axisSize, and axisLabelSize, legendSize, legendTitleSize.                                                                                               |
| titleSize        | Size of title of plot. Default NULL.                                                                                                                                                                                                  |
| axisLabelSize    | Size of x/y-axis labels. Default NULL.                                                                                                                                                                                                |
| axisSize         | Size of x/y-axis ticks. Default NULL.                                                                                                                                                                                                 |
| legendSize       | size of legend. Default NULL.                                                                                                                                                                                                         |
| legendTitleSize  | size of legend title. Default NULL.                                                                                                                                                                                                   |
| relHeights       | Relative heights of plots when combine is set. Default 1.                                                                                                                                                                             |
| relWidths        | Relative widths of plots when combine is set. Default c(1, 1, 1).                                                                                                                                                                     |
| plotNCols        | Number of columns when plots are combined in a grid. Default NULL.                                                                                                                                                                    |
| plotNRows        | Number of rows when plots are combined in a grid. Default NULL.                                                                                                                                                                       |
| labelSamples     | Will label sample name in title of plot if TRUE. Default TRUE.                                                                                                                                                                        |
| samplePerColumn  | If TRUE, when there are multiple samples and combining by "all", the output .ggplot will have plots from each sample on a single column. Default TRUE.                                                                                |
| sampleRelHeights | If there are multiple samples and combining by "all", the relative heights for each plot. Default 1.                                                                                                                                  |
| sampleRelWidths  | If there are multiple samples and combining by "all", the relative widths for each plot. Default 1.                                                                                                                                   |

**Value**

list of .ggplot objects

**See Also**

[runBcds](#)

**Examples**

```
data(scExample, package="singleCellTK")
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
sce <- runQuickUMAP(sce)
sce <- runBcDs(sce)
plotBcDsResults(inSCE=sce, reducedDimName="UMAP")
```

plotBubble

*Plot Bubble plot***Description**

Plot a bubble plot with the color of the plot being the mean expression and the size of the dot being the percent of cells in the cluster expressing the gene.

**Usage**

```
plotBubble(
  inSCE,
  useAssay = "logcounts",
  featureNames,
  displayName = NULL,
  groupNames = "cluster",
  title = "",
  xlab = NULL,
  ylab = NULL,
  colorLow = "white",
  colorHigh = "blue",
  scale = FALSE
)
```

**Arguments**

|              |                                                                              |
|--------------|------------------------------------------------------------------------------|
| inSCE        | The single cell experiment to use.                                           |
| useAssay     | The assay to use.                                                            |
| featureNames | A string or vector of strings with each gene to aggregate.                   |
| displayName  | A string that is the name of the column used for genes.                      |
| groupNames   | The name of a colData entry that can be used as groupNames.                  |
| title        | The title of the bubble plot                                                 |
| xlab         | The x-axis label                                                             |
| ylab         | The y-axis label                                                             |
| colorLow     | The color to be used for lowest value of mean expression                     |
| colorHigh    | The color to be used for highest value of mean expression                    |
| scale        | Option to scale the data. Default: FALSE. Selected assay will not be scaled. |

**Value**

A ggplot of the bubble plot.

**Examples**

```
data("scExample")
plotBubble(inSCE=sce, useAssay="counts", featureNames=c("B2M", "MALAT1"),
displayname="feature_name", groupNames="type", title="cell type test",
xlab="gene", ylab="cluster", colorLow="white", colorHigh="blue")
```

---

plotClusterAbundance    *Plot the differential Abundance*

---

**Description**

Plot the differential Abundance

**Usage**

```
plotClusterAbundance(inSCE, cluster, variable, combinePlot = c("all", "none"))
```

**Arguments**

|             |                                                                                                                          |
|-------------|--------------------------------------------------------------------------------------------------------------------------|
| inSCE       | A <a href="#">SingleCellExperiment</a> object.                                                                           |
| cluster     | A single character, specifying the name to store the cluster label in <a href="#">colData</a> .                          |
| variable    | A single character, specifying the name to store the phenotype labels in <a href="#">colData</a> .                       |
| combinePlot | Must be either "all" or "none". "all" will combine all plots into a single <a href="#">ggplot</a> object. Default "all". |

**Details**

This function will visualize the differential abundance in two given variables, by making bar plots that presents the cell counting and fraction in different cases.

**Value**

When combinePlot = "none", a list with 4 [ggplot](#) objects; when combinePlot = "all", a single [ggplot](#) object with for subplots.

**Examples**

```
data("mouseBrainSubsetSCE", package = "singleCellTK")
plotClusterAbundance(inSCE = mouseBrainSubsetSCE,
                      cluster = "tissue",
                      variable = "level1class")
```

---

|                 |                                   |
|-----------------|-----------------------------------|
| plotCxlsResults | <i>Plots for runCxls outputs.</i> |
|-----------------|-----------------------------------|

---

## Description

A wrapper function which visualizes outputs from the [runCxls](#) function stored in the colData slot of the [SingleCellExperiment](#) object via various plots.

## Usage

```
plotCxlsResults(
  inSCE,
  sample = NULL,
  shape = NULL,
  groupBy = NULL,
  combinePlot = "all",
  violin = TRUE,
  boxplot = FALSE,
  dots = TRUE,
  reducedDimName = "UMAP",
  xlab = NULL,
  ylab = NULL,
  dim1 = NULL,
  dim2 = NULL,
  bin = NULL,
  binLabel = NULL,
  defaultTheme = TRUE,
  dotSize = 0.5,
  summary = "median",
  summaryTextSize = 3,
  transparency = 1,
  baseSize = 15,
  titleSize = NULL,
  axisLabelSize = NULL,
  axisSize = NULL,
  legendSize = NULL,
  legendTitleSize = NULL,
  relHeights = 1,
  relWidths = c(1, 1, 1),
  plotNCols = NULL,
  plotNRows = NULL,
  labelSamples = TRUE,
  samplePerColumn = TRUE,
  sampleRelHeights = 1,
  sampleRelWidths = 1
)
```

## Arguments

|       |                                                                                                                                                                       |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE | Input <a href="#">SingleCellExperiment</a> object with saved dimension reduction components or a variable with saved results from <a href="#">runCxls</a> . Required. |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                 |                                                                                                                                                                                                                                       |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| sample          | Character vector or colData variable name. Indicates which sample each cell belongs to. Default NULL.                                                                                                                                 |
| shape           | If provided, add shapes based on the value. Default NULL.                                                                                                                                                                             |
| groupBy         | Groupings for each numeric value. A user may input a vector equal length to the number of the samples in inSCE, or can be retrieved from the colData slot. Default NULL.                                                              |
| combinePlot     | Must be either "all", "sample", or "none". "all" will combine all plots into a single .ggplot object, while "sample" will output a list of plots separated by sample. Default "all".                                                  |
| violin          | Boolean. If TRUE, will plot the violin plot. Default TRUE.                                                                                                                                                                            |
| boxplot         | Boolean. If TRUE, will plot boxplots for each violin plot. Default TRUE.                                                                                                                                                              |
| dots            | Boolean. If TRUE, will plot dots for each violin plot. Default TRUE.                                                                                                                                                                  |
| reducedDimName  | Saved dimension reduction name in inSCE. Default "UMAP".                                                                                                                                                                              |
| xlab            | Character vector. Label for x-axis. Default NULL.                                                                                                                                                                                     |
| ylab            | Character vector. Label for y-axis. Default NULL.                                                                                                                                                                                     |
| dim1            | 1st dimension to be used for plotting. Can either be a string which specifies the name of the dimension to be plotted from reducedDims, or a numeric value which specifies the index of the dimension to be plotted. Default is NULL. |
| dim2            | 2nd dimension to be used for plotting. Similar to dim1. Default is NULL.                                                                                                                                                              |
| bin             | Numeric vector. If single value, will divide the numeric values into bin groups. If more than one value, will bin numeric values using values as a cut point. Default NULL.                                                           |
| binLabel        | Character vector. Labels for the bins created by bin. Default NULL.                                                                                                                                                                   |
| defaultTheme    | Removes grid in plot and sets axis title size to 10 when TRUE. Default TRUE.                                                                                                                                                          |
| dotSize         | Size of dots. Default 0.5.                                                                                                                                                                                                            |
| summary         | Adds a summary statistic, as well as a crossbar to the violin plot. Options are "mean" or "median". Default NULL.                                                                                                                     |
| summaryTextSize | The text size of the summary statistic displayed above the violin plot. Default 3.                                                                                                                                                    |
| transparency    | Transparency of the dots, values will be 0-1. Default 1.                                                                                                                                                                              |
| baseSize        | The base font size for all text. Default 12. Can be overwritten by titleSize, axisSize, and axisLabelSize, legendSize, legendTitleSize.                                                                                               |
| titleSize       | Size of title of plot. Default NULL.                                                                                                                                                                                                  |
| axisLabelSize   | Size of x/y-axis labels. Default NULL.                                                                                                                                                                                                |
| axisSize        | Size of x/y-axis ticks. Default NULL.                                                                                                                                                                                                 |
| legendSize      | size of legend. Default NULL.                                                                                                                                                                                                         |
| legendTitleSize | size of legend title. Default NULL.                                                                                                                                                                                                   |
| relHeights      | Relative heights of plots when combine is set. Default 1.                                                                                                                                                                             |
| relWidths       | Relative widths of plots when combine is set. Default c(1, 1, 1).                                                                                                                                                                     |
| plotNCols       | Number of columns when plots are combined in a grid. Default NULL.                                                                                                                                                                    |
| plotNRows       | Number of rows when plots are combined in a grid. Default NULL.                                                                                                                                                                       |
| labelSamples    | Will label sample name in title of plot if TRUE. Default TRUE.                                                                                                                                                                        |

samplePerColumn

If TRUE, when there are multiple samples and combining by "all", the output .ggplot will have plots from each sample on a single column. Default TRUE.

sampleRelHeights

If there are multiple samples and combining by "all", the relative heights for each plot. Default 1.

sampleRelWidths

If there are multiple samples and combining by "all", the relative widths for each plot. Default 1.

### Value

list of .ggplot objects

### See Also

[runCxds](#)

### Examples

```
data(scExample, package="singleCellTK")
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
sce <- runQuickUMAP(sce)
sce <- runCxds(sce)
plotCxdsResults(inSCE=sce, reducedDimName="UMAP")
```

---

|                    |                                      |
|--------------------|--------------------------------------|
| plotDecontXResults | <i>Plots for runDecontX outputs.</i> |
|--------------------|--------------------------------------|

---

### Description

A wrapper function which visualizes outputs from the runDecontX function stored in the colData slot of the SingleCellExperiment object via various plots.

### Usage

```
plotDecontXResults(
  inSCE,
  sample = NULL,
  bgResult = FALSE,
  shape = NULL,
  groupBy = NULL,
  combinePlot = "all",
  violin = TRUE,
  boxplot = FALSE,
  dots = TRUE,
  reducedDimName = "UMAP",
  xlab = NULL,
  ylab = NULL,
  dim1 = NULL,
  dim2 = NULL,
  bin = NULL,
```

```

    binLabel = NULL,
    defaultTheme = TRUE,
    dotSize = 0.5,
    summary = "median",
    summaryTextSize = 3,
    transparency = 1,
    baseSize = 15,
    titleSize = NULL,
    axisLabelSize = NULL,
    axisSize = NULL,
    legendSize = NULL,
    legendTitleSize = NULL,
    relHeights = 1,
    relWidths = c(1, 1, 1),
    plotNCols = NULL,
    plotNRows = NULL,
    labelSamples = TRUE,
    labelClusters = TRUE,
    clusterLabelSize = 3.5,
    samplePerColumn = TRUE,
    sampleRelHeights = 1,
    sampleRelWidths = 1
  )

```

### Arguments

|                |                                                                                                                                                                                                                                       |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE          | Input <a href="#">SingleCellExperiment</a> object with saved dimension reduction components or a variable with saved results from <a href="#">runDecontX</a> . Required.                                                              |
| sample         | Character vector. Indicates which sample each cell belongs to. Default NULL.                                                                                                                                                          |
| bgResult       | Boolean. If TRUE, will plot decontX results generated with raw/droplet matrix. Default FALSE.                                                                                                                                         |
| shape          | If provided, add shapes based on the value.                                                                                                                                                                                           |
| groupBy        | Groupings for each numeric value. A user may input a vector equal length to the number of the samples in the <a href="#">SingleCellExperiment</a> object, or can be retrieved from the colData slot. Default NULL.                    |
| combinePlot    | Must be either "all", "sample", or "none". "all" will combine all plots into a single .ggplot object, while "sample" will output a list of plots separated by sample. Default "all".                                                  |
| violin         | Boolean. If TRUE, will plot the violin plot. Default TRUE.                                                                                                                                                                            |
| boxplot        | Boolean. If TRUE, will plot boxplots for each violin plot. Default TRUE.                                                                                                                                                              |
| dots           | Boolean. If TRUE, will plot dots for each violin plot. Default TRUE.                                                                                                                                                                  |
| reducedDimName | Saved dimension reduction name in the <a href="#">SingleCellExperiment</a> object. Required. Default = "UMAP"                                                                                                                         |
| xlab           | Character vector. Label for x-axis. Default NULL.                                                                                                                                                                                     |
| ylab           | Character vector. Label for y-axis. Default NULL.                                                                                                                                                                                     |
| dim1           | 1st dimension to be used for plotting. Can either be a string which specifies the name of the dimension to be plotted from reducedDims, or a numeric value which specifies the index of the dimension to be plotted. Default is NULL. |

|                  |                                                                                                                                                                                                                                       |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| dim2             | 2nd dimension to be used for plotting. Can either be a string which specifies the name of the dimension to be plotted from reducedDims, or a numeric value which specifies the index of the dimension to be plotted. Default is NULL. |
| bin              | Numeric vector. If single value, will divide the numeric values into the 'bin' groups. If more than one value, will bin numeric values using values as a cut point.                                                                   |
| binLabel         | Character vector. Labels for the bins created by the 'bin' parameter. Default NULL.                                                                                                                                                   |
| defaultTheme     | Removes grid in plot and sets axis title size to 10 when TRUE. Default TRUE.                                                                                                                                                          |
| dotSize          | Size of dots. Default 0.5.                                                                                                                                                                                                            |
| summary          | Adds a summary statistic, as well as a crossbar to the violin plot. Options are "mean" or "median". Default NULL.                                                                                                                     |
| summaryTextSize  | The text size of the summary statistic displayed above the violin plot. Default 3.                                                                                                                                                    |
| transparency     | Transparency of the dots, values will be 0-1. Default 1.                                                                                                                                                                              |
| baseSize         | The base font size for all text. Default 12. Can be overwritten by titleSize, axisSize, and axisLabelSize, legendSize, legendTitleSize.                                                                                               |
| titleSize        | Size of title of plot. Default NULL.                                                                                                                                                                                                  |
| axisLabelSize    | Size of x/y-axis labels. Default NULL.                                                                                                                                                                                                |
| axisSize         | Size of x/y-axis ticks. Default NULL.                                                                                                                                                                                                 |
| legendSize       | size of legend. Default NULL.                                                                                                                                                                                                         |
| legendTitleSize  | size of legend title. Default NULL.                                                                                                                                                                                                   |
| relHeights       | Relative heights of plots when combine is set.                                                                                                                                                                                        |
| relWidths        | Relative widths of plots when combine is set.                                                                                                                                                                                         |
| plotNCols        | Number of columns when plots are combined in a grid.                                                                                                                                                                                  |
| plotNRows        | Number of rows when plots are combined in a grid.                                                                                                                                                                                     |
| labelSamples     | Will label sample name in title of plot if TRUE. Default TRUE.                                                                                                                                                                        |
| labelClusters    | Logical. Whether the cluster labels are plotted. Default FALSE.                                                                                                                                                                       |
| clusterLabelSize | Numeric. Determines the size of cluster label when 'labelClusters' is set to TRUE. Default 3.5.                                                                                                                                       |
| samplePerColumn  | If TRUE, when there are multiple samples and combining by "all", the output .ggplot will have plots from each sample on a single column. Default TRUE.                                                                                |
| sampleRelHeights | If there are multiple samples and combining by "all", the relative heights for each plot.                                                                                                                                             |
| sampleRelWidths  | If there are multiple samples and combining by "all", the relative widths for each plot.                                                                                                                                              |

## Value

list of .ggplot objects

**Examples**

```
data(scExample, package="singleCellTK")
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
sce <- runDecontX(sce)
plotDecontXResults(inSCE=sce, reducedDimName="decontX_UMAP")
```

plotDEGHeatmap

*Heatmap visualization of DEG result***Description**

Heatmap visualization of DEG result

**Usage**

```
plotDEGHeatmap(
  inSCE,
  useResult,
  onlyPos = FALSE,
  log2fcThreshold = 0.25,
  fdrThreshold = 0.05,
  minGroup1MeanExp = NULL,
  maxGroup2MeanExp = NULL,
  minGroup1ExprPerc = NULL,
  maxGroup2ExprPerc = NULL,
  useAssay = NULL,
  doLog = FALSE,
  featureAnnotations = NULL,
  cellAnnotations = NULL,
  featureAnnotationColor = NULL,
  cellAnnotationColor = NULL,
  rowDataName = NULL,
  colDataName = NULL,
  colSplitBy = "condition",
  rowSplitBy = "regulation",
  rowLabel = S4Vectors::metadata(inSCE)$featureDisplay,
  title = paste0("DE Analysis: ", useResult),
  ...
)
```

**Arguments**

|                 |                                                                                                                |
|-----------------|----------------------------------------------------------------------------------------------------------------|
| inSCE           | <a href="#">SingleCellExperiment</a> inherited object.                                                         |
| useResult       | character. A string specifying the analysisName used when running a differential expression analysis function. |
| onlyPos         | logical. Whether to only plot DEG with positive log2_FC value. Default FALSE.                                  |
| log2fcThreshold | numeric. Only plot DEGs with the absolute values of log2FC larger than this value. Default 0.25.               |
| fdrThreshold    | numeric. Only plot DEGs with FDR value smaller than this value. Default 0.05.                                  |

|                                     |                                                                                                                                                                                                                                                                                                                                                                                            |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>minGroup1MeanExp</code>       | numeric. Only plot DEGs with mean expression in group1 greater then this value. Default NULL.                                                                                                                                                                                                                                                                                              |
| <code>maxGroup2MeanExp</code>       | numeric. Only plot DEGs with mean expression in group2 less then this value. Default NULL.                                                                                                                                                                                                                                                                                                 |
| <code>minGroup1ExprPerc</code>      | numeric. Only plot DEGs expressed in greater then this fraction of cells in group1. Default NULL.                                                                                                                                                                                                                                                                                          |
| <code>maxGroup2ExprPerc</code>      | numeric. Only plot DEGs expressed in less then this fraction of cells in group2. Default NULL.                                                                                                                                                                                                                                                                                             |
| <code>useAssay</code>               | character. A string specifying an assay of expression value to plot. By default the assay used for <code>runMAST()</code> will be used. Default NULL.                                                                                                                                                                                                                                      |
| <code>doLog</code>                  | Logical scalar. Whether to do $\log(\text{assay} + 1)$ transformation on the assay used for the analysis. Default FALSE.                                                                                                                                                                                                                                                                   |
| <code>featureAnnotations</code>     | data.frame, with rownames containing all the features going to be plotted. Character columns should be factors. Default NULL.                                                                                                                                                                                                                                                              |
| <code>cellAnnotations</code>        | data.frame, with rownames containing all the cells going to be plotted. Character columns should be factors. Default NULL.                                                                                                                                                                                                                                                                 |
| <code>featureAnnotationColor</code> | A named list. Customized color settings for feature labeling. Should match the entries in the <code>featureAnnotations</code> or <code>rowDataName</code> . For each entry, there should be a list/vector of colors named with categories. Default NULL.                                                                                                                                   |
| <code>cellAnnotationColor</code>    | A named list. Customized color settings for cell labeling. Should match the entries in the <code>cellAnnotations</code> or <code>colDataName</code> . For each entry, there should be a list/vector of colors named with categories. Default NULL.                                                                                                                                         |
| <code>rowDataName</code>            | character. The column name(s) in <code>rowData</code> that need to be added to the annotation. Default NULL.                                                                                                                                                                                                                                                                               |
| <code>colDataName</code>            | character. The column name(s) in <code>colData</code> that need to be added to the annotation. Default NULL.                                                                                                                                                                                                                                                                               |
| <code>colSplitBy</code>             | character. Do semi-heatmap based on the grouping of this(these) annotation(s). Should exist in either <code>colDataName</code> or <code>names(cellAnnotations)</code> . Default "condition".                                                                                                                                                                                               |
| <code>rowSplitBy</code>             | character. Do semi-heatmap based on the grouping of this(these) annotation(s). Should exist in either <code>rowDataName</code> or <code>names(featureAnnotations)</code> . Default "regulation".                                                                                                                                                                                           |
| <code>rowLabel</code>               | FALSE for not displaying; a variable in <code>rowData</code> to display feature identifiers stored there; if have run <code>setSCTKDisplayRow</code> , display the specified feature name; TRUE for the rownames of <code>inSCE</code> ; NULL for auto-display rownames when the number of filtered feature is less than 60. Default looks for <code>setSCTKDisplayRow</code> information. |
| <code>title</code>                  | character. Main title of the heatmap. Default "DE Analysis: <useResult>".                                                                                                                                                                                                                                                                                                                  |
| <code>...</code>                    | Other arguments passed to <code>plotSCEHeatmap</code>                                                                                                                                                                                                                                                                                                                                      |

## Details

A differential expression analysis function has to be run in advance so that information is stored in the metadata of the input SCE object. This function wraps [plotSCEHeatmap](#). A feature annotation basing on the log2FC level called "regulation" will be automatically added. A cell annotation basing on the condition selection while running the analysis called "condition", and the annotations used from colData(inSCE) while setting the condition and covariates will also be added.

## Value

A [ggplot](#) object

## Author(s)

Yichen Wang

## Examples

```
data("sceBatches")
logcounts(sceBatches) <- log1p(counts(sceBatches))
sce.w <- subsetSCECols(sceBatches, colData = "batch == 'w'")
sce.w <- runWilcox(sce.w, class = "cell_type",
                  classGroup1 = "alpha", classGroup2 = "beta",
                  groupName1 = "w.alpha", groupName2 = "w.beta",
                  analysisName = "w.aVSb")
plotDEGHeatmap(sce.w, "w.aVSb")
```

---

|                   |                                                                             |
|-------------------|-----------------------------------------------------------------------------|
| plotDEGRegression | <i>Create linear regression plot to show the expression the of top DEGs</i> |
|-------------------|-----------------------------------------------------------------------------|

---

## Description

Create linear regression plot to show the expression the of top DEGs

## Usage

```
plotDEGRegression(
  inSCE,
  useResult,
  threshP = FALSE,
  labelBy = NULL,
  nrow = 6,
  ncol = 6,
  defaultTheme = TRUE,
  isLogged = TRUE,
  check_sanity = TRUE
)
```

**Arguments**

|              |                                                                                                                                                      |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE        | <a href="#">SingleCellExperiment</a> inherited object.                                                                                               |
| useResult    | character. A string specifying the analysisName used when running a differential expression analysis function.                                       |
| threshP      | logical. Whether to plot threshold values from adaptive thresholding, instead of using the assay used by when performing DE analysis. Default FALSE. |
| labelBy      | A single character for a column of rowData(inSCE) as where to search for the labeling text. Default NULL.                                            |
| nrow         | Integer. Number of rows in the plot grid. Default 6.                                                                                                 |
| ncol         | Integer. Number of columns in the plot grid. Default 6.                                                                                              |
| defaultTheme | Logical scalar. Whether to use default SCTK theme in ggplot. Default TRUE.                                                                           |
| isLogged     | Logical scalar. Whether the assay used for the analysis is logged. If not, will do a $\log(\text{assay} + 1)$ transformation. Default TRUE.          |
| check_sanity | Logical scalar. Whether to perform MAST's sanity check to see if the counts are logged. Default TRUE                                                 |

**Details**

Any of the differential expression analysis method from SCTK should be performed prior to using this function

**Value**

A ggplot object of linear regression

**Examples**

```
data("sceBatches")
logcounts(sceBatches) <- log1p(counts(sceBatches))
sce.w <- subsetSCEcols(sceBatches, colData = "batch == 'w'")
sce.w <- runWilcox(sce.w, class = "cell_type",
                  classGroup1 = "alpha", classGroup2 = "beta",
                  groupName1 = "w.alpha", groupName2 = "w.beta",
                  analysisName = "w.aVSb")
plotDEGRegression(sce.w, "w.aVSb")
```

---

plotDEGViolin

---

*Generate violin plot to show the expression of top DEGs*


---

**Description**

Generate violin plot to show the expression of top DEGs

**Usage**

```
plotDEGViolin(
  inSCE,
  useResult,
  threshP = FALSE,
  labelBy = NULL,
  nrow = 6,
  ncol = 6,
  defaultTheme = TRUE,
  isLogged = TRUE,
  check_sanity = TRUE
)
```

**Arguments**

|              |                                                                                                                                                  |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE        | <a href="#">SingleCellExperiment</a> inherited object.                                                                                           |
| useResult    | character. A string specifying the analysisName used when running a differential expression analysis function.                                   |
| threshP      | logical. Whether to plot threshold values from adaptive thresholding, instead of using the assay used by <code>runMAST()</code> . Default FALSE. |
| labelBy      | A single character for a column of <code>rowData(inSCE)</code> as where to search for the labeling text. Default NULL.                           |
| nrow         | Integer. Number of rows in the plot grid. Default 6.                                                                                             |
| ncol         | Integer. Number of columns in the plot grid. Default 6.                                                                                          |
| defaultTheme | Logical scalar. Whether to use default SCTK theme in ggplot. Default TRUE.                                                                       |
| isLogged     | Logical scalar. Whether the assay used for the analysis is logged. If not, will do a $\log(\text{assay} + 1)$ transformation. Default TRUE.      |
| check_sanity | Logical scalar. Whether to perform MAST's sanity check to see if the counts are logged. Default TRUE                                             |

**Details**

Any of the differential expression analysis method from SCTK should be performed prior to using this function

**Value**

A ggplot object of violin plot

**Examples**

```
data("sceBatches")
logcounts(sceBatches) <- log1p(counts(sceBatches))
sce.w <- subsetSCECols(sceBatches, colData = "batch == 'w'")
sce.w <- runWilcox(sce.w, class = "cell_type",
  classGroup1 = "alpha", classGroup2 = "beta",
  groupName1 = "w.alpha", groupName2 = "w.beta",
  analysisName = "w.aVSb")
plotDEGViolin(sce.w, "w.aVSb")
```

---

|                |                                       |
|----------------|---------------------------------------|
| plotDEGVolcano | <i>Generate volcano plot for DEGs</i> |
|----------------|---------------------------------------|

---

## Description

Generate volcano plot for DEGs

## Usage

```
plotDEGVolcano(
  inSCE,
  useResult,
  labelTopN = 10,
  log2fcThreshold = 0.25,
  fdrThreshold = 0.05,
  featureDisplay = S4Vectors::metadata(inSCE)$featureDisplay
)
```

## Arguments

|                 |                                                                                                                                                                                             |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE           | <a href="#">SingleCellExperiment</a> inherited object.                                                                                                                                      |
| useResult       | character. A string specifying the analysisName used when running a differential expression analysis function.                                                                              |
| labelTopN       | Integer, label this number of top DEGs that pass the filters. FALSE for not labeling. Default 10.                                                                                           |
| log2fcThreshold | numeric. Label genes with the absolute values of log2FC greater than this value as regulated. Default 0.25.                                                                                 |
| fdrThreshold    | numeric. Label genes with FDR value less than this value as regulated. Default 0.05.                                                                                                        |
| featureDisplay  | A character string to indicate a variable in rowData(inSCE) for feature labeling. NULL for using rownames. Default metadata(inSCE)\$featureDisplay (see <a href="#">setSCTKDisplayRow</a> ) |

## Details

Any of the differential expression analysis method from SCTK should be performed prior to using this function to generate volcano plots.

## Value

A ggplot object of volcano plot

## See Also

[runDEAnalysis](#), [plotDEGHeatmap](#)

**Examples**

```
data("sceBatches")
sceBatches <- scatterlogNormCounts(sceBatches, "logcounts")
sce.w <- subsetSCECols(sceBatches, colData = "batch == 'w'")
sce.w <- runWilcox(sce.w, class = "cell_type",
                  classGroup1 = "alpha", classGroup2 = "beta",
                  groupName1 = "w.alpha", groupName2 = "w.beta",
                  analysisName = "w.aVSb")
plotDEGVolcano(sce.w, "w.aVSb")
```

---

|            |                                                                                              |
|------------|----------------------------------------------------------------------------------------------|
| plotDimRed | <i>Plot dimensionality reduction from computed metrics including PCA, ICA, tSNE and UMAP</i> |
|------------|----------------------------------------------------------------------------------------------|

---

**Description**

Plot dimensionality reduction from computed metrics including PCA, ICA, tSNE and UMAP

**Usage**

```
plotDimRed(
  inSCE,
  useReduction = "PCA",
  showLegend = FALSE,
  xDim = 1,
  yDim = 2,
  xAxisLabel = NULL,
  yAxisLabel = NULL
)
```

**Arguments**

|              |                                                                                         |
|--------------|-----------------------------------------------------------------------------------------|
| inSCE        | Input SCE object                                                                        |
| useReduction | Reduction to plot. Default is "PCA".                                                    |
| showLegend   | If legends should be plotted or not                                                     |
| xDim         | Numeric value indicating the dimension to use for X-axis. Default is 1 (refers to PC1). |
| yDim         | Numeric value indicating the dimension to use for Y-axis. Default is 2 (refers to PC2). |
| xAxisLabel   | Specify the label for x-axis. Default is NULL which will specify the label as 'x'.      |
| yAxisLabel   | Specify the label for y-axis. Default is NULL which will specify the label as 'y'.      |

**Value**

plot object

**Examples**

```
data("mouseBrainSubsetSCE", package = "singleCellTK")
plotDimRed(mouseBrainSubsetSCE, "PCA_logcounts")
```

---

`plotDoubletFinderResults`*Plots for runDoubletFinder outputs.*

---

## Description

A wrapper function which visualizes outputs from the `runDoubletFinder` function stored in the `colData` slot of the `SingleCellExperiment` object via various plots.

## Usage

```
plotDoubletFinderResults(  
  inSCE,  
  sample = NULL,  
  shape = NULL,  
  groupBy = NULL,  
  combinePlot = "all",  
  violin = TRUE,  
  boxplot = FALSE,  
  dots = TRUE,  
  reducedDimName = "UMAP",  
  xlab = NULL,  
  ylab = NULL,  
  dim1 = NULL,  
  dim2 = NULL,  
  bin = NULL,  
  binLabel = NULL,  
  defaultTheme = TRUE,  
  dotSize = 0.5,  
  summary = "median",  
  summaryTextSize = 3,  
  transparency = 1,  
  baseSize = 15,  
  titleSize = NULL,  
  axisLabelSize = NULL,  
  axisSize = NULL,  
  legendSize = NULL,  
  legendTitleSize = NULL,  
  relHeights = 1,  
  relWidths = c(1, 1, 1),  
  plotNcols = NULL,  
  plotNrows = NULL,  
  labelSamples = TRUE,  
  samplePerColumn = TRUE,  
  sampleRelHeights = 1,  
  sampleRelWidths = 1  
)
```

**Arguments**

|                 |                                                                                                                                                                                                                                       |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE           | Input <a href="#">SingleCellExperiment</a> object with saved dimension reduction components or a variable with saved results from <a href="#">runDoubletFinder</a> . Required.                                                        |
| sample          | Character vector or colData variable name. Indicates which sample each cell belongs to. Default NULL.                                                                                                                                 |
| shape           | If provided, add shapes based on the value. Default NULL.                                                                                                                                                                             |
| groupBy         | Groupings for each numeric value. A user may input a vector equal length to the number of the samples in inSCE, or can be retrieved from the colData slot. Default NULL.                                                              |
| combinePlot     | Must be either "all", "sample", or "none". "all" will combine all plots into a single .ggplot object, while "sample" will output a list of plots separated by sample. Default "all".                                                  |
| violin          | Boolean. If TRUE, will plot the violin plot. Default TRUE.                                                                                                                                                                            |
| boxplot         | Boolean. If TRUE, will plot boxplots for each violin plot. Default TRUE.                                                                                                                                                              |
| dots            | Boolean. If TRUE, will plot dots for each violin plot. Default TRUE.                                                                                                                                                                  |
| reducedDimName  | Saved dimension reduction name in inSCE. Default "UMAP".                                                                                                                                                                              |
| xlab            | Character vector. Label for x-axis. Default NULL.                                                                                                                                                                                     |
| ylab            | Character vector. Label for y-axis. Default NULL.                                                                                                                                                                                     |
| dim1            | 1st dimension to be used for plotting. Can either be a string which specifies the name of the dimension to be plotted from reducedDims, or a numeric value which specifies the index of the dimension to be plotted. Default is NULL. |
| dim2            | 2nd dimension to be used for plotting. Similar to dim1. Default is NULL.                                                                                                                                                              |
| bin             | Numeric vector. If single value, will divide the numeric values into bin groups. If more than one value, will bin numeric values using values as a cut point. Default NULL.                                                           |
| binLabel        | Character vector. Labels for the bins created by bin. Default NULL.                                                                                                                                                                   |
| defaultTheme    | Removes grid in plot and sets axis title size to 10 when TRUE. Default TRUE.                                                                                                                                                          |
| dotSize         | Size of dots. Default 0.5.                                                                                                                                                                                                            |
| summary         | Adds a summary statistic, as well as a crossbar to the violin plot. Options are "mean" or "median". Default NULL.                                                                                                                     |
| summaryTextSize | The text size of the summary statistic displayed above the violin plot. Default 3.                                                                                                                                                    |
| transparency    | Transparency of the dots, values will be 0-1. Default 1.                                                                                                                                                                              |
| baseSize        | The base font size for all text. Default 12. Can be overwritten by titleSize, axisSize, and axisLabelSize, legendSize, legendTitleSize.                                                                                               |
| titleSize       | Size of title of plot. Default NULL.                                                                                                                                                                                                  |
| axisLabelSize   | Size of x/y-axis labels. Default NULL.                                                                                                                                                                                                |
| axisSize        | Size of x/y-axis ticks. Default NULL.                                                                                                                                                                                                 |
| legendSize      | size of legend. Default NULL.                                                                                                                                                                                                         |
| legendTitleSize | size of legend title. Default NULL.                                                                                                                                                                                                   |
| relHeights      | Relative heights of plots when combine is set. Default 1.                                                                                                                                                                             |
| relWidths       | Relative widths of plots when combine is set. Default c(1, 1, 1).                                                                                                                                                                     |
| plotNcols       | Number of columns when plots are combined in a grid. Default NULL.                                                                                                                                                                    |

|                  |                                                                                                                                                        |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| plotNRows        | Number of rows when plots are combined in a grid. Default NULL.                                                                                        |
| labelSamples     | Will label sample name in title of plot if TRUE. Default TRUE.                                                                                         |
| samplePerColumn  | If TRUE, when there are multiple samples and combining by "all", the output .ggplot will have plots from each sample on a single column. Default TRUE. |
| sampleRelHeights | If there are multiple samples and combining by "all", the relative heights for each plot. Default 1.                                                   |
| sampleRelWidths  | If there are multiple samples and combining by "all", the relative widths for each plot. Default 1.                                                    |

**Value**

list of .ggplot objects

**See Also**

[runDoubletFinder](#)

**Examples**

```
data(scExample, package="singleCellTK")
sce <- subsetSCEcols(sce, colData = "type != 'EmptyDroplet'")
sce <- runQuickUMAP(sce)
sce <- runDoubletFinder(sce)
plotDoubletFinderResults(inSCE = sce, reducedDimName = "UMAP")
```

---

plotEmptyDropsResults *Plots for runEmptyDrops outputs.*

---

**Description**

A wrapper function which visualizes outputs from the [runEmptyDrops](#) function stored in the colData slot of the [SingleCellExperiment](#) object.

**Usage**

```
plotEmptyDropsResults(
  inSCE,
  sample = NULL,
  combinePlot = "all",
  fdrCutoff = 0.01,
  defaultTheme = TRUE,
  dotSize = 0.5,
  titleSize = 18,
  axisLabelSize = 18,
  axisSize = 15,
  legendSize = 15,
  legendTitleSize = 16,
  relHeights = 1,
```

```

    relWidths = 1,
    samplePerColumn = TRUE,
    sampleRelHeights = 1,
    sampleRelWidths = 1
  )

```

### Arguments

|                  |                                                                                                                                                                                      |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE            | Input <a href="#">SingleCellExperiment</a> object with saved dimension reduction components or a variable with saved results from <a href="#">runEmptyDrops</a> . Required.          |
| sample           | Character vector or colData variable name. Indicates which sample each cell belongs to. Default NULL.                                                                                |
| combinePlot      | Must be either "all", "sample", or object, "none". "all" will combine all plots into a single .ggplot while "sample" will output a list of plots separated by sample. Default "all". |
| fdrCutoff        | Numeric. Thresholds barcodes based on the FDR values from <a href="#">runEmptyDrops</a> as "Empty Droplet" or "Putative Cell". Default 0.01.                                         |
| defaultTheme     | Removes grid in plot and sets axis title size to 10 when TRUE. Default TRUE.                                                                                                         |
| dotSize          | Size of dots. Default 0.5.                                                                                                                                                           |
| titleSize        | Size of title of plot. Default 18.                                                                                                                                                   |
| axisLabelSize    | Size of x/y-axis labels. Default 18.                                                                                                                                                 |
| axisSize         | Size of x/y-axis ticks. Default 15.                                                                                                                                                  |
| legendSize       | size of legend. Default 15.                                                                                                                                                          |
| legendTitleSize  | size of legend title. Default 16.                                                                                                                                                    |
| relHeights       | Relative heights of plots when combine is set. Default 1.                                                                                                                            |
| relWidths        | Relative widths of plots when combine is set. Default 1.                                                                                                                             |
| samplePerColumn  | If TRUE, when there are multiple samples and combining by "all", the output .ggplot will have plots from each sample on a single column. Default TRUE.                               |
| sampleRelHeights | If there are multiple samples and combining by "all", the relative heights for each plot. Default 1.                                                                                 |
| sampleRelWidths  | If there are multiple samples and combining by "all", the relative widths for each plot. Default 1.                                                                                  |

### Value

list of .ggplot objects

### See Also

[runEmptyDrops](#), [plotEmptyDropsScatter](#)

### Examples

```

data(scExample, package = "singleCellTK")
sce <- runEmptyDrops(inSCE = sce)
plotEmptyDropsResults(inSCE = sce)

```

---

plotEmptyDropsScatter *Plots for runEmptyDrops outputs.*

---

## Description

A plotting function which visualizes outputs from the [runEmptyDrops](#) function stored in the col-Data slot of the [SingleCellExperiment](#) object via scatter plots.

## Usage

```
plotEmptyDropsScatter(
  inSCE,
  sample = NULL,
  fdrCutoff = 0.01,
  defaultTheme = TRUE,
  dotSize = 0.1,
  title = NULL,
  titleSize = 18,
  xlab = NULL,
  ylab = NULL,
  axisSize = 12,
  axisLabelSize = 15,
  legendTitle = NULL,
  legendTitleSize = 12,
  legendSize = 10,
  combinePlot = "none",
  relHeights = 1,
  relWidths = 1,
  samplePerColumn = TRUE,
  sampleRelHeights = 1,
  sampleRelWidths = 1
)
```

## Arguments

|              |                                                                                                                                                                             |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE        | Input <a href="#">SingleCellExperiment</a> object with saved dimension reduction components or a variable with saved results from <a href="#">runEmptyDrops</a> . Required. |
| sample       | Character vector or colData variable name. Indicates which sample each cell belongs to. Default NULL.                                                                       |
| fdrCutoff    | Numeric. Thresholds barcodes based on the FDR values from <a href="#">runEmptyDrops</a> as "Empty Droplet" or "Putative Cell". Default 0.01.                                |
| defaultTheme | Removes grid in plot and sets axis title size to 10 when TRUE. Default TRUE.                                                                                                |
| dotSize      | Size of dots. Default 0.1.                                                                                                                                                  |
| title        | Title of plot. Default NULL.                                                                                                                                                |
| titleSize    | Size of title of plot. Default 18.                                                                                                                                          |
| xlab         | Character vector. Label for x-axis. Default NULL.                                                                                                                           |
| ylab         | Character vector. Label for y-axis. Default NULL.                                                                                                                           |
| axisSize     | Size of x/y-axis ticks. Default 12.                                                                                                                                         |

|                  |                                                                                                                                                                                      |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| axisLabelSize    | Size of x/y-axis labels. Default 15.                                                                                                                                                 |
| legendTitle      | Title of legend. Default NULL.                                                                                                                                                       |
| legendTitleSize  | size of legend title. Default 12.                                                                                                                                                    |
| legendSize       | size of legend. Default 10.                                                                                                                                                          |
| combinePlot      | Must be either "all", "sample", or "none". "all" will combine all plots into a single .ggplot object, while "sample" will output a list of plots separated by sample. Default "all". |
| relHeights       | Relative heights of plots when combine is set. Default 1.                                                                                                                            |
| relWidths        | Relative widths of plots when combine is set. Default 1.                                                                                                                             |
| samplePerColumn  | If TRUE, when there are multiple samples and combining by "all", the output .ggplot will have plots from each sample on a single column. Default TRUE.                               |
| sampleRelHeights | If there are multiple samples and combining by "all", the relative heights for each plot. Default 1.                                                                                 |
| sampleRelWidths  | If there are multiple samples and combining by "all", the relative widths for each plot. Default 1.                                                                                  |

**Value**

a ggplot object of the scatter plot.

**See Also**

[runEmptyDrops](#), [plotEmptyDropsResults](#)

**Examples**

```
data(scExample, package = "singleCellTK")
sce <- runEmptyDrops(inSCE = sce)
plotEmptyDropsScatter(inSCE = sce)
```

---

`plotFindMarkerHeatmap` *Plot a heatmap to visualize the result of [runFindMarker](#)*

---

**Description**

This function will first reads the result saved in metadata slot, named by "findMarker" and generated by [runFindMarker](#). Then it do the filtering on the statistics based on the input parameters and get unique genes to plot. We choose the genes that are identified as up-regulated only. As for the genes identified as up-regulated for multiple clusters, we only keep the belonging towards the one they have the highest Log2FC value. In the heatmap, there will always be a cell annotation for the cluster labeling used when finding the markers, and a feature annotation for which cluster each gene belongs to. And by default we split the heatmap by these two annotations. Additional legends can be added and the splitting can be canceled.

**Usage**

```
plotFindMarkerHeatmap(  
  inSCE,  
  orderBy = "size",  
  log2fcThreshold = 1,  
  fdrThreshold = 0.05,  
  minClustExprPerc = 0.7,  
  maxCtrlExprPerc = 0.4,  
  minMeanExpr = 1,  
  topN = 10,  
  decreasing = TRUE,  
  rowLabel = TRUE,  
  rowDataName = NULL,  
  colDataName = NULL,  
  featureAnnotations = NULL,  
  cellAnnotations = NULL,  
  featureAnnotationColor = NULL,  
  cellAnnotationColor = NULL,  
  colSplitBy = NULL,  
  rowSplitBy = "marker",  
  rowDend = FALSE,  
  colDend = FALSE,  
  title = "Top Marker Heatmap",  
  ...  
)  
  
plotMarkerDiffExp(  
  inSCE,  
  orderBy = "size",  
  log2fcThreshold = 1,  
  fdrThreshold = 0.05,  
  minClustExprPerc = 0.7,  
  maxCtrlExprPerc = 0.4,  
  minMeanExpr = 1,  
  topN = 10,  
  decreasing = TRUE,  
  rowDataName = NULL,  
  colDataName = NULL,  
  featureAnnotations = NULL,  
  cellAnnotations = NULL,  
  featureAnnotationColor = NULL,  
  cellAnnotationColor = NULL,  
  colSplitBy = NULL,  
  rowSplitBy = "marker",  
  rowDend = FALSE,  
  colDend = FALSE,  
  title = "Top Marker Heatmap",  
  ...  
)
```

**Arguments**

|                        |                                                                                                                                                                                                                                                                   |
|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE                  | <a href="#">SingleCellExperiment</a> inherited object.                                                                                                                                                                                                            |
| orderBy                | The ordering method of the clusters on the splitted heatmap. Can be chosen from "size" or "name", specified with vector of ordered unique cluster labels, or set as NULL for unsplitted heatmap. Default "size".                                                  |
| log2fcThreshold        | Only use DEGs with the absolute values of log2FC larger than this value. Default 1                                                                                                                                                                                |
| fdrThreshold           | Only use DEGs with FDR value smaller than this value. Default 0.05                                                                                                                                                                                                |
| minClustExprPerc       | A numeric scalar. The minimum cutoff of the percentage of cells in the cluster of interests that expressed the marker gene. Default 0.7.                                                                                                                          |
| maxCtrlExprPerc        | A numeric scalar. The maximum cutoff of the percentage of cells out of the cluster (control group) that expressed the marker gene. Default 0.4.                                                                                                                   |
| minMeanExpr            | A numeric scalar. The minimum cutoff of the mean expression value of the marker in the cluster of interests. Default 1.                                                                                                                                           |
| topN                   | An integer. Only to plot this number of top markers for each cluster in maximum, in terms of log2FC value. Use NULL to cancel the top N subscription. Default 10.                                                                                                 |
| decreasing             | Order the cluster decreasingly. Default TRUE.                                                                                                                                                                                                                     |
| rowLabel               | TRUE for displaying rownames of inSCE, a rowData variable to use other feature identifiers, or a vector for customized row labels. Use FALSE for not displaying. Default TRUE.                                                                                    |
| rowDataName            | character. The column name(s) in rowData that need to be added to the annotation. Default NULL.                                                                                                                                                                   |
| colDataName            | character. The column name(s) in colData that need to be added to the annotation. Default NULL.                                                                                                                                                                   |
| featureAnnotations     | data.frame, with rownames containing all the features going to be plotted. Character columns should be factors. Default NULL.                                                                                                                                     |
| cellAnnotations        | data.frame, with rownames containing all the cells going to be plotted. Character columns should be factors. Default NULL.                                                                                                                                        |
| featureAnnotationColor | A named list. Customized color settings for feature labeling. Should match the entries in the featureAnnotations or rowDataName. For each entry, there should be a list/vector of colors named with categories. Default NULL.                                     |
| cellAnnotationColor    | A named list. Customized color settings for cell labeling. Should match the entries in the cellAnnotations or colDataName. For each entry, there should be a list/vector of colors named with categories. Default NULL.                                           |
| colSplitBy             | character vector. Do semi-heatmap based on the grouping of this(these) annotation(s). Should exist in either colDataName or names(cellAnnotations). Default is the value of cluster in <a href="#">runFindMarker</a> when orderBy is not NULL, or NULL otherwise. |
| rowSplitBy             | character vector. Do semi-heatmap based on the grouping of this(these) annotation(s). Should exist in either rowDataName or names(featureAnnotations). Default "marker", which indicates an auto generated annotation for this plot.                              |

|         |                                                                             |
|---------|-----------------------------------------------------------------------------|
| rowDend | Whether to display row dendrogram. Default FALSE.                           |
| colDend | Whether to display column dendrogram. Default FALSE.                        |
| title   | Text of the title, at the top of the heatmap. Default "Top Marker Heatmap". |
| ...     | Other arguments passed to <a href="#">plotSCEHeatmap</a> .                  |

**Value**

A [Heatmap](#) object

**Author(s)**

Yichen Wang

**See Also**

[runFindMarker](#), [getFindMarkerTopTable](#)

**Examples**

```
data("sceBatches")
logcounts(sceBatches) <- log1p(counts(sceBatches))
sce.w <- subsetSCECols(sceBatches, colData = "batch == 'w'")
sce.w <- runFindMarker(sce.w, method = "wilcox", cluster = "cell_type")
plotFindMarkerHeatmap(sce.w)
```

---

plotMASTThresholdGenes

*MAST Identify adaptive thresholds*

---

**Description**

Calculate and produce a list of thresholded counts (on natural scale), thresholds, bins, densities estimated on each bin, and the original data from [thresholdSCRNACountMatrix](#)

**Usage**

```
plotMASTThresholdGenes(
  inSCE,
  useAssay = "logcounts",
  doPlot = TRUE,
  isLogged = TRUE,
  check_sanity = TRUE
)
```

**Arguments**

|          |                                                                                                                                                                               |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE    | SingleCellExperiment object                                                                                                                                                   |
| useAssay | character, default "logcounts"                                                                                                                                                |
| doPlot   | Logical scalar. Whether to directly plot in the plotting area. If FALSE, will return a graphical object which can be visualized with <code>grid.draw()</code> . Default TRUE. |

|              |                                                                                                                                             |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| isLogged     | Logical scalar. Whether the assay used for the analysis is logged. If not, will do a $\log(\text{assay} + 1)$ transformation. Default TRUE. |
| check_sanity | Logical scalar. Whether to perform MAST's sanity check to see if the counts are logged. Default TRUE                                        |

**Value**

Plot the thresholding onto the plotting region if `plot == TRUE` or a graphical object if `plot == FALSE`.

**Examples**

```
data("mouseBrainSubsetSCE")
plotMASTThresholdGenes(mouseBrainSubsetSCE)
```

---

|             |                                                           |
|-------------|-----------------------------------------------------------|
| plotPathway | <i>Generate violin plots for pathway analysis results</i> |
|-------------|-----------------------------------------------------------|

---

**Description**

Generate violin plots for pathway analysis results

**Usage**

```
plotPathway(
  inSCE,
  resultName,
  geneset,
  groupBy = NULL,
  boxplot = FALSE,
  violin = TRUE,
  dots = TRUE,
  summary = "median",
  axisSize = 10,
  axisLabelSize = 10,
  dotSize = 0.5,
  transparency = 1,
  defaultTheme = TRUE,
  gridLine = FALSE,
  title = geneset,
  titleSize = NULL
)
```

**Arguments**

|            |                                                                                                                                                |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE      | Input <a href="#">SingleCellExperiment</a> object. With <code>runGSVA()</code> or <code>runVAM()</code> applied in advance.                    |
| resultName | A single character of the name of a score matrix, which should be found in <code>getPathwayResultNames(inSCE)</code> .                         |
| geneset    | A single character specifying the geneset of interest. Should be found in the <code>geneSetCollection</code> used for performing the analysis. |

|               |                                                                                                                                                |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| groupBy       | Either a single character specifying a column of colData(inSCE) or a vector of equal length as the number of cells. Default NULL.              |
| boxplot       | Boolean, Whether to add a boxplot. Default FALSE.                                                                                              |
| violin        | Boolean, Whether to add a violin plot. Default TRUE.                                                                                           |
| dots          | Boolean, If TRUE, will plot dots for each violin plot. Default TRUE.                                                                           |
| summary       | Adds a summary statistic, as well as a crossbar to the violin plot. Options are "mean" or "median", and NULL for not adding. Default "median". |
| axisSize      | Size of x/y-axis ticks. Default 10.                                                                                                            |
| axisLabelSize | Size of x/y-axis labels. Default 10.                                                                                                           |
| dotSize       | Size of dots. Default 0.5.                                                                                                                     |
| transparency  | Transparency of the dots, values will be 0-1. Default 1.                                                                                       |
| defaultTheme  | Removes grid in plot and sets axis title size to 10 when TRUE. Default TRUE.                                                                   |
| gridLine      | Adds a horizontal grid line if TRUE. Will still be drawn even if defaultTheme is TRUE. Default FALSE.                                          |
| title         | Title of plot. Default using geneset.                                                                                                          |
| titleSize     | Size of the title of the plot. Default 15.                                                                                                     |

### Details

runGSVA() or runVAM() should be applied in advance of using this function. Users can group the data by specifying groupby.

### Value

A ggplot object for the violin plot

### Examples

```
data("scExample", package = "singleCellTK")
sce <- subsetSCEcols(sce, colData = "type != 'EmptyDroplet'")
sce <- scatterlogNormCounts(sce, assayName = "logcounts")
gs1 <- rownames(sce)[seq(10)]
gs2 <- rownames(sce)[seq(11,20)]
gs <- list("geneset1" = gs1, "geneset2" = gs2)
sce <- importGeneSetsFromList(inSCE = sce, geneSetList = gs,
                             by = "rownames")
sce <- runVAM(inSCE = sce, geneSetCollectionName = "GeneSetCollection",
             useAssay = "logcounts")
plotPathway(sce, "VAM_GeneSetCollection_CDF", "geneset1")
```

---

plotPCA

*Plot PCA run data from its components.*

---

### Description

Plot PCA run data from its components.

**Usage**

```
plotPCA(
  inSCE,
  colorBy = NULL,
  shape = NULL,
  pcX = "PC1",
  pcY = "PC2",
  reducedDimName = "PCA",
  runPCA = FALSE,
  useAssay = "logcounts"
)
```

**Arguments**

|                |                                                                                                                                                                                     |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE          | Input <a href="#">SingleCellExperiment</a> object.                                                                                                                                  |
| colorBy        | The variable to color clusters by                                                                                                                                                   |
| shape          | Shape of the points                                                                                                                                                                 |
| pcX            | User choice for the first principal component                                                                                                                                       |
| pcY            | User choice for the second principal component                                                                                                                                      |
| reducedDimName | a name to store the results of the dimension reduction coordinates obtained from this method. This is stored in the SingleCellExperiment object in the reduced-Dims slot. Required. |
| runPCA         | Run PCA if the reducedDimName does not exist. the Default is FALSE.                                                                                                                 |
| useAssay       | Indicate which assay to use. The default is "logcounts".                                                                                                                            |

**Value**

A PCA plot

**Examples**

```
data("mouseBrainSubsetSCE")
plotPCA(mouseBrainSubsetSCE, colorBy = "level1class",
  reducedDimName = "PCA_counts")
```

---

plotRunPerCellQCResults

*Plots for runPerCellQC outputs.*

---

**Description**

A wrapper function which visualizes outputs from the runPerCellQC function stored in the colData slot of the SingleCellExperiment object via various plots.

**Usage**

```
plotRunPerCellQCResults(
  inSCE,
  sample = NULL,
  groupBy = NULL,
  combinePlot = "all",
  violin = TRUE,
  boxplot = FALSE,
  dots = TRUE,
  dotSize = 0.5,
  summary = "median",
  summaryTextSize = 3,
  baseSize = 15,
  axisSize = NULL,
  axisLabelSize = NULL,
  transparency = 1,
  defaultTheme = TRUE,
  titleSize = NULL,
  relHeights = 1,
  relWidths = 1,
  labelSamples = TRUE,
  plotNCols = NULL,
  plotNRows = NULL,
  samplePerColumn = TRUE,
  sampleRelHeights = 1,
  sampleRelWidths = 1
)
```

**Arguments**

|                 |                                                                                                                                                                                     |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE           | Input <a href="#">SingleCellExperiment</a> object with saved dimension reduction components or a variable with saved results from <a href="#">runPerCellQC</a> . Required.          |
| sample          | Character vector or colData variable name. Indicates which sample each cell belongs to. Default NULL.                                                                               |
| groupBy         | Groupings for each numeric value. Users may input a vector equal length to the number of the samples in inSCE, or can be retrieved from the colData slot. Default NULL.             |
| combinePlot     | Must be either "all", "sample", or "none". "all" will combine all plots into a single ggplot object, while "sample" will output a list of plots separated by sample. Default "all". |
| violin          | Boolean. If TRUE, will plot the violin plot. Default TRUE.                                                                                                                          |
| boxplot         | Boolean. If TRUE, will plot boxplots for each violin plot. Default FALSE.                                                                                                           |
| dots            | Boolean. If TRUE, will plot dots for each violin plot. Default TRUE.                                                                                                                |
| dotSize         | Size of dots. Default 0.5.                                                                                                                                                          |
| summary         | Adds a summary statistic, as well as a crossbar to the violin plot. Options are "mean" or "median". Default "median".                                                               |
| summaryTextSize | The text size of the summary statistic displayed above the violin plot. Default 3.                                                                                                  |
| baseSize        | The base font size for all text. Default 15. Can be overwritten by titleSize, axisSize, and axisLabelSize.                                                                          |

|                  |                                                                                                                                                        |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| axisSize         | Size of x/y-axis ticks. Default NULL.                                                                                                                  |
| axisLabelSize    | Size of x/y-axis labels. Default NULL.                                                                                                                 |
| transparency     | Transparency of the dots, values will be 0-1. Default 1.                                                                                               |
| defaultTheme     | Removes grid in plot and sets axis title size to 10 when TRUE. Default TRUE.                                                                           |
| titleSize        | Size of title of plot. Default NULL.                                                                                                                   |
| relHeights       | Relative heights of plots when combine is set. Default 1.                                                                                              |
| relWidths        | Relative widths of plots when combine is set. Default 1.                                                                                               |
| labelSamples     | Will label sample name in title of plot if TRUE. Default TRUE.                                                                                         |
| plotNCols        | Number of columns when plots are combined in a grid. Default NULL.                                                                                     |
| plotNRows        | Number of rows when plots are combined in a grid. Default NULL.                                                                                        |
| samplePerColumn  | If TRUE, when there are multiple samples and combining by "all", the output .ggplot will have plots from each sample on a single column. Default TRUE. |
| sampleRelHeights | If there are multiple samples and combining by "all", the relative heights for each plot. Default 1.                                                   |
| sampleRelWidths  | If there are multiple samples and combining by "all", the relative widths for each plot. Default 1.                                                    |

**Value**

list of .ggplot objects

**See Also**

[runPerCellQC](#)

**Examples**

```
data(scExample, package = "singleCellTK")
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
sce <- runPerCellQC(sce)
plotRunPerCellQCResults(inSCE = sce)
```

---

plotScanpyDotPlot

*plotScanpyDotPlot*


---

**Description**

plotScanpyDotPlot

**Usage**

```
plotScanpyDotPlot(
  inSCE,
  useAssay = NULL,
  features,
  groupBy,
  standardScale = NULL,
  title = "",
  vmin = NULL,
  vmax = NULL,
  colorBarTitle = "Mean expression in group"
)
```

**Arguments**

|                            |                                                                                                                                                                                                                     |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>inSCE</code>         | Input SingleCellExperiment object.                                                                                                                                                                                  |
| <code>useAssay</code>      | Assay to use for plotting. By default it will use counts assay.                                                                                                                                                     |
| <code>features</code>      | Genes to plot. Sometimes is useful to pass a specific list of var names (e.g. genes). The <code>var_names</code> could be a dictionary or a list.                                                                   |
| <code>groupBy</code>       | The key of the observation grouping to consider.                                                                                                                                                                    |
| <code>standardScale</code> | Whether or not to standardize the given dimension between 0 and 1, meaning for each variable or group, subtract the minimum and divide each by its maximum. Default NULL means that it doesn't perform any scaling. |
| <code>title</code>         | Provide title for the figure.                                                                                                                                                                                       |
| <code>vmin</code>          | The value representing the lower limit of the color scale. Values smaller than <code>vmin</code> are plotted with the same color as <code>vmin</code> . Default NULL                                                |
| <code>vmax</code>          | The value representing the upper limit of the color scale. Values larger than <code>vmax</code> are plotted with the same color as <code>vmax</code> . Default NULL                                                 |
| <code>colorBarTitle</code> | Title for the color bar.                                                                                                                                                                                            |

**Value**

plot object

**Examples**

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runScanpyNormalizeData(sce, useAssay = "counts")
sce <- runScanpyFindHVG(sce, useAssay = "scanpyNormData", method = "seurat")
sce <- runScanpyScaleData(sce, useAssay = "scanpyNormData")
sce <- runScanpyPCA(sce, useAssay = "scanpyScaledData")
sce <- runScanpyFindClusters(sce, useReducedDim = "scanpyPCA")
sce <- runScanpyUMAP(sce, useReducedDim = "scanpyPCA")
markers <- c("MALAT1" , "RPS27" , "CST3")
plotScanpyDotPlot(sce, features = markers, groupBy = 'Scanpy_louvain_1')

## End(Not run)
```

---

plotScanpyEmbedding     *plotScanpyEmbedding*


---

## Description

plotScanpyEmbedding

## Usage

```
plotScanpyEmbedding(
  inSCE,
  reducedDimName,
  useAssay = NULL,
  color = NULL,
  legend = "right margin",
  title = ""
)
```

## Arguments

|                |                                                                                                          |
|----------------|----------------------------------------------------------------------------------------------------------|
| inSCE          | Input SingleCellExperiment object.                                                                       |
| reducedDimName | Name of reducedDims object containing embeddings. Eg. scanpyUMAP.                                        |
| useAssay       | Specify name of assay to use. Default is NULL, which will use scaled assay by default.                   |
| color          | Keys for annotations of observations/cells or variables/genes.                                           |
| legend         | Location of legend, either 'on data', 'right margin' or a valid keyword for the loc parameter of Legend. |
| title          | Provide title for panels either as string or list of strings                                             |

## Value

plot object

## Examples

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runScanpyNormalizeData(sce, useAssay = "counts")
sce <- runScanpyFindHVG(sce, useAssay = "scanpyNormData", method = "seurat")
sce <- runScanpyScaleData(sce, useAssay = "scanpyNormData")
sce <- runScanpyPCA(sce, useAssay = "scanpyScaledData")
sce <- runScanpyFindClusters(sce, useReducedDim = "scanpyPCA")
sce <- runScanpyUMAP(sce, useReducedDim = "scanpyPCA")
plotScanpyEmbedding(sce, reducedDimName = "scanpyUMAP", color = 'Scanpy_louvain_1')

## End(Not run)
```

---

|                   |                          |
|-------------------|--------------------------|
| plotScanpyHeatmap | <i>plotScanpyHeatmap</i> |
|-------------------|--------------------------|

---

## Description

plotScanpyHeatmap

## Usage

```
plotScanpyHeatmap(
  inSCE,
  useAssay = NULL,
  features,
  groupBy,
  standardScale = "var",
  vmin = NULL,
  vmax = NULL
)
```

## Arguments

|               |                                                                                                                                                                                                                     |
|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE         | Input SingleCellExperiment object.                                                                                                                                                                                  |
| useAssay      | Assay to use for plotting. By default it will use counts assay.                                                                                                                                                     |
| features      | Genes to plot. Sometimes is useful to pass a specific list of var names (e.g. genes). The var_names could be a dictionary or a list.                                                                                |
| groupBy       | The key of the observation grouping to consider.                                                                                                                                                                    |
| standardScale | Whether or not to standardize the given dimension between 0 and 1, meaning for each variable or group, subtract the minimum and divide each by its maximum. Default NULL means that it doesn't perform any scaling. |
| vmin          | The value representing the lower limit of the color scale. Values smaller than vmin are plotted with the same color as vmin. Default NULL                                                                           |
| vmax          | The value representing the upper limit of the color scale. Values larger than vmax are plotted with the same color as vmax. Default NULL                                                                            |

## Value

plot object

## Examples

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runScanpyNormalizeData(sce, useAssay = "counts")
sce <- runScanpyFindHVG(sce, useAssay = "scanpyNormData", method = "seurat")
sce <- runScanpyScaleData(sce, useAssay = "scanpyNormData")
sce <- runScanpyPCA(sce, useAssay = "scanpyScaledData")
sce <- runScanpyFindClusters(sce, useReducedDim = "scanpyPCA")
sce <- runScanpyUMAP(sce, useReducedDim = "scanpyPCA")
markers <- c("MALAT1" ,"RPS27" ,"CST3")
plotScanpyHeatmap(sce, features = markers, groupBy = 'Scanpy_louvain_1')

## End(Not run)
```

---

|               |                      |
|---------------|----------------------|
| plotScanpyHVG | <i>plotScanpyHVG</i> |
|---------------|----------------------|

---

**Description**

plotScanpyHVG

**Usage**

```
plotScanpyHVG(inSCE, log = FALSE)
```

**Arguments**

|       |                                          |
|-------|------------------------------------------|
| inSCE | Input SingleCellExperiment object.       |
| log   | Plot on logarithmic axes. Default FALSE. |

**Value**

plot object

**Examples**

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runScanpyNormalizeData(sce, useAssay = "counts")
sce <- runScanpyFindHVG(sce, useAssay = "scanpyNormData", method = "seurat")
plotScanpyHVG(sce)

## End(Not run)
```

---

|                       |                              |
|-----------------------|------------------------------|
| plotScanpyMarkerGenes | <i>plotScanpyMarkerGenes</i> |
|-----------------------|------------------------------|

---

**Description**

plotScanpyMarkerGenes

**Usage**

```
plotScanpyMarkerGenes(
  inSCE,
  groups = NULL,
  nGenes = 10,
  nCols = 4,
  sharey = FALSE
)
```

**Arguments**

|        |                                                                                                                       |
|--------|-----------------------------------------------------------------------------------------------------------------------|
| inSCE  | Input SingleCellExperiment object.                                                                                    |
| groups | The groups for which to show the gene ranking. Default NULL means that all groups will be considered.                 |
| nGenes | Number of genes to show. Default 10                                                                                   |
| nCols  | Number of panels shown per row. Default 4                                                                             |
| sharey | Controls if the y-axis of each panels should be shared. Default FALSE allows each panel to have its own y-axis range. |

**Value**

plot object

**Examples**

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runScanpyNormalizeData(sce, useAssay = "counts")
sce <- runScanpyFindHVG(sce, useAssay = "scanpyNormData", method = "seurat")
sce <- runScanpyScaleData(sce, useAssay = "scanpyNormData")
sce <- runScanpyPCA(sce, useAssay = "scanpyScaledData")
sce <- runScanpyFindClusters(sce, useReducedDim = "scanpyPCA")
sce <- runScanpyFindMarkers(sce, colDataName = "Scanpy_louvain_1" )
plotScanpyMarkerGenes(sce, groups = '0')

## End(Not run)
```

---

plotScanpyMarkerGenesDotPlot

*plotScanpyMarkerGenesDotPlot*

---

**Description**

plotScanpyMarkerGenesDotPlot

**Usage**

```
plotScanpyMarkerGenesDotPlot(
  inSCE,
  groups = NULL,
  nGenes = 10,
  groupBy,
  log2fcThreshold = NULL,
  parameters = "logfoldchanges",
  standardScale = NULL,
  features = NULL,
  title = "",
  vmin = NULL,
  vmax = NULL,
  colorBarTitle = "log fold change"
)
```

**Arguments**

|                 |                                                                                                                                                                                                                             |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE           | Input SingleCellExperiment object.                                                                                                                                                                                          |
| groups          | The groups for which to show the gene ranking. Default NULL means that all groups will be considered.                                                                                                                       |
| nGenes          | Number of genes to show. Default 10                                                                                                                                                                                         |
| groupBy         | The key of the observation grouping to consider. By default, the groupby is chosen from the rank genes groups parameter.                                                                                                    |
| log2fcThreshold | Only output DEGs with the absolute values of log2FC larger than this value. Default NULL.                                                                                                                                   |
| parameters      | The options for marker genes results to plot are: 'scores', 'logfoldchanges', 'pvals', 'pvals_adj', 'log10_pvals', 'log10_pvals_adj'. If NULL provided then it uses mean gene value to plot.                                |
| standardScale   | Whether or not to standardize the given dimension between 0 and 1, meaning for each variable or group, subtract the minimum and divide each by its maximum. Default NULL means that it doesn't perform any scaling.         |
| features        | Genes to plot. Sometimes is useful to pass a specific list of var names (e.g. genes) to check their fold changes or p-values, instead of the top/bottom genes. The gene names could be a dictionary or a list. Default NULL |
| title           | Provide title for the figure.                                                                                                                                                                                               |
| vmin            | The value representing the lower limit of the color scale. Values smaller than vmin are plotted with the same color as vmin. Default NULL                                                                                   |
| vmax            | The value representing the upper limit of the color scale. Values larger than vmax are plotted with the same color as vmax. Default NULL                                                                                    |
| colorBarTitle   | Title for the color bar.                                                                                                                                                                                                    |

**Value**

plot object

**Examples**

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runScanpyNormalizeData(sce, useAssay = "counts")
sce <- runScanpyFindHVG(sce, useAssay = "scanpyNormData", method = "seurat")
sce <- runScanpyScaleData(sce, useAssay = "scanpyNormData")
sce <- runScanpyPCA(sce, useAssay = "scanpyScaledData")
sce <- runScanpyFindClusters(sce, useReducedDim = "scanpyPCA")
sce <- runScanpyFindMarkers(sce, colDataName = "Scanpy_louvain_1" )
plotScanpyMarkerGenesDotPlot(sce, groupBy = 'Scanpy_louvain_1')

## End(Not run)
```

---

plotScanpyMarkerGenesHeatmap

*plotScanpyMarkerGenesHeatmap*


---

## Description

plotScanpyMarkerGenesHeatmap

## Usage

```
plotScanpyMarkerGenesHeatmap(
  inSCE,
  groups = NULL,
  groupBy,
  nGenes = 10,
  features = NULL,
  log2fcThreshold = NULL
)
```

## Arguments

|                 |                                                                                                                                      |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------|
| inSCE           | Input SingleCellExperiment object.                                                                                                   |
| groups          | The groups for which to show the gene ranking. Default NULL means that all groups will be considered.                                |
| groupBy         | The key of the observation grouping to consider. By default, the groupby is chosen from the rank genes groups parameter.             |
| nGenes          | Number of genes to show. Default 10                                                                                                  |
| features        | Genes to plot. Sometimes is useful to pass a specific list of var names (e.g. genes). The var_names could be a dictionary or a list. |
| log2fcThreshold | Only output DEGs with the absolute values of log2FC larger than this value. Default NULL.                                            |

## Value

plot object

## Examples

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runScanpyNormalizeData(sce, useAssay = "counts")
sce <- runScanpyFindHVG(sce, useAssay = "scanpyNormData", method = "seurat")
sce <- runScanpyScaleData(sce, useAssay = "scanpyNormData")
sce <- runScanpyPCA(sce, useAssay = "scanpyScaledData")
sce <- runScanpyFindClusters(sce, useReducedDim = "scanpyPCA")
sce <- runScanpyFindMarkers(sce, colDataName = "Scanpy_louvain_1" )
plotScanpyMarkerGenesHeatmap(sce, groupBy = 'Scanpy_louvain_1')

## End(Not run)
```

---

```
plotScanpyMarkerGenesMatrixPlot
    plotScanpyMarkerGenesMatrixPlot
```

---

## Description

plotScanpyMarkerGenesMatrixPlot

## Usage

```
plotScanpyMarkerGenesMatrixPlot(
    inSCE,
    groups = NULL,
    nGenes = 10,
    groupBy,
    log2fcThreshold = NULL,
    parameters = "logfoldchanges",
    standardScale = "var",
    features = NULL,
    title = "",
    vmin = NULL,
    vmax = NULL,
    colorBarTitle = "log fold change"
)
```

## Arguments

|                 |                                                                                                                                                                                                                            |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE           | Input SingleCellExperiment object.                                                                                                                                                                                         |
| groups          | The groups for which to show the gene ranking. Default NULL means that all groups will be considered.                                                                                                                      |
| nGenes          | Number of genes to show. Default 10                                                                                                                                                                                        |
| groupBy         | The key of the observation grouping to consider. By default, the groupby is chosen from the rank genes groups parameter.                                                                                                   |
| log2fcThreshold | Only output DEGs with the absolute values of log2FC larger than this value. Default NULL.                                                                                                                                  |
| parameters      | The options for marker genes results to plot are: 'scores', 'logfoldchanges', 'pvals', 'pvals_adj', 'log10_pvals', 'log10_pvals_adj'. If NULL provided then it uses mean gene value to plot.                               |
| standardScale   | Whether or not to standardize the given dimension between 0 and 1, meaning for each variable or group, subtract the minimum and divide each by its maximum. Default NULL means that it doesn't perform any scaling.        |
| features        | Genes to plot. Sometimes is useful to pass a specific list of var names (e.g. genes) to check their fold changes or p-values, instead of the top/bottom genes. The var_names could be a dictionary or a list. Default NULL |
| title           | Provide title for the figure.                                                                                                                                                                                              |
| vmin            | The value representing the lower limit of the color scale. Values smaller than vmin are plotted with the same color as vmin. Default NULL                                                                                  |

|               |                                                                                                                                          |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------|
| vmax          | The value representing the upper limit of the color scale. Values larger than vmax are plotted with the same color as vmax. Default NULL |
| colorBarTitle | Title for the color bar.                                                                                                                 |

**Value**

plot object

**Examples**

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runScanpyNormalizeData(sce, useAssay = "counts")
sce <- runScanpyFindHVG(sce, useAssay = "scanpyNormData", method = "seurat")
sce <- runScanpyScaleData(sce, useAssay = "scanpyNormData")
sce <- runScanpyPCA(sce, useAssay = "scanpyScaledData")
sce <- runScanpyFindClusters(sce, useReducedDim = "scanpyPCA")
sce <- runScanpyFindMarkers(sce, colDataName = "Scanpy_louvain_1" )
plotScanpyMarkerGenesMatrixPlot(sce, groupBy = 'Scanpy_louvain_1')

## End(Not run)
```

---

```
plotScanpyMarkerGenesViolin
```

*plotScanpyMarkerGenesViolin*

---

**Description**

plotScanpyMarkerGenesViolin

**Usage**

```
plotScanpyMarkerGenesViolin(inSCE, groups = NULL, features = NULL, nGenes = 10)
```

**Arguments**

|          |                                                                                                       |
|----------|-------------------------------------------------------------------------------------------------------|
| inSCE    | Input SingleCellExperiment object.                                                                    |
| groups   | The groups for which to show the gene ranking. Default NULL means that all groups will be considered. |
| features | List of genes to plot. Is only useful if interested in a custom gene list                             |
| nGenes   | Number of genes to show. Default 10                                                                   |

**Value**

plot object

**Examples**

```

data(scExample, package = "singleCellTK")
## Not run:
sce <- runScanpyNormalizeData(sce, useAssay = "counts")
sce <- runScanpyFindHVG(sce, useAssay = "scanpyNormData", method = "seurat")
sce <- runScanpyScaleData(sce, useAssay = "scanpyNormData")
sce <- runScanpyPCA(sce, useAssay = "scanpyScaledData")
sce <- runScanpyFindClusters(sce, useReducedDim = "scanpyPCA")
sce <- runScanpyFindMarkers(sce, colDataName = "Scanpy_louvain_1" )
plotScanpyMarkerGenesViolin(sce, groups = '0')

## End(Not run)

```

---

plotScanpyMatrixPlot    *plotScanpyMatrixPlot*

---

**Description**

plotScanpyMatrixPlot

**Usage**

```

plotScanpyMatrixPlot(
  inSCE,
  useAssay = NULL,
  features,
  groupBy,
  standardScale = NULL,
  title = "",
  vmin = NULL,
  vmax = NULL,
  colorBarTitle = "Mean expression in group"
)

```

**Arguments**

|               |                                                                                                                                                                                                                     |
|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE         | Input SingleCellExperiment object.                                                                                                                                                                                  |
| useAssay      | Assay to use for plotting. By default it will use counts assay.                                                                                                                                                     |
| features      | Genes to plot. Sometimes is useful to pass a specific list of var names (e.g. genes). The var_names could be a dictionary or a list.                                                                                |
| groupBy       | The key of the observation grouping to consider.                                                                                                                                                                    |
| standardScale | Whether or not to standardize the given dimension between 0 and 1, meaning for each variable or group, subtract the minimum and divide each by its maximum. Default NULL means that it doesn't perform any scaling. |
| title         | Provide title for the figure.                                                                                                                                                                                       |
| vmin          | The value representing the lower limit of the color scale. Values smaller than vmin are plotted with the same color as vmin. Default NULL                                                                           |
| vmax          | The value representing the upper limit of the color scale. Values larger than vmax are plotted with the same color as vmax. Default NULL                                                                            |
| colorBarTitle | Title for the color bar.                                                                                                                                                                                            |

**Value**

plot object

**Examples**

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runScanpyNormalizeData(sce, useAssay = "counts")
sce <- runScanpyFindHVG(sce, useAssay = "scanpyNormData", method = "seurat")
sce <- runScanpyScaleData(sce, useAssay = "scanpyNormData")
sce <- runScanpyPCA(sce, useAssay = "scanpyScaledData")
sce <- runScanpyFindClusters(sce, useReducedDim = "scanpyPCA")
sce <- runScanpyUMAP(sce, useReducedDim = "scanpyPCA")
markers <- c("MALAT1" ,"RPS27" ,"CST3")
plotScanpyMatrixPlot(sce, features = markers, groupBy = 'Scanpy_louvain_1')

## End(Not run)
```

---

plotScanpyPCA

*plotScanpyPCA*


---

**Description**

plotScanpyPCA

**Usage**

```
plotScanpyPCA(
  inSCE,
  reducedDimName = "scanpyPCA",
  color = NULL,
  title = "",
  legend = "right margin"
)
```

**Arguments**

|                |                                                                                                          |
|----------------|----------------------------------------------------------------------------------------------------------|
| inSCE          | Input SingleCellExperiment object.                                                                       |
| reducedDimName | Name of new reducedDims object containing Scanpy PCA.                                                    |
| color          | Keys for annotations of observations/cells or variables/genes.                                           |
| title          | Provide title for panels either as string or list of strings                                             |
| legend         | Location of legend, either 'on data', 'right margin' or a valid keyword for the loc parameter of Legend. |

**Value**

plot object

**Examples**

```

data(scExample, package = "singleCellTK")
## Not run:
sce <- runScanpyNormalizeData(sce, useAssay = "counts")
sce <- runScanpyFindHVG(sce, useAssay = "scanpyNormData", method = "seurat")
sce <- runScanpyScaleData(sce, useAssay = "scanpyNormData")
sce <- runScanpyPCA(sce, useAssay = "scanpyScaledData")
plotScanpyPCA(sce)

## End(Not run)

```

---

plotScanpyPCAGeneRanking

*plotScanpyPCAGeneRanking*


---

**Description**

plotScanpyPCAGeneRanking

**Usage**

```
plotScanpyPCAGeneRanking(inSCE, PC_comp = "1,2,3", includeLowest = TRUE)
```

**Arguments**

|               |                                                                                   |
|---------------|-----------------------------------------------------------------------------------|
| inSCE         | Input SingleCellExperiment object.                                                |
| PC_comp       | For example, '1,2,3' means [1, 2, 3], first, second, third principal component.   |
| includeLowest | Whether to show the variables with both highest and lowest loadings. Default TRUE |

**Value**

plot object

**Examples**

```

data(scExample, package = "singleCellTK")
## Not run:
sce <- runScanpyNormalizeData(sce, useAssay = "counts")
sce <- runScanpyFindHVG(sce, useAssay = "scanpyNormData", method = "seurat")
sce <- runScanpyScaleData(sce, useAssay = "scanpyNormData")
sce <- runScanpyPCA(sce, useAssay = "scanpyScaledData")
plotScanpyPCAGeneRanking(sce)

## End(Not run)

```

---

plotScanpyPCAVariance *plotScanpyPCAVariance*


---

**Description**

plotScanpyPCAVariance

**Usage**

```
plotScanpyPCAVariance(inSCE, nPCs = 50, log = FALSE)
```

**Arguments**

|       |                                          |
|-------|------------------------------------------|
| inSCE | Input SingleCellExperiment object.       |
| nPCs  | Number of PCs to show. Default 50.       |
| log   | Plot on logarithmic scale. Default FALSE |

**Value**

plot object

**Examples**

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runScanpyNormalizeData(sce, useAssay = "counts")
sce <- runScanpyFindHVG(sce, useAssay = "scanpyNormData", method = "seurat")
sce <- runScanpyScaleData(sce, useAssay = "scanpyNormData")
sce <- runScanpyPCA(sce, useAssay = "scanpyScaledData")
plotScanpyPCAVariance(sce)

## End(Not run)
```

---

plotScanpyViolin *plotScanpyViolin*


---

**Description**

plotScanpyViolin

**Usage**

```
plotScanpyViolin(
  inSCE,
  useAssay = NULL,
  features,
  groupBy,
  xlabel = "",
  ylabel = NULL
)
```

**Arguments**

|          |                                                                                                                                      |
|----------|--------------------------------------------------------------------------------------------------------------------------------------|
| inSCE    | Input SingleCellExperiment object.                                                                                                   |
| useAssay | Assay to use for plotting. By default it will use counts assay.                                                                      |
| features | Genes to plot. Sometimes is useful to pass a specific list of var names (e.g. genes). The var_names could be a dictionary or a list. |
| groupBy  | The key of the observation grouping to consider.                                                                                     |
| xlabel   | Label of the x axis. Defaults to groupBy.                                                                                            |
| ylabel   | Label of the y axis. If NULL and groupBy is NULL, defaults to 'value'. If NULL and groupBy is not NULL, defaults to features.        |

**Value**

plot object

**Examples**

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runScanpyNormalizeData(sce, useAssay = "counts")
sce <- runScanpyFindHVG(sce, useAssay = "scanpyNormData", method = "seurat")
sce <- runScanpyScaleData(sce, useAssay = "scanpyNormData")
sce <- runScanpyPCA(sce, useAssay = "scanpyScaledData")
sce <- runScanpyFindClusters(sce, useReducedDim = "scanpyPCA")
sce <- runScanpyUMAP(sce, useReducedDim = "scanpyPCA")
markers <- c("MALAT1" ,"RPS27" ,"CST3")
plotScanpyViolin(sce, features = markers, groupBy = "Scanpy_louvain_1")

## End(Not run)
```

---

plotScDblFinderResults

*Plots for runScDblFinder outputs.*

---

**Description**

A wrapper function which visualizes outputs from the [runScDblFinder](#) function stored in the col-Data slot of the [SingleCellExperiment](#) object via various plots.

**Usage**

```
plotScDblFinderResults(
  inSCE,
  sample = NULL,
  shape = NULL,
  groupBy = NULL,
  combinePlot = "all",
  violin = TRUE,
  boxplot = FALSE,
  dots = TRUE,
  reducedDimName = "UMAP",
```

```

xlab = NULL,
ylab = NULL,
dim1 = NULL,
dim2 = NULL,
bin = NULL,
binLabel = NULL,
defaultTheme = TRUE,
dotSize = 0.5,
summary = "median",
summaryTextSize = 3,
transparency = 1,
baseSize = 15,
titleSize = NULL,
axisLabelSize = NULL,
axisSize = NULL,
legendSize = NULL,
legendTitleSize = NULL,
relHeights = 1,
relWidths = c(1, 1, 1),
plotNCols = NULL,
plotNRows = NULL,
labelSamples = TRUE,
samplePerColumn = TRUE,
sampleRelHeights = 1,
sampleRelWidths = 1
)

```

### Arguments

|                |                                                                                                                                                                                                                                       |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE          | Input <a href="#">SingleCellExperiment</a> object with saved dimension reduction components or a variable with saved results from <a href="#">runScDblFinder</a> . Required.                                                          |
| sample         | Character vector or colData variable name. Indicates which sample each cell belongs to. Default NULL.                                                                                                                                 |
| shape          | If provided, add shapes based on the value. Default NULL.                                                                                                                                                                             |
| groupBy        | Groupings for each numeric value. A user may input a vector equal length to the number of the samples in inSCE, or can be retrieved from the colData slot. Default NULL.                                                              |
| combinePlot    | Must be either "all", "sample", or "none". "all" will combine all plots into a single .ggplot object, while "sample" will output a list of plots separated by sample. Default "all".                                                  |
| violin         | Boolean. If TRUE, will plot the violin plot. Default TRUE.                                                                                                                                                                            |
| boxplot        | Boolean. If TRUE, will plot boxplots for each violin plot. Default TRUE.                                                                                                                                                              |
| dots           | Boolean. If TRUE, will plot dots for each violin plot. Default TRUE.                                                                                                                                                                  |
| reducedDimName | Saved dimension reduction name in inSCE. Default "UMAP".                                                                                                                                                                              |
| xlab           | Character vector. Label for x-axis. Default NULL.                                                                                                                                                                                     |
| ylab           | Character vector. Label for y-axis. Default NULL.                                                                                                                                                                                     |
| dim1           | 1st dimension to be used for plotting. Can either be a string which specifies the name of the dimension to be plotted from reducedDims, or a numeric value which specifies the index of the dimension to be plotted. Default is NULL. |

|                  |                                                                                                                                                                             |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| dim2             | 2nd dimension to be used for plotting. Similar to dim1. Default is NULL.                                                                                                    |
| bin              | Numeric vector. If single value, will divide the numeric values into bin groups. If more than one value, will bin numeric values using values as a cut point. Default NULL. |
| binLabel         | Character vector. Labels for the bins created by bin. Default NULL.                                                                                                         |
| defaultTheme     | Removes grid in plot and sets axis title size to 10 when TRUE. Default TRUE.                                                                                                |
| dotSize          | Size of dots. Default 0.5.                                                                                                                                                  |
| summary          | Adds a summary statistic, as well as a crossbar to the violin plot. Options are "mean" or "median". Default NULL.                                                           |
| summaryTextSize  | The text size of the summary statistic displayed above the violin plot. Default 3.                                                                                          |
| transparency     | Transparency of the dots, values will be 0-1. Default 1.                                                                                                                    |
| baseSize         | The base font size for all text. Default 12. Can be overwritten by titleSize, axisSize, and axisLabelSize, legendSize, legendTitleSize.                                     |
| titleSize        | Size of title of plot. Default NULL.                                                                                                                                        |
| axisLabelSize    | Size of x/y-axis labels. Default NULL.                                                                                                                                      |
| axisSize         | Size of x/y-axis ticks. Default NULL.                                                                                                                                       |
| legendSize       | size of legend. Default NULL.                                                                                                                                               |
| legendTitleSize  | size of legend title. Default NULL.                                                                                                                                         |
| relHeights       | Relative heights of plots when combine is set. Default 1.                                                                                                                   |
| relWidths        | Relative widths of plots when combine is set. Default c(1, 1, 1).                                                                                                           |
| plotNCols        | Number of columns when plots are combined in a grid. Default NULL.                                                                                                          |
| plotNRows        | Number of rows when plots are combined in a grid. Default NULL.                                                                                                             |
| labelSamples     | Will label sample name in title of plot if TRUE. Default TRUE.                                                                                                              |
| samplePerColumn  | If TRUE, when there are multiple samples and combining by "all", the output .ggplot will have plots from each sample on a single column. Default TRUE.                      |
| sampleRelHeights | If there are multiple samples and combining by "all", the relative heights for each plot. Default 1.                                                                        |
| sampleRelWidths  | If there are multiple samples and combining by "all", the relative widths for each plot. Default 1.                                                                         |

**Value**

list of .ggplot objects

**See Also**

[runScDblFinder](#)

**Examples**

```
data(scExample, package="singleCellTK")
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
sce <- runQuickUMAP(sce)
sce <- runScDblFinder(sce)
plotScDblFinderResults(inSCE = sce, reducedDimName = "UMAP")
```

---

plotScdsHybridResults *Plots for runCxlsBcdsHybrid outputs.*

---

### Description

A wrapper function which visualizes outputs from the runCxlsBcdsHybrid function stored in the colData slot of the SingleCellExperiment object via various plots.

### Usage

```
plotScdsHybridResults(
  inSCE,
  sample = NULL,
  shape = NULL,
  groupBy = NULL,
  combinePlot = "all",
  violin = TRUE,
  boxplot = FALSE,
  dots = TRUE,
  reducedDimName = "UMAP",
  xlab = NULL,
  ylab = NULL,
  dim1 = NULL,
  dim2 = NULL,
  bin = NULL,
  binLabel = NULL,
  defaultTheme = TRUE,
  dotSize = 0.5,
  summary = "median",
  summaryTextSize = 3,
  transparency = 1,
  baseSize = 15,
  titleSize = NULL,
  axisLabelSize = NULL,
  axisSize = NULL,
  legendSize = NULL,
  legendTitleSize = NULL,
  relHeights = 1,
  relWidths = c(1, 1, 1),
  plotNcols = NULL,
  plotNrows = NULL,
  labelSamples = TRUE,
  samplePerColumn = TRUE,
  sampleRelHeights = 1,
  sampleRelWidths = 1
)
```

### Arguments

|       |                                                                                                                                                                                 |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE | Input <a href="#">SingleCellExperiment</a> object with saved dimension reduction components or a variable with saved results from <a href="#">runCxlsBcdsHybrid</a> . Required. |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                 |                                                                                                                                                                                                                                                     |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| sample          | Character vector. Indicates which sample each cell belongs to. Default NULL.                                                                                                                                                                        |
| shape           | If provided, add shapes based on the value.                                                                                                                                                                                                         |
| groupBy         | Groupings for each numeric value. A user may input a vector equal length to the number of the samples in the <code>SingleCellExperiment</code> object, or can be retrieved from the <code>colData</code> slot. Default NULL.                        |
| combinePlot     | Must be either "all", "sample", or "none". "all" will combine all plots into a single <code>.ggplot</code> object, while "sample" will output a list of plots separated by sample. Default "all".                                                   |
| violin          | Boolean. If TRUE, will plot the violin plot. Default TRUE.                                                                                                                                                                                          |
| boxplot         | Boolean. If TRUE, will plot boxplots for each violin plot. Default TRUE.                                                                                                                                                                            |
| dots            | Boolean. If TRUE, will plot dots for each violin plot. Default TRUE.                                                                                                                                                                                |
| reducedDimName  | Saved dimension reduction name in the <a href="#">SingleCellExperiment</a> object. Required.                                                                                                                                                        |
| xlab            | Character vector. Label for x-axis. Default NULL.                                                                                                                                                                                                   |
| ylab            | Character vector. Label for y-axis. Default NULL.                                                                                                                                                                                                   |
| dim1            | 1st dimension to be used for plotting. Can either be a string which specifies the name of the dimension to be plotted from <code>reducedDims</code> , or a numeric value which specifies the index of the dimension to be plotted. Default is NULL. |
| dim2            | 2nd dimension to be used for plotting. Can either be a string which specifies the name of the dimension to be plotted from <code>reducedDims</code> , or a numeric value which specifies the index of the dimension to be plotted. Default is NULL. |
| bin             | Numeric vector. If single value, will divide the numeric values into the 'bin' groups. If more than one value, will bin numeric values using values as a cut point.                                                                                 |
| binLabel        | Character vector. Labels for the bins created by the 'bin' parameter. Default NULL.                                                                                                                                                                 |
| defaultTheme    | Removes grid in plot and sets axis title size to 10 when TRUE. Default TRUE.                                                                                                                                                                        |
| dotSize         | Size of dots. Default 0.5.                                                                                                                                                                                                                          |
| summary         | Adds a summary statistic, as well as a crossbar to the violin plot. Options are "mean" or "median". Default NULL.                                                                                                                                   |
| summaryTextSize | The text size of the summary statistic displayed above the violin plot. Default 3.                                                                                                                                                                  |
| transparency    | Transparency of the dots, values will be 0-1. Default 1.                                                                                                                                                                                            |
| baseSize        | The base font size for all text. Default 12. Can be overwritten by <code>titleSize</code> , <code>axisSize</code> , and <code>axisLabelSize</code> , <code>legendSize</code> , <code>legendTitleSize</code> .                                       |
| titleSize       | Size of title of plot. Default NULL.                                                                                                                                                                                                                |
| axisLabelSize   | Size of x/y-axis labels. Default NULL.                                                                                                                                                                                                              |
| axisSize        | Size of x/y-axis ticks. Default NULL.                                                                                                                                                                                                               |
| legendSize      | size of legend. Default NULL.                                                                                                                                                                                                                       |
| legendTitleSize | size of legend title. Default NULL.                                                                                                                                                                                                                 |
| relHeights      | Relative heights of plots when combine is set.                                                                                                                                                                                                      |
| relWidths       | Relative widths of plots when combine is set.                                                                                                                                                                                                       |
| plotNCols       | Number of columns when plots are combined in a grid.                                                                                                                                                                                                |
| plotNRows       | Number of rows when plots are combined in a grid.                                                                                                                                                                                                   |

**labelSamples** Will label sample name in title of plot if TRUE. Default TRUE.  
**samplePerColumn** If TRUE, when there are multiple samples and combining by "all", the output .ggplot will have plots from each sample on a single column. Default TRUE.  
**sampleRelHeights** If there are multiple samples and combining by "all", the relative heights for each plot.  
**sampleRelWidths** If there are multiple samples and combining by "all", the relative widths for each plot.

### Value

list of .ggplot objects

### Examples

```

data(scExample, package="singleCellTK")
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
sce <- runQuickUMAP(sce)
sce <- runCxdBcdsHybrid(sce)
plotScdsHybridResults(inSCE=sce, reducedDimName="UMAP")

```

---

plotSCEBarAssayData     *Bar plot of assay data.*

---

### Description

Visualizes values stored in the assay slot of a SingleCellExperiment object via a bar plot.

### Usage

```

plotSCEBarAssayData(
  inSCE,
  feature,
  sample = NULL,
  useAssay = "counts",
  featureLocation = NULL,
  featureDisplay = NULL,
  groupBy = NULL,
  xlab = NULL,
  ylab = NULL,
  axisSize = 10,
  axisLabelSize = 10,
  dotSize = 0.1,
  transparency = 1,
  defaultTheme = TRUE,
  gridLine = FALSE,
  summary = NULL,
  title = NULL,
  titleSize = NULL,
  combinePlot = TRUE
)

```

**Arguments**

|                 |                                                                                                                                                                                                    |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE           | Input <a href="#">SingleCellExperiment</a> object with saved dimension reduction components or a variable with saved results. Required.                                                            |
| feature         | Name of feature stored in assay of SingleCellExperiment object.                                                                                                                                    |
| sample          | Character vector. Indicates which sample each cell belongs to.                                                                                                                                     |
| useAssay        | Indicate which assay to use. Default "counts".                                                                                                                                                     |
| featureLocation | Indicates which column name of rowData to query gene.                                                                                                                                              |
| featureDisplay  | Indicates which column name of rowData to use to display feature for visualization.                                                                                                                |
| groupBy         | Groupings for each numeric value. A user may input a vector equal length to the number of the samples in the SingleCellExperiment object, or can be retrieved from the colData slot. Default NULL. |
| xlab            | Character vector. Label for x-axis. Default NULL.                                                                                                                                                  |
| ylab            | Character vector. Label for y-axis. Default NULL.                                                                                                                                                  |
| axisSize        | Size of x/y-axis ticks. Default 10.                                                                                                                                                                |
| axisLabelSize   | Size of x/y-axis labels. Default 10.                                                                                                                                                               |
| dotSize         | Size of dots. Default 0.1.                                                                                                                                                                         |
| transparency    | Transparency of the dots, values will be 0-1. Default 1.                                                                                                                                           |
| defaultTheme    | Removes grid in plot and sets axis title size to 10 when TRUE. Default TRUE.                                                                                                                       |
| gridLine        | Adds a horizontal grid line if TRUE. Will still be drawn even if defaultTheme is TRUE. Default FALSE.                                                                                              |
| summary         | Adds a summary statistic, as well as a crossbar to the violin plot. Options are "mean" or "median". Default NULL.                                                                                  |
| title           | Title of plot. Default NULL.                                                                                                                                                                       |
| titleSize       | Size of title of plot. Default 15.                                                                                                                                                                 |
| combinePlot     | Boolean. If multiple plots are generated (multiple samples, etc.), will combined plots using 'cowplot::plot_grid'. Default TRUE.                                                                   |

**Value**

a ggplot of the barplot of assay data.

**Examples**

```
data("mouseBrainSubsetSCE")
plotSCEBarAssayData(
  inSCE = mouseBrainSubsetSCE,
  feature = "Apoe", groupBy = "sex"
)
```

---

|                   |                             |
|-------------------|-----------------------------|
| plotSCEBarColData | <i>Bar plot of colData.</i> |
|-------------------|-----------------------------|

---

## Description

Visualizes values stored in the colData slot of a SingleCellExperiment object via a bar plot.

## Usage

```
plotSCEBarColData(
  inSCE,
  coldata,
  sample = NULL,
  groupBy = NULL,
  dots = TRUE,
  xlab = NULL,
  ylab = NULL,
  axisSize = 10,
  axisLabelSize = 10,
  dotSize = 0.1,
  transparency = 1,
  defaultTheme = TRUE,
  gridLine = FALSE,
  summary = NULL,
  title = NULL,
  titleSize = NULL,
  combinePlot = TRUE
)
```

## Arguments

|               |                                                                                                                                                                                                    |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE         | Input <a href="#">SingleCellExperiment</a> object with saved dimension reduction components or a variable with saved results. Required.                                                            |
| coldata       | colData value that will be plotted.                                                                                                                                                                |
| sample        | Character vector. Indicates which sample each cell belongs to.                                                                                                                                     |
| groupBy       | Groupings for each numeric value. A user may input a vector equal length to the number of the samples in the SingleCellExperiment object, or can be retrieved from the colData slot. Default NULL. |
| dots          | Boolean. If TRUE, will plot dots for each violin plot. Default TRUE.                                                                                                                               |
| xlab          | Character vector. Label for x-axis. Default NULL.                                                                                                                                                  |
| ylab          | Character vector. Label for y-axis. Default NULL.                                                                                                                                                  |
| axisSize      | Size of x/y-axis ticks. Default 10.                                                                                                                                                                |
| axisLabelSize | Size of x/y-axis labels. Default 10.                                                                                                                                                               |
| dotSize       | Size of dots. Default 0.1.                                                                                                                                                                         |
| transparency  | Transparency of the dots, values will be 0-1. Default 1.                                                                                                                                           |
| defaultTheme  | Removes grid in plot and sets axis title size to 10 when TRUE. Default TRUE.                                                                                                                       |
| gridLine      | Adds a horizontal grid line if TRUE. Will still be drawn even if defaultTheme is TRUE. Default FALSE.                                                                                              |

|             |                                                                                                                                  |
|-------------|----------------------------------------------------------------------------------------------------------------------------------|
| summary     | Adds a summary statistic, as well as a crossbar to the violin plot. Options are "mean" or "median". Default NULL.                |
| title       | Title of plot. Default NULL.                                                                                                     |
| titleSize   | Size of title of plot. Default 15.                                                                                               |
| combinePlot | Boolean. If multiple plots are generated (multiple samples, etc.), will combined plots using 'cowplot::plot_grid'. Default TRUE. |

**Value**

a ggplot of the barplot of coldata.

**Examples**

```
data("mouseBrainSubsetSCE")
plotSCEBarColData(
  inSCE = mouseBrainSubsetSCE,
  coldata = "age", groupBy = "sex"
)
```

---

plotSCEBatchFeatureMean

*Plot mean feature value in each batch of a SingleCellExperiment object*

---

**Description**

Plot mean feature value in each batch of a SingleCellExperiment object

**Usage**

```
plotSCEBatchFeatureMean(
  inSCE,
  useAssay = NULL,
  useReddim = NULL,
  useAltExp = NULL,
  batch = "batch",
  xlab = "batch",
  ylab = "Feature Mean",
  ...
)
```

**Arguments**

|           |                                                                                                                          |
|-----------|--------------------------------------------------------------------------------------------------------------------------|
| inSCE     | <a href="#">SingleCellExperiment</a> inherited object.                                                                   |
| useAssay  | A single character. The name of the assay that stores the value to plot. For useReddim and useAltExp also. Default NULL. |
| useReddim | A single character. The name of the dimension reduced matrix that stores the value to plot. Default NULL.                |
| useAltExp | A single character. The name of the alternative experiment that stores an assay of the value to plot. Default NULL.      |

|       |                                                                                             |
|-------|---------------------------------------------------------------------------------------------|
| batch | A single character. The name of batch annotation column in colData(inSCE). Default "batch". |
| xlab  | label for x-axis. Default "batch".                                                          |
| ylab  | label for y-axis. Default "Feature Mean".                                                   |
| ...   | Additional arguments passed to .ggViolin.                                                   |

**Value**

ggplot

**Examples**

```
data('sceBatches', package = 'singleCellTK')
plotSCEBatchFeatureMean(sceBatches, useAssay = "counts")
```

---

|                |                                                                            |
|----------------|----------------------------------------------------------------------------|
| plotSCEDensity | <i>Density plot of any data stored in the SingleCellExperiment object.</i> |
|----------------|----------------------------------------------------------------------------|

---

**Description**

Visualizes values stored in any slot of a SingleCellExperiment object via a density plot.

**Usage**

```
plotSCEDensity(
  inSCE,
  slotName,
  itemName,
  sample = NULL,
  feature = NULL,
  dimension = NULL,
  groupBy = NULL,
  xlab = NULL,
  ylab = NULL,
  axisSize = 10,
  axisLabelSize = 10,
  defaultTheme = TRUE,
  title = NULL,
  titleSize = 18,
  cutoff = NULL,
  combinePlot = "none",
  plotLabels = NULL
)
```

**Arguments**

|          |                                                                                                                                         |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------|
| inSCE    | Input <a href="#">SingleCellExperiment</a> object with saved dimension reduction components or a variable with saved results. Required. |
| slotName | Desired slot of SingleCellExperiment used for plotting. Possible options: "assays", "colData", "metadata", "reducedDims". Required.     |

|               |                                                                                                                                                                                                                                                                      |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| itemName      | Desired vector within the slot used for plotting. Required.                                                                                                                                                                                                          |
| sample        | Character vector. Indicates which sample each cell belongs to.                                                                                                                                                                                                       |
| feature       | Desired name of feature stored in assay of SingleCellExperiment object. Only used when "assays" slotName is selected. Default NULL.                                                                                                                                  |
| dimension     | Desired dimension stored in the specified reducedDims. Either an integer which indicates the column or a character vector specifies column name. By default, the 1st dimension/column will be used. Only used when "reducedDims" slotName is selected. Default NULL. |
| groupBy       | Groupings for each numeric value. A user may input a vector equal length to the number of the samples in the SingleCellExperiment object, or can be retrieved from the colData slot. Default NULL.                                                                   |
| xlab          | Character vector. Label for x-axis. Default NULL.                                                                                                                                                                                                                    |
| ylab          | Character vector. Label for y-axis. Default NULL.                                                                                                                                                                                                                    |
| axisSize      | Size of x/y-axis ticks. Default 10.                                                                                                                                                                                                                                  |
| axisLabelSize | Size of x/y-axis labels. Default 10.                                                                                                                                                                                                                                 |
| defaultTheme  | Removes grid in plot and sets axis title size to 10 when TRUE. Default TRUE.                                                                                                                                                                                         |
| title         | Title of plot. Default NULL.                                                                                                                                                                                                                                         |
| titleSize     | Size of title of plot. Default 15.                                                                                                                                                                                                                                   |
| cutoff        | Numeric value. The plot will be annotated with a vertical line if set. Default NULL.                                                                                                                                                                                 |
| combinePlot   | Must be either "all", "sample", or "none". "all" will combine all plots into a single .ggplot object, while "sample" will output a list of plots separated by sample. Default "none".                                                                                |
| plotLabels    | labels to each plot. If set to "default", will use the name of the samples as the labels. If set to "none", no label will be plotted.                                                                                                                                |

**Value**

a ggplot object of the density plot.

**Examples**

```
data("mouseBrainSubsetSCE")
plotSCEDensity(
  inSCE = mouseBrainSubsetSCE, slotName = "assays",
  itemName = "counts", feature = "ApoE", groupBy = "sex"
)
```

---

plotSCEDensityAssayData

*Density plot of assay data.*

---

**Description**

Visualizes values stored in the assay slot of a SingleCellExperiment object via a density plot.

**Usage**

```
plotSCEDensityAssayData(
  inSCE,
  feature,
  sample = NULL,
  useAssay = "counts",
  featureLocation = NULL,
  featureDisplay = NULL,
  groupBy = NULL,
  xlab = NULL,
  ylab = NULL,
  axisSize = 10,
  axisLabelSize = 10,
  defaultTheme = TRUE,
  cutoff = NULL,
  title = NULL,
  titleSize = 18,
  combinePlot = "none",
  plotLabels = NULL
)
```

**Arguments**

|                 |                                                                                                                                                                                                    |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE           | Input <a href="#">SingleCellExperiment</a> object with saved dimension reduction components or a variable with saved results. Required.                                                            |
| feature         | Name of feature stored in assay of SingleCellExperiment object.                                                                                                                                    |
| sample          | Character vector. Indicates which sample each cell belongs to.                                                                                                                                     |
| useAssay        | Indicate which assay to use. Default "counts".                                                                                                                                                     |
| featureLocation | Indicates which column name of rowData to query gene.                                                                                                                                              |
| featureDisplay  | Indicates which column name of rowData to use to display feature for visualization.                                                                                                                |
| groupBy         | Groupings for each numeric value. A user may input a vector equal length to the number of the samples in the SingleCellExperiment object, or can be retrieved from the colData slot. Default NULL. |
| xlab            | Character vector. Label for x-axis. Default NULL.                                                                                                                                                  |
| ylab            | Character vector. Label for y-axis. Default NULL.                                                                                                                                                  |
| axisSize        | Size of x/y-axis ticks. Default 10.                                                                                                                                                                |
| axisLabelSize   | Size of x/y-axis labels. Default 10.                                                                                                                                                               |
| defaultTheme    | Removes grid in plot and sets axis title size to 10 when TRUE. Default TRUE.                                                                                                                       |
| cutoff          | Numeric value. The plot will be annotated with a vertical line if set. Default NULL.                                                                                                               |
| title           | Title of plot. Default NULL.                                                                                                                                                                       |
| titleSize       | Size of title of plot. Default 15.                                                                                                                                                                 |
| combinePlot     | Must be either "all", "sample", or "none". "all" will combine all plots into a single .ggplot object, while "sample" will output a list of plots separated by sample. Default "none".              |
| plotLabels      | labels to each plot. If set to "default", will use the name of the samples as the labels. If set to "none", no label will be plotted.                                                              |

**Value**

a ggplot of the density plot of assay data.

**Examples**

```
data("mouseBrainSubsetSCE")
plotSCEDensityAssayData(
  inSCE = mouseBrainSubsetSCE,
  feature = "Apoe"
)
```

---

plotSCEDensityColData *Density plot of colData.*

---

**Description**

Visualizes values stored in the colData slot of a SingleCellExperiment object via a density plot.

**Usage**

```
plotSCEDensityColData(
  inSCE,
  coldata,
  sample = NULL,
  groupBy = NULL,
  xlab = NULL,
  ylab = NULL,
  baseSize = 12,
  axisSize = NULL,
  axisLabelSize = NULL,
  defaultTheme = TRUE,
  title = NULL,
  titleSize = 18,
  cutoff = NULL,
  combinePlot = "none",
  plotLabels = NULL
)
```

**Arguments**

|         |                                                                                                                                                                                                    |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE   | Input <a href="#">SingleCellExperiment</a> object with saved dimension reduction components or a variable with saved results. Required.                                                            |
| coldata | colData value that will be plotted.                                                                                                                                                                |
| sample  | Character vector. Indicates which sample each cell belongs to.                                                                                                                                     |
| groupBy | Groupings for each numeric value. A user may input a vector equal length to the number of the samples in the SingleCellExperiment object, or can be retrieved from the colData slot. Default NULL. |
| xlab    | Character vector. Label for x-axis. Default NULL.                                                                                                                                                  |
| ylab    | Character vector. Label for y-axis. Default NULL.                                                                                                                                                  |

|               |                                                                                                                                                                                       |
|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| baseSize      | The base font size for all text. Default 12. Can be overwritten by titleSize, axisSize, and axisLabelSize, legendSize, legendTitleSize.                                               |
| axisSize      | Size of x/y-axis ticks. Default NULL.                                                                                                                                                 |
| axisLabelSize | Size of x/y-axis labels. Default NULL.                                                                                                                                                |
| defaultTheme  | Removes grid in plot and sets axis title size to 10 when TRUE. Default TRUE.                                                                                                          |
| title         | Title of plot. Default NULL.                                                                                                                                                          |
| titleSize     | Size of title of plot. Default 15.                                                                                                                                                    |
| cutoff        | Numeric value. The plot will be annotated with a vertical line if set. Default NULL.                                                                                                  |
| combinePlot   | Must be either "all", "sample", or "none". "all" will combine all plots into a single .ggplot object, while "sample" will output a list of plots separated by sample. Default "none". |
| plotLabels    | labels to each plot. If set to "default", will use the name of the samples as the labels. If set to "none", no label will be plotted.                                                 |

**Value**

a ggplot of the density plot of colData.

**Examples**

```
data("mouseBrainSubsetSCE")
plotSCEDensityColData(
  inSCE = mouseBrainSubsetSCE,
  coldata = "age", groupBy = "sex"
)
```

---

plotSCEDimReduceColData

*Dimension reduction plot tool for colData*

---

**Description**

Plot results of reduced dimensions data and colors by annotation data stored in the colData slot.

**Usage**

```
plotSCEDimReduceColData(
  inSCE,
  colorBy,
  reducedDimName,
  sample = NULL,
  groupBy = NULL,
  conditionClass = NULL,
  shape = NULL,
  xlab = NULL,
  ylab = NULL,
  baseSize = 12,
  axisSize = NULL,
```

```

axisLabelSize = NULL,
dim1 = NULL,
dim2 = NULL,
bin = NULL,
binLabel = NULL,
dotSize = 0.1,
transparency = 1,
colorScale = NULL,
colorLow = "white",
colorMid = "gray",
colorHigh = "blue",
defaultTheme = TRUE,
title = NULL,
titleSize = 15,
labelClusters = TRUE,
clusterLabelSize = 3.5,
legendTitle = NULL,
legendTitleSize = NULL,
legendSize = NULL,
combinePlot = "none",
plotLabels = NULL
)

```

### Arguments

|                |                                                                                                                                                                                                                                       |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE          | Input <a href="#">SingleCellExperiment</a> object with saved dimension reduction components or a variable with saved results. Required.                                                                                               |
| colorBy        | Color by a condition(any column of the annotation data). Required.                                                                                                                                                                    |
| reducedDimName | Saved dimension reduction matrix name in the <a href="#">SingleCellExperiment</a> object. Required.                                                                                                                                   |
| sample         | Character vector. Indicates which sample each cell belongs to.                                                                                                                                                                        |
| groupBy        | Group by a condition(any column of the annotation data). Default NULL.                                                                                                                                                                |
| conditionClass | Class of the annotation data used in colorBy. Options are NULL, "factor" or "numeric". If NULL, class will default to the original class. Default NULL.                                                                               |
| shape          | Add shapes to each condition.                                                                                                                                                                                                         |
| xlab           | Character vector. Label for x-axis. Default NULL.                                                                                                                                                                                     |
| ylab           | Character vector. Label for y-axis. Default NULL.                                                                                                                                                                                     |
| baseSize       | The base font size for all text. Default 12. Can be overwritten by titleSize, axisSize, and axisLabelSize, legendSize, legendTitleSize.                                                                                               |
| axisSize       | Size of x/y-axis ticks. Default NULL.                                                                                                                                                                                                 |
| axisLabelSize  | Size of x/y-axis labels. Default NULL.                                                                                                                                                                                                |
| dim1           | 1st dimension to be used for plotting. Can either be a string which specifies the name of the dimension to be plotted from reducedDims, or a numeric value which specifies the index of the dimension to be plotted. Default is NULL. |
| dim2           | 2nd dimension to be used for plotting. Can either be a string which specifies the name of the dimension to be plotted from reducedDims, or a numeric value which specifies the index of the dimension to be plotted. Default is NULL. |

|                  |                                                                                                                                                                                       |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| bin              | Numeric vector. If single value, will divide the numeric values into the 'bin' groups. If more than one value, will bin numeric values using values as a cut point.                   |
| binLabel         | Character vector. Labels for the bins created by the 'bin' parameter. Default NULL.                                                                                                   |
| dotSize          | Size of dots. Default 0.1.                                                                                                                                                            |
| transparency     | Transparency of the dots, values will be 0-1. Default 1.                                                                                                                              |
| colorScale       | Vector. Needs to be same length as the number of unique levels of colorBy. Will be used only if conditionClass = "factor" or "character". Default NULL.                               |
| colorLow         | Character. A color available from 'colors()'. The color will be used to signify the lowest values on the scale. Default 'white'.                                                      |
| colorMid         | Character. A color available from 'colors()'. The color will be used to signify the midpoint on the scale. Default 'gray'.                                                            |
| colorHigh        | Character. A color available from 'colors()'. The color will be used to signify the highest values on the scale. Default 'blue'.                                                      |
| defaultTheme     | adds grid to plot when TRUE. Default TRUE.                                                                                                                                            |
| title            | Title of plot. Default NULL.                                                                                                                                                          |
| titleSize        | Size of title of plot. Default 15.                                                                                                                                                    |
| labelClusters    | Logical. Whether the cluster labels are plotted.                                                                                                                                      |
| clusterLabelSize | Numeric. Determines the size of cluster label when 'labelClusters' is set to TRUE. Default 3.5.                                                                                       |
| legendTitle      | title of legend. Default NULL.                                                                                                                                                        |
| legendTitleSize  | size of legend title. Default 12.                                                                                                                                                     |
| legendSize       | size of legend. Default NULL. Default FALSE.                                                                                                                                          |
| combinePlot      | Must be either "all", "sample", or "none". "all" will combine all plots into a single .ggplot object, while "sample" will output a list of plots separated by sample. Default "none". |
| plotLabels       | labels to each plot. If set to "default", will use the name of the samples as the labels. If set to "none", no label will be plotted.                                                 |

### Value

a ggplot of the reduced dimension plot of coldata.

### Examples

```
data("mouseBrainSubsetSCE")
plotSCEDimReduceColData(
  inSCE = mouseBrainSubsetSCE, colorBy = "tissue",
  shape = NULL, conditionClass = "factor",
  reducedDimName = "TSNE_counts",
  xlab = "tSNE1", ylab = "tSNE2", labelClusters = TRUE
)

plotSCEDimReduceColData(
  inSCE = mouseBrainSubsetSCE, colorBy = "age",
  shape = NULL, conditionClass = "numeric",
```

```

    reducedDimName = "TSNE_counts", bin = c(-Inf, 20, 25, +Inf),
    xlab = "tSNE1", ylab = "tSNE2", labelClusters = FALSE
)

```

---

plotSCEDimReduceFeatures

*Dimension reduction plot tool for assay data*


---

## Description

Plot results of reduced dimensions data and colors by feature data stored in the assays slot.

## Usage

```

plotSCEDimReduceFeatures(
  inSCE,
  feature,
  reducedDimName,
  sample = NULL,
  featureLocation = NULL,
  featureDisplay = NULL,
  shape = NULL,
  useAssay = "logcounts",
  xlab = NULL,
  ylab = NULL,
  axisSize = 10,
  axisLabelSize = 10,
  dim1 = NULL,
  dim2 = NULL,
  bin = NULL,
  binLabel = NULL,
  dotSize = 0.1,
  transparency = 1,
  colorLow = "white",
  colorMid = "gray",
  colorHigh = "blue",
  defaultTheme = TRUE,
  title = NULL,
  titleSize = 15,
  legendTitle = NULL,
  legendSize = 10,
  legendTitleSize = 12,
  groupBy = NULL,
  combinePlot = "none",
  plotLabels = NULL
)

```

## Arguments

|       |                                                                                                                                         |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------|
| inSCE | Input <a href="#">SingleCellExperiment</a> object with saved dimension reduction components or a variable with saved results. Required. |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------|

|                 |                                                                                                                                                                                                                                       |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| feature         | Name of feature stored in assay of SingleCellExperiment object.                                                                                                                                                                       |
| reducedDimName  | saved dimension reduction name in the <a href="#">SingleCellExperiment</a> object. Required.                                                                                                                                          |
| sample          | Character vector. Indicates which sample each cell belongs to.                                                                                                                                                                        |
| featureLocation | Indicates which column name of rowData to query gene.                                                                                                                                                                                 |
| featureDisplay  | Indicates which column name of rowData to use to display feature for visualization.                                                                                                                                                   |
| shape           | add shapes to each condition. Default NULL.                                                                                                                                                                                           |
| useAssay        | Indicate which assay to use. The default is "logcounts"                                                                                                                                                                               |
| xlab            | Character vector. Label for x-axis. Default NULL.                                                                                                                                                                                     |
| ylab            | Character vector. Label for y-axis. Default NULL.                                                                                                                                                                                     |
| axisSize        | Size of x/y-axis ticks. Default 10.                                                                                                                                                                                                   |
| axisLabelSize   | Size of x/y-axis labels. Default 10.                                                                                                                                                                                                  |
| dim1            | 1st dimension to be used for plotting. Can either be a string which specifies the name of the dimension to be plotted from reducedDims, or a numeric value which specifies the index of the dimension to be plotted. Default is NULL. |
| dim2            | 2nd dimension to be used for plotting. Can either be a string which specifies the name of the dimension to be plotted from reducedDims, or a numeric value which specifies the index of the dimension to be plotted. Default is NULL. |
| bin             | Numeric vector. If single value, will divide the numeric values into the 'bin' groups. If more than one value, will bin numeric values using values as a cut point.                                                                   |
| binLabel        | Character vector. Labels for the bins created by the 'bin' parameter. Default NULL.                                                                                                                                                   |
| dotSize         | Size of dots. Default 0.1.                                                                                                                                                                                                            |
| transparency    | Transparency of the dots, values will be 0-1. Default 1.                                                                                                                                                                              |
| colorLow        | Character. A color available from 'colors()'. The color will be used to signify the lowest values on the scale. Default 'white'.                                                                                                      |
| colorMid        | Character. A color available from 'colors()'. The color will be used to signify the midpoint on the scale. Default 'gray'.                                                                                                            |
| colorHigh       | Character. A color available from 'colors()'. The color will be used to signify the highest values on the scale. Default 'blue'.                                                                                                      |
| defaultTheme    | adds grid to plot when TRUE. Default TRUE.                                                                                                                                                                                            |
| title           | Title of plot. Default NULL.                                                                                                                                                                                                          |
| titleSize       | Size of title of plot. Default 15.                                                                                                                                                                                                    |
| legendTitle     | title of legend. Default NULL.                                                                                                                                                                                                        |
| legendSize      | size of legend. Default 10.                                                                                                                                                                                                           |
| legendTitleSize | size of legend title. Default 12.                                                                                                                                                                                                     |
| groupBy         | Facet wrap the scatterplot based on value. Default NULL.                                                                                                                                                                              |
| combinePlot     | Must be either "all", "sample", or "none". "all" will combine all plots into a single .ggplot object, while "sample" will output a list of plots separated by sample. Default "none".                                                 |
| plotLabels      | labels to each plot. If set to "default", will use the name of the samples as the labels. If set to "none", no label will be plotted.                                                                                                 |

**Value**

a ggplot of the reduced dimension plot of feature data.

**Examples**

```
data("mouseBrainSubsetSCE")
plotSCEDimReduceFeatures(
  inSCE = mouseBrainSubsetSCE, feature = "Apoe",
  shape = NULL, reducedDimName = "TSNE_counts",
  useAssay = "counts", xlab = "tSNE1", ylab = "tSNE2"
)
```

---

plotSCEHeatmap

---

*Plot heatmap of using data stored in SingleCellExperiment Object*


---

**Description**

Plot heatmap of using data stored in SingleCellExperiment Object

**Usage**

```
plotSCEHeatmap(
  inSCE,
  useAssay = "logcounts",
  useReducedDim = NULL,
  doLog = FALSE,
  featureIndex = NULL,
  cellIndex = NULL,
  scale = TRUE,
  trim = c(-2, 2),
  featureIndexBy = "rownames",
  cellIndexBy = "rownames",
  cluster_columns = FALSE,
  cluster_rows = FALSE,
  rowDataName = NULL,
  colDataName = NULL,
  aggregateRow = NULL,
  aggregateCol = NULL,
  featureAnnotations = NULL,
  cellAnnotations = NULL,
  featureAnnotationColor = NULL,
  cellAnnotationColor = NULL,
  palette = c("ggplot", "celda", "random"),
  heatmapPalette = c("sequential", "diverging"),
  addCellSummary = NULL,
  rowSplitBy = NULL,
  colSplitBy = NULL,
  rowLabel = FALSE,
  colLabel = FALSE,
  rowLabelSize = 6,
  colLabelSize = 6,
```

```

    rowDend = TRUE,
    colDend = TRUE,
    title = NULL,
    rowTitle = "Features",
    colTitle = "Cells",
    rowGap = grid::unit(0, "mm"),
    colGap = grid::unit(0, "mm"),
    border = FALSE,
    colorScheme = NULL,
    ...
)

```

### Arguments

|                              |                                                                                                                                                                                                                                                                              |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>inSCE</code>           | <a href="#">SingleCellExperiment</a> inherited object.                                                                                                                                                                                                                       |
| <code>useAssay</code>        | character. A string indicating the assay name that provides the expression level to plot. Only for <code>plotSCEHeatmap</code> .                                                                                                                                             |
| <code>useReducedDim</code>   | character. A string indicating the reducedDim name that provides the expression level to plot. Only for <code>plotSCEDimReduceHeatmap</code> .                                                                                                                               |
| <code>doLog</code>           | Logical scalar. Whether to do $\log(\text{assay} + 1)$ transformation on the assay indicated by <code>useAssay</code> . Default <code>FALSE</code> .                                                                                                                         |
| <code>featureIndex</code>    | A vector that can subset the input SCE object by rows (features). Alternatively, it can be a vector identifying features in another feature list indicated by <code>featureIndexBy</code> . Default <code>NULL</code> .                                                      |
| <code>cellIndex</code>       | A vector that can subset the input SCE object by columns (cells). Alternatively, it can be a vector identifying cells in another cell list indicated by <code>featureIndexBy</code> . Default <code>NULL</code> .                                                            |
| <code>scale</code>           | Whether to perform z-score or min-max scaling on each row. Choose from "zscore", "min-max" or default <code>TRUE</code> or <code>FALSE</code>                                                                                                                                |
| <code>trim</code>            | A 2-element numeric vector. Values outside of this range will be trimmed to their nearest bound. Default <code>c(-2, 2)</code>                                                                                                                                               |
| <code>featureIndexBy</code>  | A single character specifying a column name of <code>rowData(inSCE)</code> , or a vector of the same length as <code>nrow(inSCE)</code> , where we search for the non-rowname feature indices. Not applicable for <code>plotSCEDimReduceHeatmap</code> . Default "rownames". |
| <code>cellIndexBy</code>     | A single character specifying a column name of <code>colData(inSCE)</code> , or a vector of the same length as <code>ncol(inSCE)</code> , where we search for the non-rowname cell indices. Default "rownames".                                                              |
| <code>cluster_columns</code> | A logical scalar that turns on/off clustering of columns. Default <code>FALSE</code> . Clustering columns should be turned off when using reduced dim for plotting as it will be sorted by PCs                                                                               |
| <code>cluster_rows</code>    | A logical scalar that turns on/off clustering of rows. Default <code>FALSE</code> .                                                                                                                                                                                          |
| <code>rowDataName</code>     | character. The column name(s) in <code>rowData</code> that need to be added to the annotation. Not applicable for <code>plotSCEDimReduceHeatmap</code> . Default <code>NULL</code> .                                                                                         |
| <code>colDataName</code>     | character. The column name(s) in <code>colData</code> that need to be added to the annotation. Default <code>NULL</code> .                                                                                                                                                   |
| <code>aggregateRow</code>    | Feature variable for aggregating the heatmap by row. Can be a vector or a <code>rowData</code> column name for feature variable. Multiple variables are allowed. Default <code>NULL</code> .                                                                                 |

|                        |                                                                                                                                                                                                                                    |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| aggregateCol           | Cell variable for aggregating the heatmap by column. Can be a vector or a colData column name for cell variable. Multiple variables are allowed. Default NULL.                                                                     |
| featureAnnotations     | data.frame, with rownames containing all the features going to be plotted. Character columns should be factors. Default NULL.                                                                                                      |
| cellAnnotations        | data.frame, with rownames containing all the cells going to be plotted. Character columns should be factors. Default NULL.                                                                                                         |
| featureAnnotationColor | A named list. Customized color settings for feature labeling. Should match the entries in the featureAnnotations or rowDataName. For each entry, there should be a list/vector of colors named with categories. Default NULL.      |
| cellAnnotationColor    | A named list. Customized color settings for cell labeling. Should match the entries in the cellAnnotations or colDataName. For each entry, there should be a list/vector of colors named with categories. Default NULL.            |
| palette                | Choose from "ggplot", "celda" or "random" to generate unique category colors.                                                                                                                                                      |
| heatmapPalette         | Choose from "sequential", "diverging" or supply custom palette with colorScheme to generate unique category colors. Default is "sequential"                                                                                        |
| addCellSummary         | Add summary barplots to column annotation. Supply the name of the column in colData as a character. This option will add summary for categorical variables as stacked barplots.                                                    |
| rowSplitBy             | character. Do semi-heatmap based on the grouping of this(these) annotation(s). Should exist in either rowDataName or names(featureAnnotations). Default NULL.                                                                      |
| colSplitBy             | character. Do semi-heatmap based on the grouping of this(these) annotation(s). Should exist in either colDataName or names(cellAnnotations). Default NULL.                                                                         |
| rowLabel               | Use a logical for whether to display all the feature names, a single character to display a column of rowData(inSCE) annotation, a vector of the same length as full/subset nrow(inSCE) to display customized info. Default FALSE. |
| colLabel               | Use a logical for whether to display all the cell names, a single character to display a column of colData(inSCE) annotation, a vector of the same length as full/subset ncol(inSCE) to display customized info. Default FALSE.    |
| rowLabelSize           | A number for the font size of feature names. Default 8                                                                                                                                                                             |
| colLabelSize           | A number for the font size of cell names. Default 8                                                                                                                                                                                |
| rowDend                | Whether to display row dendrogram. Default TRUE.                                                                                                                                                                                   |
| colDend                | Whether to display column dendrogram. Default TRUE.                                                                                                                                                                                |
| title                  | The main title of the whole plot. Default NULL.                                                                                                                                                                                    |
| rowTitle               | The subtitle for the rows. Default "Genes".                                                                                                                                                                                        |
| colTitle               | The subtitle for the columns. Default "Cells".                                                                                                                                                                                     |
| rowGap                 | A numeric value or a <code>unit</code> object. For the gap size between rows of the splitted heatmap. Default <code>grid::unit(0, 'mm')</code> .                                                                                   |
| colGap                 | A numeric value or a <code>unit</code> object. For the gap size between columns of the splitted heatmap. Default <code>grid::unit(0, 'mm')</code> .                                                                                |

|             |                                                                                                                                  |
|-------------|----------------------------------------------------------------------------------------------------------------------------------|
| border      | A logical scalar. Whether to show the border of the heatmap or splitted heatmaps. Default TRUE.                                  |
| colorScheme | function. A function that generates color code by giving a value. Can be generated by <a href="#">colorRamp2</a> . Default NULL. |
| ...         | Other arguments passed to <a href="#">Heatmap</a> .                                                                              |

**Value**

A [ggplot](#) object.

**Author(s)**

Yichen Wang

**Examples**

```
data(scExample, package = "singleCellTK")
plotSCEHeatmap(sce[1:3,1:3], useAssay = "counts")
```

---

plotSCEScatter

*Dimension reduction plot tool for all types of data*

---

**Description**

Plot results of reduced dimensions data of counts stored in any slot in the SingleCellExperiment object.

**Usage**

```
plotSCEScatter(
  inSCE,
  annotation,
  reducedDimName = NULL,
  slot = NULL,
  sample = NULL,
  feature = NULL,
  groupBy = NULL,
  shape = NULL,
  conditionClass = NULL,
  xlab = NULL,
  ylab = NULL,
  axisSize = 10,
  axisLabelSize = 10,
  dim1 = NULL,
  dim2 = NULL,
  bin = NULL,
  binLabel = NULL,
  dotSize = 0.1,
  transparency = 1,
  colorLow = "white",
  colorMid = "gray",
```

```

    colorHigh = "blue",
    defaultTheme = TRUE,
    title = NULL,
    titleSize = 15,
    labelClusters = TRUE,
    legendTitle = NULL,
    legendTitleSize = 12,
    legendSize = 10,
    combinePlot = "none",
    plotLabels = NULL
  )

```

### Arguments

|                |                                                                                                                                                                                                                                       |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE          | Input SingleCellExperiment object with saved dimension reduction components or a variable with saved results. Required.                                                                                                               |
| annotation     | Desired vector within the slot used for plotting. Default NULL.                                                                                                                                                                       |
| reducedDimName | saved dimension reduction name in the <a href="#">SingleCellExperiment</a> object.                                                                                                                                                    |
| slot           | Desired slot of SingleCellExperiment used for plotting. Possible options: "assays", "colData", "metadata", "reducedDims". Default NULL.                                                                                               |
| sample         | Character vector. Indicates which sample each cell belongs to.                                                                                                                                                                        |
| feature        | name of feature stored in assay of SingleCellExperiment object. Will be used only if "assays" slot is chosen. Default NULL.                                                                                                           |
| groupBy        | Group by a condition(any column of the annotation data). Default NULL.                                                                                                                                                                |
| shape          | add shapes to each condition.                                                                                                                                                                                                         |
| conditionClass | class of the annotation data used in colorBy. Options are NULL, "factor" or "numeric". If NULL, class will default to the original class. Default NULL.                                                                               |
| xlab           | Character vector. Label for x-axis. Default NULL.                                                                                                                                                                                     |
| ylab           | Character vector. Label for y-axis. Default NULL.                                                                                                                                                                                     |
| axisSize       | Size of x/y-axis ticks. Default 10.                                                                                                                                                                                                   |
| axisLabelSize  | Size of x/y-axis labels. Default 10.                                                                                                                                                                                                  |
| dim1           | 1st dimension to be used for plotting. Can either be a string which specifies the name of the dimension to be plotted from reducedDims, or a numeric value which specifies the index of the dimension to be plotted. Default is NULL. |
| dim2           | 2nd dimension to be used for plotting. Can either be a string which specifies the name of the dimension to be plotted from reducedDims, or a numeric value which specifies the index of the dimension to be plotted. Default is NULL. |
| bin            | Numeric vector. If single value, will divide the numeric values into the 'bin' groups. If more than one value, will bin numeric values using values as a cut point.                                                                   |
| binLabel       | Character vector. Labels for the bins created by the 'bin' parameter. Default NULL.                                                                                                                                                   |
| dotSize        | Size of dots. Default 0.1.                                                                                                                                                                                                            |
| transparency   | Transparency of the dots, values will be 0-1. Default 1.                                                                                                                                                                              |
| colorLow       | Character. A color available from 'colors()'. The color will be used to signify the lowest values on the scale. Default 'white'.                                                                                                      |

|                 |                                                                                                                                                                                       |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| colorMid        | Character. A color available from 'colors()'. The color will be used to signify the midpoint on the scale. Default 'gray'.                                                            |
| colorHigh       | Character. A color available from 'colors()'. The color will be used to signify the highest values on the scale. Default 'blue'.                                                      |
| defaultTheme    | adds grid to plot when TRUE. Default TRUE.                                                                                                                                            |
| title           | Title of plot. Default NULL.                                                                                                                                                          |
| titleSize       | Size of title of plot. Default 15.                                                                                                                                                    |
| labelClusters   | Logical. Whether the cluster labels are plotted.                                                                                                                                      |
| legendTitle     | title of legend. Default NULL.                                                                                                                                                        |
| legendTitleSize | size of legend title. Default 12.                                                                                                                                                     |
| legendSize      | size of legend. Default 10.                                                                                                                                                           |
| combinePlot     | Must be either "all", "sample", or "none". "all" will combine all plots into a single .ggplot object, while "sample" will output a list of plots separated by sample. Default "none". |
| plotLabels      | labels to each plot. If set to "default", will use the name of the samples as the labels. If set to "none", no label will be plotted.                                                 |

**Value**

a ggplot of the reduced dimensions.

**Examples**

```
data("mouseBrainSubsetSCE")
plotSCEScatter(
  inSCE = mouseBrainSubsetSCE, legendTitle = NULL,
  slot = "assays", annotation = "counts", feature = "Apoe",
  reducedDimName = "TSNE_counts", labelClusters = FALSE
)
```

---

|               |                                                                           |
|---------------|---------------------------------------------------------------------------|
| plotSCEViolin | <i>Violin plot of any data stored in the SingleCellExperiment object.</i> |
|---------------|---------------------------------------------------------------------------|

---

**Description**

Visualizes values stored in any slot of a SingleCellExperiment object via a violin plot.

**Usage**

```
plotSCEViolin(
  inSCE,
  slotName,
  itemName,
  feature = NULL,
  sample = NULL,
  dimension = NULL,
  groupBy = NULL,
  violin = TRUE,
```

```

    boxplot = TRUE,
    dots = TRUE,
    plotOrder = NULL,
    xlab = NULL,
    ylab = NULL,
    axisSize = 10,
    axisLabelSize = 10,
    dotSize = 0.1,
    transparency = 1,
    defaultTheme = TRUE,
    gridLine = FALSE,
    summary = NULL,
    title = NULL,
    titleSize = NULL,
    hcutoff = NULL,
    hcolor = "red",
    hsize = 1,
    hlinetype = 1,
    vcutoff = NULL,
    vcolor = "red",
    vsize = 1,
    vlinetype = 1,
    combinePlot = "none",
    plotLabels = NULL
)

```

### Arguments

|           |                                                                                                                                                                                                                                                                                |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE     | Input <a href="#">SingleCellExperiment</a> object with saved dimension reduction components or a variable with saved results. Required.                                                                                                                                        |
| slotName  | Desired slot of SingleCellExperiment used for plotting. Possible options: "assays", "colData", "metadata", "reducedDims". Required.                                                                                                                                            |
| itemName  | Desired vector within the slot used for plotting. Required.                                                                                                                                                                                                                    |
| feature   | Desired name of feature stored in assay of SingleCellExperiment object. Only used when "assays" slotName is selected. Default NULL.                                                                                                                                            |
| sample    | Character vector. Indicates which sample each cell belongs to.                                                                                                                                                                                                                 |
| dimension | Desired dimension(s) stored in the specified reducedDims. Either an integer which indicates the column(s) or a character vector specifies column name(s). By default, the 1st dimension/column will be used. Only used when "reduced-Dims" slotName is selected. Default NULL. |
| groupBy   | Groupings for each numeric value. A user may input a vector equal length to the number of the samples in the SingleCellExperiment object, or can be retrieved from the colData slot. Default NULL.                                                                             |
| violin    | Boolean. If TRUE, will plot the violin plot. Default TRUE.                                                                                                                                                                                                                     |
| boxplot   | Boolean. If TRUE, will plot boxplots for each violin plot. Default TRUE.                                                                                                                                                                                                       |
| dots      | Boolean. If TRUE, will plot dots for each violin plot. Default TRUE.                                                                                                                                                                                                           |
| plotOrder | Character vector. If set, reorders the violin plots in the order of the character vector when 'groupBy' is set. Default NULL.                                                                                                                                                  |
| xlab      | Character vector. Label for x-axis. Default NULL.                                                                                                                                                                                                                              |

|                            |                                                                                                                                                                                         |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>ylab</code>          | Character vector. Label for y-axis. Default NULL.                                                                                                                                       |
| <code>axisSize</code>      | Size of x/y-axis ticks. Default 10.                                                                                                                                                     |
| <code>axisLabelSize</code> | Size of x/y-axis labels. Default 10.                                                                                                                                                    |
| <code>dotSize</code>       | Size of dots. Default 0.1.                                                                                                                                                              |
| <code>transparency</code>  | Transparency of the dots, values will be 0-1. Default 1.                                                                                                                                |
| <code>defaultTheme</code>  | Removes grid in plot and sets axis title size to 10 when TRUE. Default TRUE.                                                                                                            |
| <code>gridLine</code>      | Adds a horizontal grid line if TRUE. Will still be drawn even if defaultTheme is TRUE. Default FALSE.                                                                                   |
| <code>summary</code>       | Adds a summary statistic, as well as a crossbar to the violin plot. Options are "mean" or "median". Default NULL.                                                                       |
| <code>title</code>         | Title of plot. Default NULL.                                                                                                                                                            |
| <code>titleSize</code>     | Size of title of plot. Default 15.                                                                                                                                                      |
| <code>hcutoff</code>       | Adds a horizontal line with the y-intercept at given value. Default NULL.                                                                                                               |
| <code>hcolor</code>        | Character. A color available from 'colors()'. Controls the color of the horizontal cutoff line, if drawn. Default 'black'.                                                              |
| <code>hsize</code>         | Size of horizontal line, if drawn. Default 0.5.                                                                                                                                         |
| <code>hlinetype</code>     | Type of horizontal line, if drawn. can be specified with either an integer or a name (0 = blank, 1 = solid, 2 = dashed, 3 = dotted, 4 = dotdash, 5 = longdash, 6 = twodash). Default 1. |
| <code>vcutoff</code>       | Adds a vertical line with the x-intercept at given value. Default NULL.                                                                                                                 |
| <code>vcolor</code>        | Character. A color available from 'colors()'. Controls the color of the vertical cutoff line, if drawn. Default 'black'.                                                                |
| <code>vsize</code>         | Size of vertical line, if drawn. Default 0.5.                                                                                                                                           |
| <code>vlinetype</code>     | Type of vertical line, if drawn. can be specified with either an integer or a name (0 = blank, 1 = solid, 2 = dashed, 3 = dotted, 4 = dotdash, 5 = longdash, 6 = twodash). Default 1.   |
| <code>combinePlot</code>   | Must be either "all", "sample", or "none". "all" will combine all plots into a single .ggplot object, while "sample" will output a list of plots separated by sample. Default "none".   |
| <code>plotLabels</code>    | labels to each plot. If set to "default", will use the name of the samples as the labels. If set to "none", no label will be plotted.                                                   |

### Value

a ggplot of the violin plot.

### Examples

```
data("mouseBrainSubsetSCE")
plotSCEViolin(
  inSCE = mouseBrainSubsetSCE, slotName = "assays",
  itemName = "counts", feature = "Apoe", groupBy = "sex"
)
```

---

`plotSCEViolinAssayData`*Violin plot of assay data.*

---

### Description

Visualizes values stored in the assay slot of a `SingleCellExperiment` object via a violin plot.

### Usage

```
plotSCEViolinAssayData(  
  inSCE,  
  feature,  
  sample = NULL,  
  useAssay = "counts",  
  featureLocation = NULL,  
  featureDisplay = NULL,  
  groupBy = NULL,  
  violin = TRUE,  
  boxplot = TRUE,  
  dots = TRUE,  
  plotOrder = NULL,  
  xlab = NULL,  
  ylab = NULL,  
  axisSize = 10,  
  axisLabelSize = 10,  
  dotSize = 0.1,  
  transparency = 1,  
  defaultTheme = TRUE,  
  gridLine = FALSE,  
  summary = NULL,  
  title = NULL,  
  titleSize = NULL,  
  hcutoff = NULL,  
  hcolor = "red",  
  hsize = 1,  
  hlinetype = 1,  
  vcutoff = NULL,  
  vcolor = "red",  
  vsize = 1,  
  vlinetype = 1,  
  combinePlot = "none",  
  plotLabels = NULL  
)
```

### Arguments

|                      |                                                                                                                                         |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| <code>inSCE</code>   | Input <a href="#">SingleCellExperiment</a> object with saved dimension reduction components or a variable with saved results. Required. |
| <code>feature</code> | Name of feature stored in assay of <code>SingleCellExperiment</code> object.                                                            |

|                              |                                                                                                                                                                                                                                            |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>sample</code>          | Character vector. Indicates which sample each cell belongs to.                                                                                                                                                                             |
| <code>useAssay</code>        | Indicate which assay to use. Default "counts".                                                                                                                                                                                             |
| <code>featureLocation</code> | Indicates which column name of <code>rowData</code> to query gene.                                                                                                                                                                         |
| <code>featureDisplay</code>  | Indicates which column name of <code>rowData</code> to use to display feature for visualization.                                                                                                                                           |
| <code>groupBy</code>         | Groupings for each numeric value. A user may input a vector equal length to the number of the samples in the <code>SingleCellExperiment</code> object, or can be retrieved from the <code>colData</code> slot. Default <code>NULL</code> . |
| <code>violin</code>          | Boolean. If <code>TRUE</code> , will plot the violin plot. Default <code>TRUE</code> .                                                                                                                                                     |
| <code>boxplot</code>         | Boolean. If <code>TRUE</code> , will plot boxplots for each violin plot. Default <code>TRUE</code> .                                                                                                                                       |
| <code>dots</code>            | Boolean. If <code>TRUE</code> , will plot dots for each violin plot. Default <code>TRUE</code> .                                                                                                                                           |
| <code>plotOrder</code>       | Character vector. If set, reorders the violin plots in the order of the character vector when 'groupBy' is set. Default <code>NULL</code> .                                                                                                |
| <code>xlab</code>            | Character vector. Label for x-axis. Default <code>NULL</code> .                                                                                                                                                                            |
| <code>ylab</code>            | Character vector. Label for y-axis. Default <code>NULL</code> .                                                                                                                                                                            |
| <code>axisSize</code>        | Size of x/y-axis ticks. Default 10.                                                                                                                                                                                                        |
| <code>axisLabelSize</code>   | Size of x/y-axis labels. Default 10.                                                                                                                                                                                                       |
| <code>dotSize</code>         | Size of dots. Default 0.1.                                                                                                                                                                                                                 |
| <code>transparency</code>    | Transparency of the dots, values will be 0-1. Default 1.                                                                                                                                                                                   |
| <code>defaultTheme</code>    | Removes grid in plot and sets axis title size to 10 when <code>TRUE</code> . Default <code>TRUE</code> .                                                                                                                                   |
| <code>gridLine</code>        | Adds a horizontal grid line if <code>TRUE</code> . Will still be drawn even if <code>defaultTheme</code> is <code>TRUE</code> . Default <code>FALSE</code> .                                                                               |
| <code>summary</code>         | Adds a summary statistic, as well as a crossbar to the violin plot. Options are "mean" or "median". Default <code>NULL</code> .                                                                                                            |
| <code>title</code>           | Title of plot. Default <code>NULL</code> .                                                                                                                                                                                                 |
| <code>titleSize</code>       | Size of title of plot. Default 15.                                                                                                                                                                                                         |
| <code>hcutoff</code>         | Adds a horizontal line with the y-intercept at given value. Default <code>NULL</code> .                                                                                                                                                    |
| <code>hcolor</code>          | Character. A color available from 'colors()'. Controls the color of the horizontal cutoff line, if drawn. Default 'black'.                                                                                                                 |
| <code>hsize</code>           | Size of horizontal line, if drawn. Default 0.5.                                                                                                                                                                                            |
| <code>hlinetype</code>       | Type of horizontal line, if drawn. can be specified with either an integer or a name (0 = blank, 1 = solid, 2 = dashed, 3 = dotted, 4 = dotdash, 5 = longdash, 6 = twodash). Default 1.                                                    |
| <code>vcutoff</code>         | Adds a vertical line with the x-intercept at given value. Default <code>NULL</code> .                                                                                                                                                      |
| <code>vcolor</code>          | Character. A color available from 'colors()'. Controls the color of the vertical cutoff line, if drawn. Default 'black'.                                                                                                                   |
| <code>vsize</code>           | Size of vertical line, if drawn. Default 0.5.                                                                                                                                                                                              |
| <code>vlinetype</code>       | Type of vertical line, if drawn. can be specified with either an integer or a name (0 = blank, 1 = solid, 2 = dashed, 3 = dotted, 4 = dotdash, 5 = longdash, 6 = twodash). Default 1.                                                      |
| <code>combinePlot</code>     | Must be either "all", "sample", or "none". "all" will combine all plots into a single <code>.ggplot</code> object, while "sample" will output a list of plots separated by sample. Default "none".                                         |
| <code>plotLabels</code>      | labels to each plot. If set to "default", will use the name of the samples as the labels. If set to "none", no label will be plotted.                                                                                                      |

**Value**

a ggplot of the violin plot of assay data.

**Examples**

```
data("mouseBrainSubsetSCE")
plotSCEViolinAssayData(
  inSCE = mouseBrainSubsetSCE,
  feature = "Apoe", groupBy = "sex"
)
```

---

plotSCEViolinColData    *Violin plot of colData.*

---

**Description**

Visualizes values stored in the colData slot of a SingleCellExperiment object via a violin plot.

**Usage**

```
plotSCEViolinColData(
  inSCE,
  coldata,
  sample = NULL,
  groupBy = NULL,
  violin = TRUE,
  boxplot = TRUE,
  dots = TRUE,
  plotOrder = NULL,
  xlab = NULL,
  ylab = NULL,
  baseSize = 12,
  axisSize = NULL,
  axisLabelSize = NULL,
  dotSize = 0.1,
  transparency = 1,
  defaultTheme = TRUE,
  gridLine = FALSE,
  summary = NULL,
  summaryTextSize = 3,
  title = NULL,
  titleSize = NULL,
  hcutoff = NULL,
  hcolor = "red",
  hsize = 1,
  hlinetype = 1,
  vcutoff = NULL,
  vcolor = "red",
  vsize = 1,
  vlinetype = 1,
  combinePlot = "none",
```

```

    plotLabels = NULL
  )

```

### Arguments

|                 |                                                                                                                                                                                                    |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE           | Input <a href="#">SingleCellExperiment</a> object with saved dimension reduction components or a variable with saved results. Required.                                                            |
| coldata         | colData value that will be plotted.                                                                                                                                                                |
| sample          | Character vector. Indicates which sample each cell belongs to.                                                                                                                                     |
| groupBy         | Groupings for each numeric value. A user may input a vector equal length to the number of the samples in the SingleCellExperiment object, or can be retrieved from the colData slot. Default NULL. |
| violin          | Boolean. If TRUE, will plot the violin plot. Default TRUE.                                                                                                                                         |
| boxplot         | Boolean. If TRUE, will plot boxplots for each violin plot. Default TRUE.                                                                                                                           |
| dots            | Boolean. If TRUE, will plot dots for each violin plot. Default TRUE.                                                                                                                               |
| plotOrder       | Character vector. If set, reorders the violin plots in the order of the character vector when 'groupBy' is set. Default NULL.                                                                      |
| xlab            | Character vector. Label for x-axis. Default NULL.                                                                                                                                                  |
| ylab            | Character vector. Label for y-axis. Default NULL.                                                                                                                                                  |
| baseSize        | The base font size for all text. Default 12. Can be overwritten by titleSize, axisSize, and axisLabelSize.                                                                                         |
| axisSize        | Size of x/y-axis ticks. Default NULL.                                                                                                                                                              |
| axisLabelSize   | Size of x/y-axis labels. Default NULL.                                                                                                                                                             |
| dotSize         | Size of dots. Default 0.1.                                                                                                                                                                         |
| transparency    | Transparency of the dots, values will be 0-1. Default 1.                                                                                                                                           |
| defaultTheme    | Removes grid in plot and sets axis title size to 10 when TRUE. Default TRUE.                                                                                                                       |
| gridLine        | Adds a horizontal grid line if TRUE. Will still be drawn even if defaultTheme is TRUE. Default FALSE.                                                                                              |
| summary         | Adds a summary statistic, as well as a crossbar to the violin plot. Options are "mean" or "median". Default NULL.                                                                                  |
| summaryTextSize | The text size of the summary statistic displayed above the violin plot. Default 3.                                                                                                                 |
| title           | Title of plot. Default NULL.                                                                                                                                                                       |
| titleSize       | Size of title of plot. Default 15.                                                                                                                                                                 |
| hcutoff         | Adds a horizontal line with the y-intercept at given value. Default NULL.                                                                                                                          |
| hcolor          | Character. A color available from 'colors()'. Controls the color of the horizontal cutoff line, if drawn. Default 'black'.                                                                         |
| hsize           | Size of horizontal line, if drawn. Default 0.5.                                                                                                                                                    |
| hlinetype       | Type of horizontal line, if drawn. can be specified with either an integer or a name (0 = blank, 1 = solid, 2 = dashed, 3 = dotted, 4 = dotdash, 5 = longdash, 6 = twodash). Default 1.            |
| vcutoff         | Adds a vertical line with the x-intercept at given value. Default NULL.                                                                                                                            |
| vcolor          | Character. A color available from 'colors()'. Controls the color of the vertical cutoff line, if drawn. Default 'black'.                                                                           |
| vsize           | Size of vertical line, if drawn. Default 0.5.                                                                                                                                                      |

|             |                                                                                                                                                                                       |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| vlinetype   | Type of vertical line, if drawn. can be specified with either an integer or a name (0 = blank, 1 = solid, 2 = dashed, 3 = dotted, 4 = dotdash, 5 = longdash, 6 = twodash). Default 1. |
| combinePlot | Must be either "all", "sample", or "none". "all" will combine all plots into a single .ggplot object, while "sample" will output a list of plots separated by sample. Default "none". |
| plotLabels  | labels to each plot. If set to "default", will use the name of the samples as the labels. If set to "none", no label will be plotted.                                                 |

**Value**

a ggplot of the violin plot of coldata.

**Examples**

```
data("mouseBrainSubsetSCE")
plotSCEViolinColdData(
  inSCE = mouseBrainSubsetSCE,
  coldata = "age", groupBy = "sex"
)
```

---

plotScrubletResults      *Plots for runScrublet outputs.*

---

**Description**

A wrapper function which visualizes outputs from the runScrublet function stored in the colData slot of the SingleCellExperiment object via various plots.

**Usage**

```
plotScrubletResults(
  inSCE,
  reducedDimName,
  sample = NULL,
  shape = NULL,
  groupBy = NULL,
  combinePlot = "all",
  violin = TRUE,
  boxplot = FALSE,
  dots = TRUE,
  xlab = NULL,
  ylab = NULL,
  dim1 = NULL,
  dim2 = NULL,
  bin = NULL,
  binLabel = NULL,
  defaultTheme = TRUE,
  dotSize = 0.5,
  summary = "median",
  summaryTextSize = 3,
```

```

transparency = 1,
baseSize = 15,
titleSize = NULL,
axisLabelSize = NULL,
axisSize = NULL,
legendSize = NULL,
legendTitleSize = NULL,
relHeights = 1,
relWidths = c(1, 1, 1),
plotNCols = NULL,
plotNRows = NULL,
labelSamples = TRUE,
samplePerColumn = TRUE,
sampleRelHeights = 1,
sampleRelWidths = 1
)

```

### Arguments

|                |                                                                                                                                                                                                                                       |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE          | Input <a href="#">SingleCellExperiment</a> object with saved dimension reduction components or a variable with saved results from <a href="#">runCxls</a> . Required.                                                                 |
| reducedDimName | Saved dimension reduction name in inSCE. Default "UMAP".                                                                                                                                                                              |
| sample         | Character vector or colData variable name. Indicates which sample each cell belongs to. Default NULL.                                                                                                                                 |
| shape          | If provided, add shapes based on the value. Default NULL.                                                                                                                                                                             |
| groupBy        | Groupings for each numeric value. A user may input a vector equal length to the number of the samples in inSCE, or can be retrieved from the colData slot. Default NULL.                                                              |
| combinePlot    | Must be either "all", "sample", or "none". "all" will combine all plots into a single .ggplot object, while "sample" will output a list of plots separated by sample. Default "all".                                                  |
| violin         | Boolean. If TRUE, will plot the violin plot. Default TRUE.                                                                                                                                                                            |
| boxplot        | Boolean. If TRUE, will plot boxplots for each violin plot. Default TRUE.                                                                                                                                                              |
| dots           | Boolean. If TRUE, will plot dots for each violin plot. Default TRUE.                                                                                                                                                                  |
| xlab           | Character vector. Label for x-axis. Default NULL.                                                                                                                                                                                     |
| ylab           | Character vector. Label for y-axis. Default NULL.                                                                                                                                                                                     |
| dim1           | 1st dimension to be used for plotting. Can either be a string which specifies the name of the dimension to be plotted from reducedDims, or a numeric value which specifies the index of the dimension to be plotted. Default is NULL. |
| dim2           | 2nd dimension to be used for plotting. Similar to dim1. Default is NULL.                                                                                                                                                              |
| bin            | Numeric vector. If single value, will divide the numeric values into bin groups. If more than one value, will bin numeric values using values as a cut point. Default NULL.                                                           |
| binLabel       | Character vector. Labels for the bins created by bin. Default NULL.                                                                                                                                                                   |
| defaultTheme   | Removes grid in plot and sets axis title size to 10 when TRUE. Default TRUE.                                                                                                                                                          |
| dotSize        | Size of dots. Default 0.5.                                                                                                                                                                                                            |
| summary        | Adds a summary statistic, as well as a crossbar to the violin plot. Options are "mean" or "median". Default NULL.                                                                                                                     |

|                  |                                                                                                                                                        |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| summaryTextSize  | The text size of the summary statistic displayed above the violin plot. Default 3.                                                                     |
| transparency     | Transparency of the dots, values will be 0-1. Default 1.                                                                                               |
| baseSize         | The base font size for all text. Default 12. Can be overwritten by titleSize, axisSize, and axisLabelSize, legendSize, legendTitleSize.                |
| titleSize        | Size of title of plot. Default NULL.                                                                                                                   |
| axisLabelSize    | Size of x/y-axis labels. Default NULL.                                                                                                                 |
| axisSize         | Size of x/y-axis ticks. Default NULL.                                                                                                                  |
| legendSize       | size of legend. Default NULL.                                                                                                                          |
| legendTitleSize  | size of legend title. Default NULL.                                                                                                                    |
| relHeights       | Relative heights of plots when combine is set. Default 1.                                                                                              |
| relWidths        | Relative widths of plots when combine is set. Default c(1, 1, 1).                                                                                      |
| plotNCols        | Number of columns when plots are combined in a grid. Default NULL.                                                                                     |
| plotNRows        | Number of rows when plots are combined in a grid. Default NULL.                                                                                        |
| labelSamples     | Will label sample name in title of plot if TRUE. Default TRUE.                                                                                         |
| samplePerColumn  | If TRUE, when there are multiple samples and combining by "all", the output .ggplot will have plots from each sample on a single column. Default TRUE. |
| sampleRelHeights | If there are multiple samples and combining by "all", the relative heights for each plot. Default 1.                                                   |
| sampleRelWidths  | If there are multiple samples and combining by "all", the relative widths for each plot. Default 1.                                                    |

**Value**

list of .ggplot objects

**See Also**

[runScrublet](#)

**Examples**

```
data(scExample, package="singleCellTK")
## Not run:
sce <- subsetSCEcols(sce, colData = "type != 'EmptyDroplet'")
sce <- runQuickUMAP(sce)
sce <- runScrublet(sce)
plotScrubletResults(inSCE=sce, reducedDimName="UMAP")

## End(Not run)
```

---

|                 |                                                                                                          |
|-----------------|----------------------------------------------------------------------------------------------------------|
| plotSeuratElbow | <i>plotSeuratElbow Computes the plot object for elbow plot from the pca slot in the input sce object</i> |
|-----------------|----------------------------------------------------------------------------------------------------------|

---

## Description

plotSeuratElbow Computes the plot object for elbow plot from the pca slot in the input sce object

## Usage

```
plotSeuratElbow(
  inSCE,
  significantPC = NULL,
  reduction = "pca",
  ndims = 20,
  externalReduction = NULL,
  interactive = FALSE
)
```

## Arguments

|                   |                                                                                                                                                                                        |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE             | (sce) object from which to compute the elbow plot (pca should be computed)                                                                                                             |
| significantPC     | Number of significant principal components to plot. This is used to alter the color of the points for the corresponding PCs. If NULL, all points will be the same color. Default NULL. |
| reduction         | Reduction to use for elbow plot generation. Either "pca" or "ica". Default "pca".                                                                                                      |
| ndims             | Number of components to use. Default 20.                                                                                                                                               |
| externalReduction | Pass DimReduc object if PCA/ICA computed through other libraries. Default NULL.                                                                                                        |
| interactive       | Logical value indicating if the returned object should be an interactive plotly object if TRUE or a ggplot object if set to FALSE. Default is FALSE.                                   |

## Value

plot object

## Examples

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runSeuratNormalizeData(sce, useAssay = "counts")
sce <- runSeuratFindHVG(sce, useAssay = "counts")
sce <- runSeuratScaleData(sce, useAssay = "counts")
sce <- runSeuratPCA(sce, useAssay = "counts")
plotSeuratElbow(sce)

## End(Not run)
```

---

|                 |                                                         |
|-----------------|---------------------------------------------------------|
| plotSeuratGenes | <i>Compute and plot visualizations for marker genes</i> |
|-----------------|---------------------------------------------------------|

---

**Description**

Compute and plot visualizations for marker genes

**Usage**

```
plotSeuratGenes(
  inSCE,
  useAssay = "seuratNormData",
  plotType,
  features,
  groupVariable,
  reducedDimName = "seuratUMAP",
  splitBy = NULL,
  cols = c("lightgrey", "blue"),
  ncol = 1,
  combine = FALSE
)
```

**Arguments**

|                |                                                                                                                                                                                                                                                                                                                                                  |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE          | Input SingleCellExperiment object.                                                                                                                                                                                                                                                                                                               |
| useAssay       | Specify the name of the assay that will be scaled by this function.                                                                                                                                                                                                                                                                              |
| plotType       | Specify the type of the plot to compute. Options are limited to "ridge", "violin", "feature", "dot" and "heatmap".                                                                                                                                                                                                                               |
| features       | Specify the features to compute the plot against.                                                                                                                                                                                                                                                                                                |
| groupVariable  | Specify the column name from the colData slot that should be used as grouping variable.                                                                                                                                                                                                                                                          |
| reducedDimName | saved dimension reduction name in the SingleCellExperiment object. Default seuratUMAP.                                                                                                                                                                                                                                                           |
| splitBy        | Specify the column name from the colData slot that should be used to split samples. Default is NULL.                                                                                                                                                                                                                                             |
| cols           | Specify two colors to form a gradient between. Default is c("lightgrey", "blue").                                                                                                                                                                                                                                                                |
| ncol           | Visualizations will be adjusted in "ncol" number of columns. Default is 1.                                                                                                                                                                                                                                                                       |
| combine        | A logical value that indicates if the plots should be combined together into a single plot if TRUE, else if FALSE returns separate ggplot objects for each feature. Only works when plotType parameter is "feature", "violin" or "ridge". For "heatmap" and "dot", plots for all features are always combined into a single plot. Default FALSE. |

**Value**

Plot object

---

|                   |                                                                                                                        |
|-------------------|------------------------------------------------------------------------------------------------------------------------|
| plotSeuratHeatmap | <i>plotSeuratHeatmap</i> Modifies the heatmap plot object so it contains specified number of heatmaps in a single plot |
|-------------------|------------------------------------------------------------------------------------------------------------------------|

---

**Description**

plotSeuratHeatmap Modifies the heatmap plot object so it contains specified number of heatmaps in a single plot

**Usage**

```
plotSeuratHeatmap(plotObject, dims, ncol, labels)
```

**Arguments**

|            |                                                                                                       |
|------------|-------------------------------------------------------------------------------------------------------|
| plotObject | plot object computed from runSeuratHeatmap() function                                                 |
| dims       | numerical value of how many heatmaps to draw (default is 0)                                           |
| ncol       | numerical value indicating that in how many columns should the heatmaps be distributed (default is 2) |
| labels     | list() of labels to draw on heatmaps                                                                  |

**Value**

modified plot object

---

|               |                                                                                                                             |
|---------------|-----------------------------------------------------------------------------------------------------------------------------|
| plotSeuratHVG | <i>plotSeuratHVG</i> Plot highly variable genes from input sce object (must have highly variable genes computations stored) |
|---------------|-----------------------------------------------------------------------------------------------------------------------------|

---

**Description**

plotSeuratHVG Plot highly variable genes from input sce object (must have highly variable genes computations stored)

**Usage**

```
plotSeuratHVG(inSCE, labelPoints = 0)
```

**Arguments**

|             |                                                                                                                        |
|-------------|------------------------------------------------------------------------------------------------------------------------|
| inSCE       | (sce) object that contains the highly variable genes computations                                                      |
| labelPoints | Numeric value indicating the number of top genes that should be labeled. Default is 0, which will not label any point. |

**Value**

plot object

**Examples**

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runSeuratNormalizeData(sce, useAssay = "counts")
sce <- runSeuratFindHVG(sce, useAssay = "counts")
plotSeuratHVG(sce)

## End(Not run)
```

---

|                     |                                                                                                                  |
|---------------------|------------------------------------------------------------------------------------------------------------------|
| plotSeuratJackStraw | <i>plotSeuratJackStraw Computes the plot object for jackstraw plot from the pca slot in the input sce object</i> |
|---------------------|------------------------------------------------------------------------------------------------------------------|

---

**Description**

plotSeuratJackStraw Computes the plot object for jackstraw plot from the pca slot in the input sce object

**Usage**

```
plotSeuratJackStraw(
  inSCE,
  dims = NULL,
  xmax = 0.1,
  ymax = 0.3,
  externalReduction = NULL
)
```

**Arguments**

|                   |                                                                                                   |
|-------------------|---------------------------------------------------------------------------------------------------|
| inSCE             | (sce) object from which to compute the jackstraw plot (pca should be computed)                    |
| dims              | Number of components to plot in Jackstraw. If NULL, then all components are plotted Default NULL. |
| xmax              | X-axis maximum on each QQ plot. Default 0.1.                                                      |
| ymax              | Y-axis maximum on each QQ plot. Default 0.3.                                                      |
| externalReduction | Pass DimReduc object if PCA/ICA computed through other libraries. Default NULL.                   |

**Value**

plot object

**Examples**

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runSeuratNormalizeData(sce, useAssay = "counts")
sce <- runSeuratFindHVG(sce, useAssay = "counts")
sce <- runSeuratScaleData(sce, useAssay = "counts")
sce <- runSeuratPCA(sce, useAssay = "counts")
```

```
sce <- runSeuratJackStraw(sce, useAssay = "counts")
plotSeuratJackStraw(sce)

## End(Not run)
```

---

|                     |                                                                               |
|---------------------|-------------------------------------------------------------------------------|
| plotSeuratReduction | <i>plotSeuratReduction Plots the selected dimensionality reduction method</i> |
|---------------------|-------------------------------------------------------------------------------|

---

## Description

plotSeuratReduction Plots the selected dimensionality reduction method

## Usage

```
plotSeuratReduction(
  inSCE,
  useReduction = c("pca", "ica", "tsne", "umap"),
  showLegend = FALSE,
  groupBy = NULL,
  splitBy = NULL
)
```

## Arguments

|              |                                                                                                                  |
|--------------|------------------------------------------------------------------------------------------------------------------|
| inSCE        | (sce) object which has the selected dimensionality reduction algorithm already computed and stored               |
| useReduction | Dimensionality reduction to plot. One of "pca", "ica", "tsne", or "umap". Default "umap".                        |
| showLegend   | Select if legends and labels should be shown on the output plot or not. Either "TRUE" or "FALSE". Default FALSE. |
| groupBy      | Specify a colData column name that be used for grouping. Default is NULL.                                        |
| splitBy      | Specify a colData column name that be used for splitting the output plot. Default is NULL.                       |

## Value

plot object

## Examples

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runSeuratNormalizeData(sce, useAssay = "counts")
sce <- runSeuratFindHVG(sce, useAssay = "counts")
sce <- runSeuratScaleData(sce, useAssay = "counts")
sce <- runSeuratPCA(sce, useAssay = "counts")
plotSeuratReduction(sce, useReduction = "pca")

## End(Not run)
```

---

|                  |                          |
|------------------|--------------------------|
| plotSoupXResults | <i>Plot SoupX Result</i> |
|------------------|--------------------------|

---

## Description

This function will generate a combination of plots basing on the correction done by SoupX. For each sample, there will be a UMAP with cluster labeling, followed by a number of UMAPs showing the change in selected top markers. The cluster labeling is what should be used for SoupX to estimate the contamination. The Soup Fraction is calculated by subtracting the gene expression value of the output corrected matrix from that of the original input matrix, and then divided by the input.

## Usage

```
plotSoupXResults(
  inSCE,
  sample = NULL,
  background = FALSE,
  reducedDimName = NULL,
  plotNcols = 3,
  plotNrows = 2,
  baseSize = 8,
  combinePlot = c("all", "sample", "none"),
  xlab = NULL,
  ylab = NULL,
  dim1 = NULL,
  dim2 = NULL,
  labelClusters = FALSE,
  clusterLabelSize = 3.5,
  defaultTheme = TRUE,
  dotSize = 0.5,
  transparency = 1,
  titleSize = NULL,
  axisLabelSize = NULL,
  axisSize = NULL,
  legendSize = NULL,
  legendTitleSize = NULL
)
```

## Arguments

|                |                                                                                                                                                                 |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE          | A <a href="#">SingleCellExperiment</a> object. With <a href="#">runSoupX</a> already applied.                                                                   |
| sample         | Character vector. Indicates which sample each cell belongs to. Default NULL.                                                                                    |
| background     | Logical. Whether background was applied when running <a href="#">runSoupX</a> . Default FALSE.                                                                  |
| reducedDimName | Character. The embedding to use for plotting. Leave it NULL for using the sample-specific UMAPs generated when running <a href="#">runSoupX</a> . Default NULL. |
| plotNcols      | Integer. Number of columns for the plot grid per sample. Will determine the number of top markers to show together with plotNrows. Default 3.                   |
| plotNrows      | Integer. Number of rows for the plot grid per sample. Will determine the number of top markers to show together with plotNcols. Default 2.                      |

|                  |                                                                                                                                                                                      |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| baseSize         | Numeric. The base font size for all text. Default 12. Can be overwritten by titleSize, axisSize, and axisLabelSize, legendSize, legendTitleSize. Default 8.                          |
| combinePlot      | Must be either "all", "sample", or "none". "all" will combine all plots into a single .ggplot object, while "sample" will output a list of plots separated by sample. Default "all". |
| xlab             | Character vector. Label for x-axis. Default NULL.                                                                                                                                    |
| ylab             | Character vector. Label for y-axis. Default NULL.                                                                                                                                    |
| dim1             | See <a href="#">plotSCEDimReduceColData</a> . Default NULL.                                                                                                                          |
| dim2             | See <a href="#">plotSCEDimReduceColData</a> . Default NULL.                                                                                                                          |
| labelClusters    | Logical. Whether the cluster labels are plotted. Default FALSE.                                                                                                                      |
| clusterLabelSize | Numeric. Determines the size of cluster label when labelClusters is set to TRUE. Default 3.5.                                                                                        |
| defaultTheme     | Logical. Adds grid to plot when TRUE. Default TRUE.                                                                                                                                  |
| dotSize          | Numeric. Size of dots. Default 0.5.                                                                                                                                                  |
| transparency     | Numeric. Transparency of the dots, values will be from 0 to 1. Default 1.                                                                                                            |
| titleSize        | Numeric. Size of title of plot. Default 15.                                                                                                                                          |
| axisLabelSize    | Numeric. Size of x/y-axis labels. Default NULL.                                                                                                                                      |
| axisSize         | Numeric. Size of x/y-axis ticks. Default NULL.                                                                                                                                       |
| legendSize       | Numeric. Size of legend. Default NULL.                                                                                                                                               |
| legendTitleSize  | Numeric. Size of legend title. Default NULL.                                                                                                                                         |

### Value

ggplot object of the combination of UMAPs. See description.

### See Also

runSoupX

### Examples

```
## Not run:
sce <- importExampleData("pbmc3k")
sce <- runSoupX(sce, sample = "sample")
plotSoupXResults(sce, sample = "sample")

## End(Not run)
```

---

|            |                                   |
|------------|-----------------------------------|
| plotTopHVG | <i>Plot highly variable genes</i> |
|------------|-----------------------------------|

---

**Description**

Plot highly variable genes

**Usage**

```
plotTopHVG(
  inSCE,
  method = "modelGeneVar",
  hvgNumber = 2000,
  useFeatureSubset = NULL,
  labelsCount = 10,
  featureDisplay = metadata(inSCE)$featureDisplay,
  labelSize = 2,
  dotSize = 2,
  textSize = 12
)
```

**Arguments**

|                  |                                                                                                                                                                                                                    |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE            | Input SingleCellExperiment object containing the computations.                                                                                                                                                     |
| method           | Select either "vst", "mean.var.plot", "dispersion" or "modelGeneVar".                                                                                                                                              |
| hvgNumber        | Specify the number of top genes to highlight in red. Default 2000. See details.                                                                                                                                    |
| useFeatureSubset | A character string for the rowData variable name to store a logical index of selected features. Default NULL. See details.                                                                                         |
| labelsCount      | Specify the number of data points/genes to label. Should be less than hvgNumber. Default 10. See details.                                                                                                          |
| featureDisplay   | A character string for the rowData variable name to indicate what type of feature ID should be displayed. If set by <a href="#">setSCTKDisplayRow</a> , will by default use it. If NULL, will use rownames(inSCE). |
| labelSize        | Numeric, size of the text label on top HVGs. Default 2.                                                                                                                                                            |
| dotSize          | Numeric, size of the dots of the features. Default 2.                                                                                                                                                              |
| textSize         | Numeric, size of the text of axis title, axis label, etc. Default 12.                                                                                                                                              |

**Details**

When hvgNumber = NULL and useFeature = NULL, only plot the mean VS variance/dispersion scatter plot. When only hvgNumber set, label the top hvgNumber HVGs ranked by the metrics calculated by method. When useFeatureSubset set, label the features in the subset on the scatter plot created with method and ignore hvgNumber.

**Value**

ggplot of HVG metrics and top HVG labels

**See Also**

[runFeatureSelection](#), [runSeuratFindHVG](#), [runModelGeneVar](#), [getTopHVG](#)

**Examples**

```
data("mouseBrainSubsetSCE", package = "singleCellTK")
mouseBrainSubsetSCE <- runModelGeneVar(mouseBrainSubsetSCE)
plotTopHVG(mouseBrainSubsetSCE, method = "modelGeneVar")
```

---

|                     |                                                                                                                     |
|---------------------|---------------------------------------------------------------------------------------------------------------------|
| plotTSCANClusterDEG | <i>Plot features identified by <a href="#">runTSCANClusterDEAnalysis</a> on cell 2D embedding with MST overlaid</i> |
|---------------------|---------------------------------------------------------------------------------------------------------------------|

---

**Description**

A wrapper function which plot the top features expression identified by [runTSCANClusterDEAnalysis](#) on the 2D embedding of the cells cluster used in the analysis. The related MST edges are overlaid.

**Usage**

```
plotTSCANClusterDEG(
  inSCE,
  useCluster,
  pathIndex = NULL,
  useReducedDim = "UMAP",
  topN = 9,
  useAssay = NULL,
  featureDisplay = metadata(inSCE)$featureDisplay,
  combinePlot = c("all", "none")
)
```

**Arguments**

|                |                                                                                                                                                                                                                     |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE          | Input <a href="#">SingleCellExperiment</a> object.                                                                                                                                                                  |
| useCluster     | Choose a cluster used for identifying DEG with <a href="#">runTSCANClusterDEAnalysis</a> . Required.                                                                                                                |
| pathIndex      | Specifies one of the branching paths from useCluster and plot the top DEGs on this path. Usually presented by the terminal cluster of a path. By default NULL plot top DEGs of all paths.                           |
| useReducedDim  | A single character for the matrix of 2D embedding. Should exist in reducedDims slot. Default "UMAP".                                                                                                                |
| topN           | Integer. Use top N genes identified. Default 9.                                                                                                                                                                     |
| useAssay       | A single character for the feature expression matrix. Should exist in assayNames(inSCE). Default NULL for using the one used in <a href="#">runTSCANClusterDEAnalysis</a> .                                         |
| featureDisplay | Specify the feature ID type to display. Users can set default value with <a href="#">setSCTKDisplayRow</a> . NULL or "rownames" specifies the rownames of inSCE. Other character values indicates rowData variable. |
| combinePlot    | Must be either "all" or "none". "all" will combine plots of each feature into a single .ggplot object, while "none" will output a list of plots. Default "all".                                                     |

**Value**

A .ggplot object of cell scatter plot, colored by the expression of a gene identified by [runTSCANClusterDEAnalysis](#), with the layer of trajectory.

**Author(s)**

Yichen Wang

**Examples**

```
data("mouseBrainSubsetSCE", package = "singleCellTK")
mouseBrainSubsetSCE <- runTSCAN(inSCE = mouseBrainSubsetSCE,
                                useReducedDim = "PCA_logcounts")
mouseBrainSubsetSCE <- runTSCANClusterDEAnalysis(inSCE = mouseBrainSubsetSCE,
                                                  useCluster = 1)
plotTSCANClusterDEG(mouseBrainSubsetSCE, useCluster = 1,
                    useReducedDim = "TSNE_logcounts")
```

---

plotTSCANClusterPseudo

*Plot TSCAN pseudotime rooted from given cluster*

---

**Description**

This function finds all paths that root from a given cluster useCluster. For each path, this function plots the recomputed pseudotime starting from the root on a scatter plot which contains cells only in this cluster. MST has to be pre-calculated with [runTSCAN](#).

**Usage**

```
plotTSCANClusterPseudo(
  inSCE,
  useCluster,
  useReducedDim = "UMAP",
  combinePlot = c("all", "none")
)
```

**Arguments**

|               |                                                                                                                                                                               |
|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE         | Input <a href="#">SingleCellExperiment</a> object.                                                                                                                            |
| useCluster    | The cluster to be regarded as the root, has to existing in colData(inSCE)\$TSCAN_clusters.                                                                                    |
| useReducedDim | Saved dimension reduction name in the SingleCellExperiment object. Required.                                                                                                  |
| combinePlot   | Must be either "all" or "none". "all" will combine plots of pseudotime along each path into a single .ggplot object, while "none" will output a list of plots. Default "all". |

**Value**

|                      |                   |
|----------------------|-------------------|
| combinePlot = "all"  | A .ggplot object  |
| combinePlot = "none" | A list of .ggplot |

**Author(s)**

Nida Pervaiz

**Examples**

```
data("mouseBrainSubsetSCE", package = "singleCellTK")
mouseBrainSubsetSCE <- runTSCAN(inSCE = mouseBrainSubsetSCE,
                               useReducedDim = "PCA_logcounts")
plotTSCANClusterPseudo(mouseBrainSubsetSCE, useCluster = 1,
                       useReducedDim = "TSNE_logcounts")
```

---

plotTSCANDimReduceFeatures

*Plot feature expression on cell 2D embedding with MST overlaid*


---

**Description**

A wrapper function which plots all cells or cells in chosen cluster. Each point is a cell colored by the expression of a feature of interest, the relevant edges of the MST are overlaid on top.

**Usage**

```
plotTSCANDimReduceFeatures(
  inSCE,
  features,
  useReducedDim = "UMAP",
  useAssay = "logcounts",
  by = "rownames",
  useCluster = NULL,
  featureDisplay = metadata(inSCE)$featureDisplay,
  combinePlot = c("all", "none")
)
```

**Arguments**

|                |                                                                                                                                                                                                                     |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE          | Input <a href="#">SingleCellExperiment</a> object.                                                                                                                                                                  |
| features       | Choose the feature of interest to explore the expression level on the trajectory. Required.                                                                                                                         |
| useReducedDim  | A single character for the matrix of 2D embedding. Should exist in reducedDims slot. Default "UMAP".                                                                                                                |
| useAssay       | A single character for the feature expression matrix. Should exist in assayNames(inSCE). Default "logcounts".                                                                                                       |
| by             | Where should features be found? NULL, "rownames" for rownames(inSCE), otherwise will be regarded as rowData variable.                                                                                               |
| useCluster     | Choose specific clusters where gene expression needs to be visualized. By default NULL, all clusters are chosen.                                                                                                    |
| featureDisplay | Specify the feature ID type to display. Users can set default value with <a href="#">setSCTKDisplayRow</a> . NULL or "rownames" specifies the rownames of inSCE. Other character values indicates rowData variable. |
| combinePlot    | Must be either "all" or "none". "all" will combine plots of each feature into a single .ggplot object, while "none" will output a list of plots. Default "all".                                                     |

**Value**

A `ggplot` object of cell scatter plot, colored by the expression of a gene of interest, with the layer of trajectory.

**Author(s)**

Yichen Wang

**Examples**

```
data("mouseBrainSubsetSCE", package = "singleCellTK")
mouseBrainSubsetSCE <- runTSCAN(inSCE = mouseBrainSubsetSCE,
                                useReducedDim = "PCA_logcounts")
plotTSCANDimReduceFeatures(inSCE = mouseBrainSubsetSCE,
                            features = "Tshz1",
                            useReducedDim = "TSNE_logcounts")
```

---

```
plotTSCANPseudotimeGenes
```

*Plot expression changes of top features along a TSCAN pseudotime path*

---

**Description**

A wrapper function which visualizes outputs from the [runTSCANDEG](#) function. Plots the genes that increase or decrease in expression with increasing pseudotime along the path in the MST. [runTSCANDEG](#) has to be run in advance with using the same pathIndex of interest.

**Usage**

```
plotTSCANPseudotimeGenes(
  inSCE,
  pathIndex,
  direction = c("increasing", "decreasing"),
  topN = 10,
  useAssay = NULL,
  featureDisplay = metadata(inSCE)$featureDisplay
)
```

**Arguments**

|                        |                                                                                                                                                                                                        |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>inSCE</code>     | Input <a href="#">SingleCellExperiment</a> object.                                                                                                                                                     |
| <code>pathIndex</code> | Path index for which the pseudotime values should be used. Should have being used in <a href="#">runTSCANDEG</a> .                                                                                     |
| <code>direction</code> | Should we show features with expression increasing or decreeasing along the increase in TSCAN pseudotime? Choices are "increasing" or "decreasing".                                                    |
| <code>topN</code>      | An integer. Only to plot this number of top genes that are increasing/decreasing in expression with increasing pseudotime along the path in the MST. Default 10                                        |
| <code>useAssay</code>  | A single character to specify a feature expression matrix in assays slot. The expression of top features from here will be visualized. Default NULL use the one used for <a href="#">runTSCANDEG</a> . |

**featureDisplay** Specify the feature ID type to display. Users can set default value with [setSCTKDisplayRow](#). NULL or "rownames" specifies the rownames of inSCE. Other character values indicates rowData variable.

### Value

A .ggplot object with the facets of the top genes. Expression on y-axis, pseudotime on x-axis.

### Author(s)

Nida Pervaiz

### Examples

```
data("mouseBrainSubsetSCE", package = "singleCellTK")
mouseBrainSubsetSCE <- runTSCAN(inSCE = mouseBrainSubsetSCE,
                               useReducedDim = "PCA_logcounts")
terminalNodes <- listTSCANTerminalNodes(mouseBrainSubsetSCE)
mouseBrainSubsetSCE <- runTSCANDEG(inSCE = mouseBrainSubsetSCE,
                                   pathIndex = terminalNodes[1])
plotTSCANPseudotimeGenes(mouseBrainSubsetSCE,
                          pathIndex = terminalNodes[1],
                          useAssay = "logcounts")
```

---

plotTSCANPseudotimeHeatmap

*Plot heatmap of genes with expression change along TSCAN pseudo-time*

---

### Description

A wrapper function which visualizes outputs from the [runTSCANDEG](#) function. Plots the top genes that change in expression with increasing pseudotime along the path in the MST. [runTSCANDEG](#) has to be run in advance with using the same pathIndex of interest.

### Usage

```
plotTSCANPseudotimeHeatmap(
  inSCE,
  pathIndex,
  direction = c("both", "increasing", "decreasing"),
  topN = 50,
  log2fcThreshold = NULL,
  useAssay = NULL,
  featureDisplay = metadata(inSCE)$featureDisplay
)
```

### Arguments

|           |                                                                                                                    |
|-----------|--------------------------------------------------------------------------------------------------------------------|
| inSCE     | Input <a href="#">SingleCellExperiment</a> object.                                                                 |
| pathIndex | Path index for which the pseudotime values should be used. Should have being used in <a href="#">runTSCANDEG</a> . |

|                 |                                                                                                                                                                                                                                                                                                                         |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| direction       | Should we show features with expression increasing or decreasing along the increase in TSCAN pseudotime? Choices are "both", "increasing" or "decreasing".                                                                                                                                                              |
| topN            | An integer. Only to plot this number of top genes along the path in the MST, in terms of FDR value. Use NULL to cancel the top N subscription. Default 30.                                                                                                                                                              |
| log2fcThreshold | Only output DEGs with the absolute values of log2FC larger than this value. Default NULL.                                                                                                                                                                                                                               |
| useAssay        | A single character to specify a feature expression matrix in assays slot. The expression of top features from here will be visualized. Default NULL use the one used for <a href="#">runTSCANDEG</a> .                                                                                                                  |
| featureDisplay  | Whether to display feature ID and what ID type to display. Users can set default ID type by <a href="#">setSCTKDisplayRow</a> . NULL will display when number of features to display is less than 60. FALSE for no display. Variable name in rowData to indicate ID type. "rownames" or TRUE for using rownames(inSCE). |

**Value**

A ComplexHeatmap in .ggplot class

**Author(s)**

Nida Pervaiz

**Examples**

```
data("mouseBrainSubsetSCE", package = "singleCellTK")
mouseBrainSubsetSCE <- runTSCAN(inSCE = mouseBrainSubsetSCE,
                                useReducedDim = "PCA_logcounts")
terminalNodes <- listTSCANTerminalNodes(mouseBrainSubsetSCE)
mouseBrainSubsetSCE <- runTSCANDEG(inSCE = mouseBrainSubsetSCE,
                                    pathIndex = terminalNodes[1])
plotTSCANPseudotimeHeatmap(mouseBrainSubsetSCE,
                             pathIndex = terminalNodes[1])
```

---

|                  |                                                        |
|------------------|--------------------------------------------------------|
| plotTSCANResults | <i>Plot MST pseudotime values on cell 2D embedding</i> |
|------------------|--------------------------------------------------------|

---

**Description**

A wrapper function which visualizes outputs from the [runTSCAN](#) function. Plots the pseudotime ordering of the cells and project them onto the MST.

**Usage**

```
plotTSCANResults(inSCE, useReducedDim = "UMAP")
```

**Arguments**

|               |                                                           |
|---------------|-----------------------------------------------------------|
| inSCE         | Input <a href="#">SingleCellExperiment</a> object.        |
| useReducedDim | Saved dimension reduction name in inSCE object. Required. |

Value

A .ggplot object with the pseudotime ordering of the cells colored on a cell 2D embedding, and the MST path drawn on it.

Author(s)

Nida Pervaiz

Examples

```
data("mouseBrainSubsetSCE", package = "singleCellTK")
mouseBrainSubsetSCE <- runTSCAN(inSCE = mouseBrainSubsetSCE,
                                useReducedDim = "PCA_logcounts")
plotTSCANResults(inSCE = mouseBrainSubsetSCE,
                  useReducedDim = "TSNE_logcounts")
```

---

|          |                                                                                |
|----------|--------------------------------------------------------------------------------|
| plotTSNE | <i>Plot t-SNE plot on dimensionality reduction data run from t-SNE method.</i> |
|----------|--------------------------------------------------------------------------------|

---

Description

Plot t-SNE plot on dimensionality reduction data run from t-SNE method.

Usage

```
plotTSNE(
  inSCE,
  colorBy = NULL,
  shape = NULL,
  reducedDimName = "TSNE",
  runTSNE = FALSE,
  useAssay = "counts"
)
```

Arguments

|                |                                                                                                                                                                                     |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE          | Input <a href="#">SingleCellExperiment</a> object.                                                                                                                                  |
| colorBy        | color by condition.                                                                                                                                                                 |
| shape          | add shape to each distinct label.                                                                                                                                                   |
| reducedDimName | a name to store the results of the dimension reduction coordinates obtained from this method. This is stored in the SingleCellExperiment object in the reduced-Dims slot. Required. |
| runTSNE        | Run t-SNE if the reducedDimName does not exist. the Default is FALSE.                                                                                                               |
| useAssay       | Indicate which assay to use. The default is "logcounts".                                                                                                                            |

Value

A t-SNE plot

**Examples**

```
data("mouseBrainSubsetSCE")
plotTSNE(mouseBrainSubsetSCE, colorBy = "level1class",
         reducedDimName = "TSNE_counts")
```

---

|          |                                                                                    |
|----------|------------------------------------------------------------------------------------|
| plotUMAP | <i>Plot UMAP results either on already run results or run first and then plot.</i> |
|----------|------------------------------------------------------------------------------------|

---

**Description**

Plot UMAP results either on already run results or run first and then plot.

**Usage**

```
plotUMAP(
  inSCE,
  colorBy = NULL,
  shape = NULL,
  reducedDimName = "UMAP",
  runUMAP = FALSE,
  useAssay = "counts"
)
```

**Arguments**

|                |                                                                                                                         |
|----------------|-------------------------------------------------------------------------------------------------------------------------|
| inSCE          | Input <a href="#">SingleCellExperiment</a> object with saved dimension reduction components. Required                   |
| colorBy        | color by a condition(any column of the annotation data).                                                                |
| shape          | add shapes to each condition.                                                                                           |
| reducedDimName | saved dimension reduction name in the <a href="#">SingleCellExperiment</a> object. Required.                            |
| runUMAP        | If the dimension reduction components are already available set this to FALSE, otherwise set to TRUE. Default is False. |
| useAssay       | Indicate which assay to use. The default is "logcounts"                                                                 |

**Value**

a UMAP plot of the reduced dimensions.

**Examples**

```
data(scExample, package = "singleCellTK")
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
sce <- runQuickUMAP(sce)
plotUMAP(sce)
```

---

|                |                                                                             |
|----------------|-----------------------------------------------------------------------------|
| qcInputProcess | <i>Create SingleCellExperiment object from command line input arguments</i> |
|----------------|-----------------------------------------------------------------------------|

---

### Description

Create SingleCellExperiment object from command line input arguments

### Usage

```
qcInputProcess(
  preproc,
  samplename,
  path,
  raw,
  fil,
  ref,
  rawFile,
  filFile,
  flatFiles,
  dataType
)
```

### Arguments

|            |                                                                                                                                                    |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| preproc    | Method used to preprocess the data. It's one of the path provided in <code>--preproc</code> argument.                                              |
| samplename | The sample name of the data. It's one of the path provided in <code>--sample</code> argument.                                                      |
| path       | Base path of the dataset. It's one of the path provided in <code>--bash_path</code> argument.                                                      |
| raw        | The directory contains droplet matrix, gene and cell barcodes information. It's one of the path provided in <code>--raw_data_path</code> argument. |
| fil        | The directory contains cell matrix, gene and cell barcodes information. It's one of the path provided in <code>--cell_data_path</code> argument.   |
| ref        | The name of reference used by cellranger. Only need for CellrangerV2 data.                                                                         |
| rawFile    | The full path of the RDS file or Matrix file of the raw gene count matrix. It's one of the path provided in <code>--raw_data</code> argument.      |
| filFile    | The full path of the RDS file or Matrix file of the cell count matrix. It's one of the path provided in <code>--cell_data</code> argument.         |
| flatFiles  | The full paths of the matrix, barcode, and features (in that order) files used to construct an SCE object.                                         |
| dataType   | Type of the input. It can be "Both", "Droplet" or "Cell". It's one of the path provided in <code>--genome</code> argument.                         |

### Value

A list of [SingleCellExperiment](#) object containing the droplet or cell data or both, depending on the dataType that users provided.

---

|                      |                                           |
|----------------------|-------------------------------------------|
| readSingleCellMatrix | <i>Read single cell expression matrix</i> |
|----------------------|-------------------------------------------|

---

## Description

Automatically detect the format of the input file and read the file.

## Usage

```
readSingleCellMatrix(  
  file,  
  class = c("Matrix", "matrix"),  
  delayedArray = TRUE,  
  colIndexLocation = NULL,  
  rowIndexLocation = NULL  
)
```

## Arguments

|                  |                                                                                                                                                                                               |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| file             | Path to input file. Supported file endings include .mtx, .txt, .csv, .tab, .tsv, .npz, and their corresponding gzip, bzip2, or xz compressed extensions (*.gz, *.bz2, or *.xz).               |
| class            | Character. Class of matrix. One of "Matrix" or "matrix". Specifying "Matrix" will convert to a sparse format which should be used for datasets with large numbers of cells. Default "Matrix". |
| delayedArray     | Boolean. Whether to read the expression matrix as <a href="#">DelayedArray</a> object or not. Default TRUE.                                                                                   |
| colIndexLocation | Character. For Optimus output, the path to the barcode index .npy file. Used only if file has .npz extension. Default NULL.                                                                   |
| rowIndexLocation | Character. For Optimus output, The path to the feature (gene) index .npy file. Used only if file has .npz extension. Default NULL.                                                            |

## Value

A [DelayedArray](#) object or matrix.

## Examples

```
mat <- readSingleCellMatrix(system.file("extdata/hgmm_1k_v3_20x20/outs/",  
  "filtered_feature_bc_matrix/matrix.mtx.gz", package = "singleCellTK"))
```

---

reportCellQC

*Get runCellQC .html report*


---

## Description

A function to generate .html Rmarkdown report containing the visualizations of the runCellQC function output

## Usage

```
reportCellQC(
  inSCE,
  output_file = NULL,
  output_dir = NULL,
  subTitle = NULL,
  studyDesign = NULL,
  useReducedDim = NULL
)
```

## Arguments

|               |                                                                                                                                                                 |
|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE         | A <a href="#">SingleCellExperiment</a> object containing the filtered count matrix with the output from runCellQC function                                      |
| output_file   | Character. The name of the generated file. If NULL/default then the output file name will be based on the name of the Rmarkdown template.                       |
| output_dir    | Character. The name of the output directory to save the rendered file. If NULL/default the file is stored to the current working directory                      |
| subTitle      | subtitle of the QC HTML report. Default is NULL.                                                                                                                |
| studyDesign   | Character. The description of the data set and experiment design. It would be shown at the top of QC HTML report. Default is NULL.                              |
| useReducedDim | Character. The name of the saved dimension reduction slot including cells from all samples in then <a href="#">SingleCellExperiment</a> object, Default is NULL |

## Value

.html file

## Examples

```
data(scExample, package = "singleCellTK")
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
## Not run:
sce <- runCellQC(sce)
reportCellQC(inSCE = sce)

## End(Not run)
```

---

`reportClusterAbundance`*Get plotClusterAbundance .html report*

---

### Description

A function to generate .html Rmarkdown report containing the visualizations of the plotClusterAbundance function output

### Usage

```
reportClusterAbundance(  
  inSCE,  
  cluster,  
  variable,  
  output_dir = ".",  
  output_file = "plotClusterAbundance_Report",  
  pdf = FALSE,  
  showSession = TRUE  
)
```

### Arguments

|                          |                                                                                                                                    |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| <code>inSCE</code>       | A <a href="#">SingleCellExperiment</a> object.                                                                                     |
| <code>cluster</code>     | A single character, specifying the name to store the cluster label in <a href="#">colData</a> .                                    |
| <code>variable</code>    | A single character, specifying the name to store the phenotype labels in <a href="#">colData</a> .                                 |
| <code>output_dir</code>  | name of the output directory to save the rendered file. If NULL the file is stored to the current working directory. Default NULL. |
| <code>output_file</code> | name of the generated file. If NULL then the output file name will be based on the name of the Rmarkdown template. Default NULL.   |
| <code>pdf</code>         | A logical value indicating if a pdf should also be generated for each figure in the report. Default is TRUE.                       |
| <code>showSession</code> | A logical value indicating if session information should be displayed or not. Default is TRUE.                                     |

### Value

An HTML file of the report will be generated at the path specified in the arguments.

---

`reportDiffAbundanceFET`*Get diffAbundanceFET .html report*

---

### Description

A function to generate .html Rmarkdown report containing the visualizations of the diffAbundanceFET function output

Usage

```
reportDiffAbundanceFET(  
  inSCE,  
  cluster,  
  variable,  
  control,  
  case,  
  analysisName,  
  output_dir = ".",  
  output_file = "DifferentialAbundanceFET_Report",  
  pdf = FALSE,  
  showSession = TRUE  
)
```

Arguments

|              |                                                                                                                                    |
|--------------|------------------------------------------------------------------------------------------------------------------------------------|
| inSCE        | A <a href="#">SingleCellExperiment</a> object.                                                                                     |
| cluster      | A single character, specifying the name to store the cluster label in <a href="#">colData</a> .                                    |
| variable     | A single character, specifying the name to store the phenotype labels in <a href="#">colData</a> .                                 |
| control      | character. Specifying one or more categories that can be found in the vector specified by variable.                                |
| case         | character. Specifying one or more categories that can be found in the vector specified by variable.                                |
| analysisName | A single character. Will be used for naming the result table, which will be saved in metadata slot.                                |
| output_dir   | name of the output directory to save the rendered file. If NULL the file is stored to the current working directory. Default NULL. |
| output_file  | name of the generated file. If NULL then the output file name will be based on the name of the Rmarkdown template. Default NULL.   |
| pdf          | A logical value indicating if a pdf should also be generated for each figure in the report. Default is TRUE.                       |
| showSession  | A logical value indicating if session information should be displayed or not. Default is TRUE.                                     |

Value

An HTML file of the report will be generated at the path specified in the arguments.

---

|               |                                       |
|---------------|---------------------------------------|
| reportDiffExp | <i>Get runDEAnalysis .html report</i> |
|---------------|---------------------------------------|

---

Description

A function to generate .html Rmarkdown report containing the visualizations of the [runDEAnalysis](#) function output

**Usage**

```
reportDiffExp(
  inSCE,
  study,
  useReducedDim,
  featureDisplay = NULL,
  output_file = NULL,
  output_dir = NULL
)
```

**Arguments**

|                |                                                                                                                                                                      |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE          | A <a href="#">SingleCellExperiment</a> object containing the output from <a href="#">runDEAnalysis</a> function                                                      |
| study          | The specific analysis to visualize, used as <code>analysisName</code> argument when running differential expression.                                                 |
| useReducedDim  | Specify an embedding for visualizing the relation ship between the conditions.                                                                                       |
| featureDisplay | The feature ID type to use for displaying. Should exists as a variable name of <code>rowData</code> . Default NULL use <code>rownames</code> of <code>inSCE</code> . |
| output_file    | name of the generated file. If NULL then the output file name will be based on the name of the Rmarkdown template. Default NULL.                                     |
| output_dir     | name of the output directory to save the rendered file. If NULL the file is stored to the current working directory. Default NULL.                                   |

**Value**

Saves the HTML report in the specified output directory.

---

|                 |                                      |
|-----------------|--------------------------------------|
| reportDropletQC | <i>Get runDropletQC .html report</i> |
|-----------------|--------------------------------------|

---

**Description**

A function to generate .html Rmarkdown report containing the visualizations of the `runDropletQC` function output

**Usage**

```
reportDropletQC(
  inSCE,
  output_file = NULL,
  output_dir = NULL,
  subTitle = NULL,
  studyDesign = NULL
)
```

**Arguments**

|             |                                                                                                                                   |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------|
| inSCE       | A <a href="#">SingleCellExperiment</a> object containing the full droplet count matrix with the output from runDropletQC function |
| output_file | name of the generated file. If NULL/default then the output file name will be based on the name of the Rmarkdown template         |
| output_dir  | name of the output directory to save the rendered file. If NULL/default the file is stored to the current working directory       |
| subTitle    | subtitle of the QC HTML report. Default is NULL.                                                                                  |
| studyDesign | description of the data set and experiment design. It would be shown at the top of QC HTML report. Default is NULL.               |

**Value**

.html file

**Examples**

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runDropletQC(sce)
reportDropletQC(inSCE = sce)

## End(Not run)
```

---

|                  |                                       |
|------------------|---------------------------------------|
| reportFindMarker | <i>Get runFindMarker .html report</i> |
|------------------|---------------------------------------|

---

**Description**

A function to generate .html Rmarkdown report containing the visualizations of the [runFindMarker](#) function output

**Usage**

```
reportFindMarker(inSCE, output_file = NULL, output_dir = NULL)
```

**Arguments**

|             |                                                                                                                                    |
|-------------|------------------------------------------------------------------------------------------------------------------------------------|
| inSCE       | A <a href="#">SingleCellExperiment</a> object containing the output from <a href="#">runFindMarker</a> function                    |
| output_file | name of the generated file. If NULL then the output file name will be based on the name of the Rmarkdown template. Default NULL.   |
| output_dir  | name of the output directory to save the rendered file. If NULL the file is stored to the current working directory. Default NULL. |

**Value**

An HTML file of the report will be generated at the path specified in the arguments.

reportQCTool

*Get .html report of the output of the selected QC algorithm***Description**

A function to generate .html Rmarkdown report for the specified QC algorithm output

**Usage**

```
reportQCTool(
  inSCE,
  algorithm = c("BarcodeRankDrops", "EmptyDrops", "QCMetrics", "Scrublet", "ScDbfFinder",
    "Cxls", "Bcfs", "CxlsBcfsHybrid", "DoubletFinder", "DecontX", "SoupX"),
  output_file = NULL,
  output_dir = NULL
)
```

**Arguments**

|             |                                                                                                                                                                                                                                                                                                                                         |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE       | A <a href="#">SingleCellExperiment</a> object containing the count matrix (full droplets or filtered matrix, depends on the selected QC algorithm) with the output from at least one of these functions: runQCMetrics, runScrublet, runScDbfFinder, runCxls, runBcfs, runCxlsBcfsHybrid, runDecontX, runBarcodeRankDrops, runEmptyDrops |
| algorithm   | Character. Specifies which QC algorithm report to generate. Available options are "BarcodeRankDrops", "EmptyDrops", "QCMetrics", "Scrublet", "ScDbfFinder", "Cxls", "Bcfs", "CxlsBcfsHybrid", "DoubletFinder", "DecontX" and "SoupX".                                                                                                   |
| output_file | name of the generated file. If NULL/default then the output file name will be based on the name of the selected QC algorithm name .                                                                                                                                                                                                     |
| output_dir  | name of the output directory to save the rendered file. If NULL/default the file is stored to the current working directory                                                                                                                                                                                                             |

**Value**

.html file

**Examples**

```
data(scExample, package = "singleCellTK")
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
## Not run:
sce <- runDecontX(sce)
sce <- runQuickUMAP(sce)
reportQCTool(inSCE = sce, algorithm = "DecontX")

## End(Not run)
```

---

|              |                                                                                                                                                     |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| reportSeurat | <i>Generates an HTML report for the complete Seurat workflow and returns the SCE object with the results computed and stored inside the object.</i> |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|

---

## Description

Generates an HTML report for the complete Seurat workflow and returns the SCE object with the results computed and stored inside the object.

## Usage

```
reportSeurat(
  inSCE,
  biological.group = NULL,
  phenotype.groups = NULL,
  selected.markers = NULL,
  clustering.resolution = 0.8,
  variable.features = 2000,
  pc.count = 50,
  outputFile = NULL,
  outputPath = NULL,
  subtitle = NULL,
  authors = NULL,
  showSession = FALSE,
  pdf = FALSE,
  runHVG = TRUE,
  plotHVG = TRUE,
  runDimRed = TRUE,
  plotJackStraw = FALSE,
  plotElbowPlot = TRUE,
  plotHeatmaps = TRUE,
  runClustering = TRUE,
  plotTSNE = TRUE,
  plotUMAP = TRUE,
  minResolution = 0.3,
  maxResolution = 1.5,
  runMSClusters = TRUE,
  runMSBioGroup = TRUE,
  numTopFeatures = 10,
  forceRun = TRUE
)
```

## Arguments

|                  |                                                                                                                                                                            |
|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE            | Input <a href="#">SingleCellExperiment</a> object.                                                                                                                         |
| biological.group | A character value that specifies the name of the <code>colData()</code> column to use as the main biological group in the Seurat report for marker selection and grouping. |

|                       |                                                                                                                                                                                                           |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| phenotype.groups      | A character vector that specifies the names of the colData() columns to use for differential expression in addition to the biological.group parameter.                                                    |
| selected.markers      | A character vector containing the user-specified gene symbols or feature names of marker genes that be used to generate gene plots in addition to the gene markers computed from differential expression. |
| clustering.resolution | A numeric value indicating the user-specified final resolution to use with clustering. Default is 0.8.                                                                                                    |
| variable.features     | A numeric value indicating the number of top variable features to identify. Default 2000.                                                                                                                 |
| pc.count              | A numeric value indicating the number of principal components to use in the analysis workflow. Default is 50.                                                                                             |
| outputFile            | Specify the name of the generated output HTML file. If NULL then the output file name will be based on the name of the Rmarkdown template. Default NULL.                                                  |
| outputPath            | Specify the name of the output directory to save the rendered HTML file. If NULL the file is stored to the current working directory. Default NULL.                                                       |
| subtitle              | A character value specifying the subtitle to use in the report. Default NULL.                                                                                                                             |
| authors               | A character value specifying the names of the authors to use in the report. Default NULL.                                                                                                                 |
| showSession           | A logical value indicating if session information should be displayed or not. Default is FALSE.                                                                                                           |
| pdf                   | A logical value indicating if a pdf should also be generated for each figure in the report. Default is FALSE.                                                                                             |
| runHVG                | A logical value indicating if the feature selection computation should be run or not. Default is TRUE.                                                                                                    |
| plotHVG               | A logical value indicating if the plot for the top most variable genes should be visualized in a mean-to-variance plot. Default is TRUE.                                                                  |
| runDimRed             | A logical value indicating if PCA should be computed. Default is TRUE.                                                                                                                                    |
| plotJackStraw         | A logical value indicating if JackStraw plot be visualized for the principal components. Default is FALSE.                                                                                                |
| plotElbowPlot         | A logical value indicating if the ElbowPlot be visualized for the principal components. Default is TRUE.                                                                                                  |
| plotHeatmaps          | A logical value indicating if heatmaps should be plotted for the principal components. Default is TRUE.                                                                                                   |
| runClustering         | A logical value indicating if clustering section should be run in the report. Default is TRUE.                                                                                                            |
| plotTSNE              | A logical value indicating if TSNE plots should be visualized for clustering results. Default is TRUE.                                                                                                    |
| plotUMAP              | A logical value indicating if the UMAP plots should be visualized for the clustering results. Default is TRUE.                                                                                            |
| minResolution         | A numeric value indicating the minimum resolution to use for clustering. Default is 0.3.                                                                                                                  |
| maxResolution         | A numeric value indicating the maximum resolution to use for clustering. Default is 1.5.                                                                                                                  |

|                |                                                                                                                                                      |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| runMSClusters  | A logical value indicating if marker selection should be run between clusters. Default is TRUE.                                                      |
| runMSBioGroup  | A logical value indicating if marker selection should be run between the <code>biological.group</code> parameter. Default is TRUE.                   |
| numTopFeatures | A numeric value indicating the number of top features to visualize in each group. Default 10.                                                        |
| forceRun       | A logical value indicating if all algorithms should be re-run regardless if they have been computed previously in the input object. Default is TRUE. |

**Value**

A [SingleCellExperiment](#) object with computations stored.

---

reportSeuratClustering

*Generates an HTML report for Seurat Clustering and returns the SCE object with the results computed and stored inside the object.*

---

**Description**

Generates an HTML report for Seurat Clustering and returns the SCE object with the results computed and stored inside the object.

**Usage**

```
reportSeuratClustering(
  inSCE,
  biological.group = NULL,
  phenotype.groups = NULL,
  runClustering = TRUE,
  plotTSNE = TRUE,
  plotUMAP = TRUE,
  minResolution = 0.3,
  maxResolution = 1.5,
  numClusters = 10,
  significant_PC = 10,
  outputFile = NULL,
  outputPath = NULL,
  subtitle = NULL,
  authors = NULL,
  showSession = FALSE,
  pdf = FALSE,
  forceRun = TRUE
)
```

**Arguments**

`inSCE` Input [SingleCellExperiment](#) object.

`biological.group` A character value that specifies the name of the `colData()` column to use as the main biological group in the Seurat report for marker selection and grouping.

|                  |                                                                                                                                                                                 |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| phenotype.groups | A character vector that specifies the names of the colData() columns to use for differential expression in addition to the biological.group parameter.                          |
| runClustering    | A logical value indicating if Clustering should be run or not in the report. Default is TRUE. If FALSE, parameters plotTSNE and plotUMAP are also set to FALSE.                 |
| plotTSNE         | A logical value indicating if TSNE plots should be visualized in the clustering section of the report. Default is TRUE.                                                         |
| plotUMAP         | A logical value indicating if UMAP plots should be visualized in the clustering section of the report. Default is TRUE.                                                         |
| minResolution    | A numeric value indicating the minimum resolution to use for clustering. Default 0.3.                                                                                           |
| maxResolution    | A numeric value indicating the maximum resolution to use for clustering. Default 1.5.                                                                                           |
| numClusters      | temp (to remove)                                                                                                                                                                |
| significant_PC   | temp (change to pc.use)                                                                                                                                                         |
| outputFile       | Specify the name of the generated output HTML file. If NULL then the output file name will be based on the name of the Rmarkdown template. Default NULL.                        |
| outputPath       | Specify the name of the output directory to save the rendered HTML file. If NULL the file is stored to the current working directory. Default NULL.                             |
| subtitle         | A character value specifying the subtitle to use in the report. Default NULL.                                                                                                   |
| authors          | A character value specifying the names of the authors to use in the report. Default NULL.                                                                                       |
| showSession      | A logical value indicating if session information should be displayed or not. Default is FALSE.                                                                                 |
| pdf              | A logical value indicating if a pdf should also be generated for each figure in the report. Default is FALSE.                                                                   |
| forceRun         | A logical value indicating if all computations previously computed should be re-calculated regardless if these computations are available in the input object. Default is TRUE. |

### Value

A [SingleCellExperiment](#) object with computations stored.

---

|                    |                                                                                                                                                        |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| reportSeuratDimRed | <i>Generates an HTML report for Seurat Dimensionality Reduction and returns the SCE object with the results computed and stored inside the object.</i> |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|

---

### Description

Generates an HTML report for Seurat Dimensionality Reduction and returns the SCE object with the results computed and stored inside the object.

**Usage**

```
reportSeuratDimRed(
  inSCE,
  pc.count = 50,
  runDimRed = TRUE,
  plotJackStraw = FALSE,
  plotElbowPlot = TRUE,
  plotHeatmaps = TRUE,
  outputFile = NULL,
  outputPath = NULL,
  subtitle = NULL,
  authors = NULL,
  showSession = FALSE,
  pdf = FALSE,
  forceRun = TRUE
)
```

**Arguments**

|               |                                                                                                                                                                                 |
|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE         | Input <a href="#">SingleCellExperiment</a> object.                                                                                                                              |
| pc.count      | A numeric value indicating the number of principal components to compute. Default is 50.                                                                                        |
| runDimRed     | A logical value indicating if dimensionality reduction should be computed. Default TRUE.                                                                                        |
| plotJackStraw | A logical value indicating if JackStraw plot should be visualized. Default FALSE.                                                                                               |
| plotElbowPlot | A logical value indicating if ElbowPlot should be visualized. Default TRUE.                                                                                                     |
| plotHeatmaps  | A logical value indicating if heatmaps should be visualized. Default TRUE.                                                                                                      |
| outputFile    | Specify the name of the generated output HTML file. If NULL then the output file name will be based on the name of the Rmarkdown template. Default NULL.                        |
| outputPath    | Specify the name of the output directory to save the rendered HTML file. If NULL the file is stored to the current working directory. Default NULL.                             |
| subtitle      | A character value specifying the subtitle to use in the report. Default NULL.                                                                                                   |
| authors       | A character value specifying the names of the authors to use in the report. Default NULL.                                                                                       |
| showSession   | A logical value indicating if session information should be displayed or not. Default is FALSE.                                                                                 |
| pdf           | A logical value indicating if a pdf should also be generated for each figure in the report. Default is FALSE.                                                                   |
| forceRun      | A logical value indicating if all computations previously computed should be re-calculated regardless if these computations are available in the input object. Default is TRUE. |

**Value**

A [SingleCellExperiment](#) object with computations stored.

---

reportSeuratFeatureSelection

*Generates an HTML report for Seurat Feature Selection and returns the SCE object with the results computed and stored inside the object.*

---

## Description

Generates an HTML report for Seurat Feature Selection and returns the SCE object with the results computed and stored inside the object.

## Usage

```
reportSeuratFeatureSelection(
  inSCE,
  variable.features = 2000,
  runHVG = TRUE,
  plotHVG = TRUE,
  outputFile = NULL,
  outputPath = NULL,
  subtitle = NULL,
  authors = NULL,
  showSession = FALSE,
  pdf = FALSE,
  forceRun = TRUE
)
```

## Arguments

|                   |                                                                                                                                                                                 |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE             | Input <a href="#">SingleCellExperiment</a> object.                                                                                                                              |
| variable.features | A numeric value indicating the number of top variable features to identify. Default 2000.                                                                                       |
| runHVG            | A logical value indicating if the feature selection algorithm should be run or not. Default TRUE.                                                                               |
| plotHVG           | A logical value indicating if the mean-to-variance plot of the top variable feature should be visualized or not. Default TRUE.                                                  |
| outputFile        | Specify the name of the generated output HTML file. If NULL then the output file name will be based on the name of the Rmarkdown template. Default NULL.                        |
| outputPath        | Specify the name of the output directory to save the rendered HTML file. If NULL the file is stored to the current working directory. Default NULL.                             |
| subtitle          | A character value specifying the subtitle to use in the report. Default NULL.                                                                                                   |
| authors           | A character value specifying the names of the authors to use in the report. Default NULL.                                                                                       |
| showSession       | A logical value indicating if session information should be displayed or not. Default is FALSE.                                                                                 |
| pdf               | A logical value indicating if a pdf should also be generated for each figure in the report. Default is FALSE.                                                                   |
| forceRun          | A logical value indicating if all computations previously computed should be re-calculated regardless if these computations are available in the input object. Default is TRUE. |

**Value**

A [SingleCellExperiment](#) object with computations stored.

---

```
reportSeuratMarkerSelection
```

*Generates an HTML report for Seurat Results (including Clustering & Marker Selection) and returns the SCE object with the results computed and stored inside the object.*

---

**Description**

Generates an HTML report for Seurat Results (including Clustering & Marker Selection) and returns the SCE object with the results computed and stored inside the object.

**Usage**

```
reportSeuratMarkerSelection(
  inSCE,
  biological.group = NULL,
  phenotype.groups = NULL,
  selected.markers = NULL,
  runMarkerSelection = TRUE,
  plotMarkerSelection = TRUE,
  numTopFeatures = 10,
  outputFile = NULL,
  outputPath = NULL,
  subtitle = NULL,
  authors = NULL,
  showSession = FALSE,
  pdf = FALSE
)
```

**Arguments**

|                                 |                                                                                                                                                                                                           |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>inSCE</code>              | Input <a href="#">SingleCellExperiment</a> object.                                                                                                                                                        |
| <code>biological.group</code>   | A character value that specifies the name of the <code>colData()</code> column to use as the main biological group in the Seurat report for marker selection and grouping.                                |
| <code>phenotype.groups</code>   | A character vector that specifies the names of the <code>colData()</code> columns to use for differential expression in addition to the <code>biological.group</code> parameter.                          |
| <code>selected.markers</code>   | A character vector containing the user-specified gene symbols or feature names of marker genes that be used to generate gene plots in addition to the gene markers computed from differential expression. |
| <code>runMarkerSelection</code> | A logical value indicating if the marker selection computation should be run or not. Default TRUE.                                                                                                        |

|                     |                                                                                                                                                          |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| plotMarkerSelection | A logical value indicating if the gene marker plots should be visualized or not. Default TRUE.                                                           |
| numTopFeatures      | A numeric value indicating the number of top features to visualize in each group. Default 10.                                                            |
| outputFile          | Specify the name of the generated output HTML file. If NULL then the output file name will be based on the name of the Rmarkdown template. Default NULL. |
| outputPath          | Specify the name of the output directory to save the rendered HTML file. If NULL the file is stored to the current working directory. Default NULL.      |
| subtitle            | A character value specifying the subtitle to use in the report. Default NULL.                                                                            |
| authors             | A character value specifying the names of the authors to use in the report. Default NULL.                                                                |
| showSession         | A logical value indicating if session information should be displayed or not. Default is FALSE.                                                          |
| pdf                 | A logical value indicating if a pdf should also be generated for each figure in the report. Default is FALSE.                                            |

**Value**

A [SingleCellExperiment](#) object with computations stored.

---

reportSeuratNormalization

*Generates an HTML report for Seurat Normalization and returns the SCE object with the results computed and stored inside the object.*

---

**Description**

Generates an HTML report for Seurat Normalization and returns the SCE object with the results computed and stored inside the object.

**Usage**

```
reportSeuratNormalization(
  inSCE,
  outputFile = NULL,
  outputPath = NULL,
  subtitle = NULL,
  authors = NULL,
  showSession = FALSE,
  pdf = FALSE,
  forceRun = TRUE
)
```

**Arguments**

|             |                                                                                                                                                                                 |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE       | Input <a href="#">SingleCellExperiment</a> object previously passed through <code>reportSeuratRun()</code> .                                                                    |
| outputFile  | Specify the name of the generated output HTML file. If NULL then the output file name will be based on the name of the Rmarkdown template. Default NULL.                        |
| outputPath  | Specify the name of the output directory to save the rendered HTML file. If NULL the file is stored to the current working directory. Default NULL.                             |
| subtitle    | A character value specifying the subtitle to use in the report. Default NULL.                                                                                                   |
| authors     | A character value specifying the names of the authors to use in the report. Default NULL.                                                                                       |
| showSession | A logical value indicating if session information should be displayed or not. Default is FALSE.                                                                                 |
| pdf         | A logical value indicating if a pdf should also be generated for each figure in the report. Default is FALSE.                                                                   |
| forceRun    | A logical value indicating if all computations previously computed should be re-calculated regardless if these computations are available in the input object. Default is TRUE. |

**Value**

A [SingleCellExperiment](#) object with computations stored.

---

|                     |                                                                                                                                                                                     |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| reportSeuratResults | <i>Generates an HTML report for Seurat Results (including Clustering &amp; Marker Selection) and returns the SCE object with the results computed and stored inside the object.</i> |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

---

**Description**

Generates an HTML report for Seurat Results (including Clustering & Marker Selection) and returns the SCE object with the results computed and stored inside the object.

**Usage**

```
reportSeuratResults(
  inSCE,
  biological.group = NULL,
  phenotype.groups = NULL,
  selected.markers = NULL,
  clustering.resolution = 0.8,
  pc.count = 50,
  plotTSNE = TRUE,
  plotUMAP = TRUE,
  runClustering = TRUE,
  runMSClusters = TRUE,
  runMSBioGroup = TRUE,
  numTopFeatures = 10,
  outputFile = NULL,
  outputPath = NULL,
```

```

    subtitle = NULL,
    authors = NULL,
    showSession = FALSE,
    pdf = FALSE,
    forceRun = TRUE
  )

```

## Arguments

|                       |                                                                                                                                                                                                           |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE                 | Input <a href="#">SingleCellExperiment</a> object previously passed through <code>reportSeuratRun()</code> .                                                                                              |
| biological.group      | A character value that specifies the name of the <code>colData()</code> column to use as the main biological group in the Seurat report for marker selection and grouping.                                |
| phenotype.groups      | A character vector that specifies the names of the <code>colData()</code> columns to use for differential expression in addition to the <code>biological.group</code> parameter.                          |
| selected.markers      | A character vector containing the user-specified gene symbols or feature names of marker genes that be used to generate gene plots in addition to the gene markers computed from differential expression. |
| clustering.resolution | A numeric value indicating the user-specified final resolution to use with clustering. Default is 0.8.                                                                                                    |
| pc.count              | A numeric value indicating the number of principal components to use in the analysis workflow. Default is 50.                                                                                             |
| plotTSNE              | A logical value indicating if TSNE plots should be visualized in the clustering section of the report. Default is TRUE.                                                                                   |
| plotUMAP              | A logical value indicating if UMAP plots should be visualized in the clustering section of the report. Default is TRUE.                                                                                   |
| runClustering         | A logical value indicating if Clustering should be run or not in the report. Default is TRUE. If FALSE, parameters <code>plotTSNE</code> and <code>plotUMAP</code> are also set to FALSE.                 |
| runMSClusters         | A logical value indicating if the marker selection section for identifying marker genes between clusters should be run and visualized in the report. Default TRUE.                                        |
| runMSBioGroup         | A logical value indicating if the marker selection section for identifying marker genes between the <code>biological.group</code> parameter should be run and visualized in the report. Default TRUE.     |
| numTopFeatures        | A numeric value indicating the number of top features to visualize in each group. Default 10.                                                                                                             |
| outputFile            | Specify the name of the generated output HTML file. If NULL then the output file name will be based on the name of the Rmarkdown template. Default NULL.                                                  |
| outputPath            | Specify the name of the output directory to save the rendered HTML file. If NULL the file is stored to the current working directory. Default NULL.                                                       |
| subtitle              | A character value specifying the subtitle to use in the report. Default NULL.                                                                                                                             |
| authors               | A character value specifying the names of the authors to use in the report. Default NULL.                                                                                                                 |
| showSession           | A logical value indicating if session information should be displayed or not. Default is FALSE.                                                                                                           |

|          |                                                                                                                                                                                 |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| pdf      | A logical value indicating if a pdf should also be generated for each figure in the report. Default is FALSE.                                                                   |
| forceRun | A logical value indicating if all computations previously computed should be re-calculated regardless if these computations are available in the input object. Default is TRUE. |

### Value

A [SingleCellExperiment](#) object with computations stored.

---

|                 |                                                                                                                                                                                                                           |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| reportSeuratRun | <i>Generates an HTML report for Seurat Run (including Normalization, Feature Selection, Dimensionality Reduction &amp; Clustering) and returns the SCE object with the results computed and stored inside the object.</i> |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

---

### Description

Generates an HTML report for Seurat Run (including Normalization, Feature Selection, Dimensionality Reduction & Clustering) and returns the SCE object with the results computed and stored inside the object.

### Usage

```
reportSeuratRun(
  inSCE,
  biological.group = NULL,
  phenotype.groups = NULL,
  variable.features = 2000,
  pc.count = 50,
  runHVG = TRUE,
  plotHVG = TRUE,
  runDimRed = TRUE,
  plotJackStraw = FALSE,
  plotElbowPlot = TRUE,
  plotHeatmaps = TRUE,
  runClustering = TRUE,
  plotTSNE = TRUE,
  plotUMAP = TRUE,
  minResolution = 0.3,
  maxResolution = 1.5,
  outputFile = NULL,
  outputPath = NULL,
  subtitle = NULL,
  authors = NULL,
  showSession = FALSE,
  pdf = FALSE,
  forceRun = TRUE
)
```

**Arguments**

|                   |                                                                                                                                                                                           |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE             | Input <code>SingleCellExperiment</code> object.                                                                                                                                           |
| biological.group  | A character value that specifies the name of the <code>colData()</code> column to use as the main biological group in the Seurat report for tSNE & UMAP visualization.                    |
| phenotype.groups  | A character value that specifies the name of the <code>colData()</code> column to use as additional phenotype variables in the Seurat report for tSNE & UMAP visualization.               |
| variable.features | A numeric value indicating the number of top variable genes to identify in the report. Default is 2000.                                                                                   |
| pc.count          | A numeric value indicating the number of principal components to use in the analysis workflow. Default is 50.                                                                             |
| runHVG            | A logical value indicating if feature selection should be run in the report. Default TRUE.                                                                                                |
| plotHVG           | A logical value indicating if the top variable genes should be visualized through a mean-to-variance plot. Default is TRUE.                                                               |
| runDimRed         | A logical value indicating if PCA should be computed in the report. Default is TRUE.                                                                                                      |
| plotJackStraw     | A logical value indicating if the JackStraw plot should be visualized for the principal components. Default is FALSE.                                                                     |
| plotElbowPlot     | A logical value indicating if the ElbowPlot should be visualized for the principal components. Default is FALSE.                                                                          |
| plotHeatmaps      | A logical value indicating if the Heatmaps should be visualized for the principal components. Default is FALSE.                                                                           |
| runClustering     | A logical value indicating if Clustering should be run over multiple resolutions as defined by the <code>minResolution</code> and <code>maxResolution</code> parameters. Default is TRUE. |
| plotTSNE          | A logical value indicating if TSNE plot should be visualized for clusters. Default is TRUE.                                                                                               |
| plotUMAP          | A logical value indicating if UMAP plot should be visualized for clusters. Default is TRUE.                                                                                               |
| minResolution     | A numeric value indicating the minimum resolution to use for clustering. Default 0.3.                                                                                                     |
| maxResolution     | A numeric value indicating the maximum resolution to use for clustering. Default 1.5.                                                                                                     |
| outputFile        | Specify the name of the generated output HTML file. If NULL then the output file name will be based on the name of the Rmarkdown template. Default NULL.                                  |
| outputPath        | Specify the name of the output directory to save the rendered HTML file. If NULL the file is stored to the current working directory. Default NULL.                                       |
| subtitle          | A character value specifying the subtitle to use in the report. Default NULL.                                                                                                             |
| authors           | A character value specifying the names of the authors to use in the report. Default NULL.                                                                                                 |
| showSession       | A logical value indicating if session information should be displayed or not. Default is FALSE.                                                                                           |

|          |                                                                                                                                                                                 |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| pdf      | A logical value indicating if a pdf should also be generated for each figure in the report. Default is FALSE.                                                                   |
| forceRun | A logical value indicating if all computations previously computed should be re-calculated regardless if these computations are available in the input object. Default is TRUE. |

### Value

A [SingleCellExperiment](#) object with computations stored.

---

|                     |                                                                                                                                       |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| reportSeuratScaling | <i>Generates an HTML report for Seurat Scaling and returns the SCE object with the results computed and stored inside the object.</i> |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------|

---

### Description

Generates an HTML report for Seurat Scaling and returns the SCE object with the results computed and stored inside the object.

### Usage

```
reportSeuratScaling(
  inSCE,
  outputFile = NULL,
  outputPath = NULL,
  subtitle = NULL,
  authors = NULL,
  showSession = FALSE,
  pdf = FALSE,
  forceRun = TRUE
)
```

### Arguments

|             |                                                                                                                                                                                 |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE       | Input <a href="#">SingleCellExperiment</a> object.                                                                                                                              |
| outputFile  | Specify the name of the generated output HTML file. If NULL then the output file name will be based on the name of the Rmarkdown template. Default NULL.                        |
| outputPath  | Specify the name of the output directory to save the rendered HTML file. If NULL the file is stored to the current working directory. Default NULL.                             |
| subtitle    | A character value specifying the subtitle to use in the report. Default NULL.                                                                                                   |
| authors     | A character value specifying the names of the authors to use in the report. Default NULL.                                                                                       |
| showSession | A logical value indicating if session information should be displayed or not. Default is FALSE.                                                                                 |
| pdf         | A logical value indicating if a pdf should also be generated for each figure in the report. Default is FALSE.                                                                   |
| forceRun    | A logical value indicating if all computations previously computed should be re-calculated regardless if these computations are available in the input object. Default is TRUE. |

**Value**

A [SingleCellExperiment](#) object with computations stored.

---

|                  |                                                                               |
|------------------|-------------------------------------------------------------------------------|
| retrieveSCEIndex | <i>Retrieve cell/feature index by giving identifiers saved in col/rowData</i> |
|------------------|-------------------------------------------------------------------------------|

---

**Description**

Originally written in [retrieveFeatureIndex](#). Modified for also retrieving cell indices and only working for [SingleCellExperiment](#) object. This will return indices of features among the rowData/colData. Partial matching (i.e. grepping) can be used.

**Usage**

```
retrieveSCEIndex(
  inSCE,
  IDs,
  axis,
  by = NULL,
  exactMatch = TRUE,
  firstMatch = TRUE
)
```

**Arguments**

|            |                                                                                                                                                |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE      | Input <a href="#">SingleCellExperiment</a> object. Required                                                                                    |
| IDs        | Character vector of identifiers for features or cells to find in rowData or colData of inSCE                                                   |
| axis       | A character scalar to specify whether to search for features or cells. Use "row", "feature" or "gene" for features; "col" or "cell" for cells. |
| by         | Character. In which column to search for features/cells in rowData/colData. Default NULL for search the rownames/colnames                      |
| exactMatch | A logical scalar. Whether to only identify exact matches or to identify partial matches using <a href="#">grep</a> . Default TRUE              |
| firstMatch | A logical scalar. Whether to only identify the first matches or to return all plausible matches. Default TRUE                                  |

**Value**

A unique, non-NA numeric vector of indices for the matching features/cells in inSCE.

**Author(s)**

Yusuke Koga, Joshua Campbell, Yichen Wang

**Examples**

```
data(scExample, package = "singleCellTK")
retrieveSCEIndex(inSCE = sce, IDs = "ENSG00000205542",
  axis = "row")
```

---

runBarcodeRankDrops      *Identify empty droplets using [barcodeRanks](#).*

---

## Description

Run [barcodeRanks](#) on a count matrix provided in a [SingleCellExperiment](#) object. Distinguish between droplets containing cells and ambient RNA in a droplet-based single-cell RNA sequencing experiment.

## Usage

```
runBarcodeRankDrops(
  inSCE,
  sample = NULL,
  useAssay = "counts",
  lower = 100,
  fitBounds = NULL,
  df = 20
)
```

## Arguments

|           |                                                                                                                          |
|-----------|--------------------------------------------------------------------------------------------------------------------------|
| inSCE     | A <a href="#">SingleCellExperiment</a> object. Must contain a raw counts matrix before empty droplets have been removed. |
| sample    | Character vector or colData variable name. Indicates which sample each cell belongs to. Default NULL.                    |
| useAssay  | A string specifying which assay in the SCE to use. Default "counts"                                                      |
| lower     | See <a href="#">barcodeRanks</a> for more information. Default 100.                                                      |
| fitBounds | See <a href="#">barcodeRanks</a> for more information. Default NULL.                                                     |
| df        | See <a href="#">barcodeRanks</a> for more information. Default 20.                                                       |

## Value

A [SingleCellExperiment](#) object with the [barcodeRanks](#) output table appended to the [colData](#) slot. The columns include dropletUtils\_BarcodeRank\_Knee and dropletUtils\_barcodeRank\_inflection. Please refer to the documentation of [barcodeRanks](#) for details.

## See Also

[barcodeRanks](#), [runDropletQC](#), [plotBarcodeRankDropsResults](#)

## Examples

```
data(scExample, package = "singleCellTK")
sce <- runBarcodeRankDrops(inSCE = sce)
```



runBcds

*Find doublets/multiplets using [bcds](#).***Description**

A wrapper function for [bcds](#). Annotate doublets/multiplets using a binary classification approach to discriminate artificial doublets from original data. Generate a doublet score for each cell. Infer doublets if `estNdbl` is TRUE.

**Usage**

```
runBcds(
  inSCE,
  sample = NULL,
  seed = 12345,
  ntop = 500,
  srat = 1,
  verb = FALSE,
  retRes = FALSE,
  nmax = "tune",
  varImp = FALSE,
  estNdbl = FALSE,
  useAssay = "counts"
)
```

**Arguments**

|                       |                                                                                                                    |
|-----------------------|--------------------------------------------------------------------------------------------------------------------|
| <code>inSCE</code>    | A <a href="#">SingleCellExperiment</a> object.                                                                     |
| <code>sample</code>   | Character vector or <code>colData</code> variable name. Indicates which sample each cell belongs to. Default NULL. |
| <code>seed</code>     | Seed for the random number generator, can be NULL. Default 12345.                                                  |
| <code>ntop</code>     | See <a href="#">bcds</a> for more information. Default 500.                                                        |
| <code>srat</code>     | See <a href="#">bcds</a> for more information. Default 1.                                                          |
| <code>verb</code>     | See <a href="#">bcds</a> for more information. Default FALSE.                                                      |
| <code>retRes</code>   | See <a href="#">bcds</a> for more information. Default FALSE.                                                      |
| <code>nmax</code>     | See <a href="#">bcds</a> for more information. Default "tune".                                                     |
| <code>varImp</code>   | See <a href="#">bcds</a> for more information. Default FALSE.                                                      |
| <code>estNdbl</code>  | See <a href="#">bcds</a> for more information. Default FALSE.                                                      |
| <code>useAssay</code> | A string specifying which assay in <code>inSCE</code> to use. Default "counts"                                     |

**Details**

When the argument `sample` is specified, [bcds](#) will be run on cells from each sample separately. If `sample = NULL`, then all cells will be processed together.

**Value**

A [SingleCellExperiment](#) object with [bcds](#) output appended to the `colData` slot. The columns include `bcds_score` and optionally `bcds_call`. Please refer to the documentation of [bcds](#) for details.

**See Also**

[bcds](#), [plotBcdsResults](#), [runCellQC](#)

**Examples**

```
data(scExample, package = "singleCellTK")
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
sce <- runBcds(sce)
```

---

|           |                                             |
|-----------|---------------------------------------------|
| runCellQC | <i>Perform comprehensive single cell QC</i> |
|-----------|---------------------------------------------|

---

**Description**

A wrapper function to run several QC algorithms on a `SingleCellExperiment` object containing cells after empty droplets have been removed.

**Usage**

```
runCellQC(
  inSCE,
  algorithms = c("QCMetrics", "scDblFinder", "cxds", "bcds", "cxds_bcds_hybrid",
    "decontX", "decontX_bg", "soupX", "soupX_bg"),
  sample = NULL,
  collectionName = NULL,
  geneSetList = NULL,
  geneSetListLocation = "rownames",
  geneSetCollection = NULL,
  mitoRef = "human",
  mitoIDType = "ensembl",
  mitoPrefix = "MT-",
  mitoID = NULL,
  mitoGeneLocation = "rownames",
  useAssay = "counts",
  background = NULL,
  bgAssayName = NULL,
  bgBatch = NULL,
  seed = 12345,
  paramsList = NULL
)
```

**Arguments**

|                             |                                                                                                                                                                                                 |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>inSCE</code>          | A <a href="#">SingleCellExperiment</a> object.                                                                                                                                                  |
| <code>algorithms</code>     | Character vector. Specify which QC algorithms to run. Available options are "QCMetrics", "scrublet", "doubletFinder", "scDblFinder", "cxds", "bcds", "cxds_bcds_hybrid", "decontX" and "soupX". |
| <code>sample</code>         | Character vector. Indicates which sample each cell belongs to. Algorithms will be run on cells from each sample separately.                                                                     |
| <code>collectionName</code> | Character. Name of a <code>GeneSetCollection</code> obtained by using one of the import- <code>GeneSet*</code> functions. Default NULL.                                                         |

|                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| geneSetList                                               | See runPerCellQC. Default NULL.                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| geneSetListLocation                                       | See runPerCellQC. Default NULL.                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| geneSetCollection                                         | See runPerCellQC. Default NULL.                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| mitoRef, mitoIDType, mitoPrefix, mitoID, mitoGeneLocation | Arguments used to import mitochondrial genes and quantify their expression. Please see <a href="#">runPerCellQC</a> for detailed information.                                                                                                                                                                                                                                                                                                                                          |
| useAssay                                                  | A string specifying which assay contains the count matrix for cells.                                                                                                                                                                                                                                                                                                                                                                                                                   |
| background                                                | A <a href="#">SingleCellExperiment</a> with the matrix located in the assay slot under bgAssayName. It should have the same structure as inSCE except it contains the matrix of empty droplets instead of cells. When supplied, empirical distribution of transcripts from these empty droplets will be used as the contamination distribution. It is only used in algorithms "decontX" and "soupX". Default NULL.                                                                     |
| bgAssayName                                               | Character. Name of the assay to use if background is a <a href="#">SingleCellExperiment</a> . If NULL, the function will use the same value as useAssay. It is only used in algorithms "decontX" and "soupX". Default is NULL.                                                                                                                                                                                                                                                         |
| bgBatch                                                   | Batch labels for background. If background is a <a href="#">SingleCellExperiment</a> object, this can be a single character specifying a name that can be found in colData(background) to directly use the barcode annotation. Its unique values should be the same as those in sample, such that each batch of cells have their corresponding batch of empty droplets as background, pointed by this parameter. It is only used in algorithms "decontX" and "soupX". Default to NULL. |
| seed                                                      | Seed for the random number generator. Default 12345.                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| paramsList                                                | A list containing parameters for QC functions. Default NULL.                                                                                                                                                                                                                                                                                                                                                                                                                           |

### Value

SingleCellExperiment object containing the outputs of the specified algorithms in the [colData](#) of inSCE.

### Examples

```
data(scExample, package = "singleCellTK")
sce <- subsetSCEcols(sce, colData = "type != 'EmptyDroplet'")
## Not run:
sce <- runCellQC(sce)

## End(Not run)
```

---

runClusterSummaryMetrics

*Run Cluster Summary Metrics*

---

### Description

Calculates the mean expression of percent of cells that express the given genes for each cluster

**Usage**

```
runClusterSummaryMetrics(
  inSCE,
  useAssay = "logcounts",
  featureNames,
  displayName = NULL,
  groupNames = "cluster",
  scale = FALSE
)
```

**Arguments**

|              |                                                                              |
|--------------|------------------------------------------------------------------------------|
| inSCE        | The single cell experiment to use.                                           |
| useAssay     | The assay to use.                                                            |
| featureNames | A string or vector of strings with each gene to aggregate.                   |
| displayName  | A string that is the name of the column used for genes.                      |
| groupNames   | The name of a colData entry that can be used as groupNames.                  |
| scale        | Option to scale the data. Default: FALSE. Selected assay will not be scaled. |

**Value**

A dataframe with mean expression and percent of cells in cluster that express for each cluster.

**Examples**

```
data("scExample")
runClusterSummaryMetrics(inSCE=sce, useAssay="counts", featureNames=c("B2M", "MALAT1"),
  displayName="feature_name", groupNames="type")
```

---

|              |                                                                                       |
|--------------|---------------------------------------------------------------------------------------|
| runComBatSeq | <i>Apply ComBat-Seq batch effect correction method to SingleCellExperiment object</i> |
|--------------|---------------------------------------------------------------------------------------|

---

**Description**

The ComBat-Seq batch adjustment approach assumes that batch effects represent non-biological but systematic shifts in the mean or variability of genomic features for all samples within a processing batch. It uses either parametric or non-parametric empirical Bayes frameworks for adjusting data for batch effects.

**Usage**

```
runComBatSeq(
  inSCE,
  useAssay = "counts",
  batch = "batch",
  covariates = NULL,
  bioCond = NULL,
  useSVA = FALSE,
  assayName = "ComBatSeq",
```



---

|         |                                                             |
|---------|-------------------------------------------------------------|
| runCxls | <i>Find doublets/multiplets using <a href="#">cxls</a>.</i> |
|---------|-------------------------------------------------------------|

---

## Description

A wrapper function for [cxls](#). Annotate doublets/multiplets using co-expression based approach. Generate a doublet score for each cell. Infer doublets if `estNdbl` is TRUE.

## Usage

```
runCxls(
  inSCE,
  sample = NULL,
  seed = 12345,
  ntop = 500,
  binThresh = 0,
  verb = FALSE,
  retRes = FALSE,
  estNdbl = FALSE,
  useAssay = "counts"
)
```

## Arguments

|                        |                                                                                                                    |
|------------------------|--------------------------------------------------------------------------------------------------------------------|
| <code>inSCE</code>     | A <a href="#">SingleCellExperiment</a> object.                                                                     |
| <code>sample</code>    | Character vector or <code>colData</code> variable name. Indicates which sample each cell belongs to. Default NULL. |
| <code>seed</code>      | Seed for the random number generator, can be NULL. Default 12345.                                                  |
| <code>ntop</code>      | See <a href="#">cxls</a> for more information. Default 500.                                                        |
| <code>binThresh</code> | See <a href="#">cxls</a> for more information. Default 0.                                                          |
| <code>verb</code>      | See <a href="#">cxls</a> for more information. Default FALSE.                                                      |
| <code>retRes</code>    | See <a href="#">cxls</a> for more information. Default FALSE.                                                      |
| <code>estNdbl</code>   | See <a href="#">cxls</a> for more information. Default FALSE.                                                      |
| <code>useAssay</code>  | A string specifying which assay in the SCE to use. Default "counts"                                                |

## Details

When the argument `sample` is specified, [cxls](#) will be run on cells from each sample separately. If `sample = NULL`, then all cells will be processed together.

## Value

A [SingleCellExperiment](#) object with [cxls](#) output appended to the `colData` slot. The columns include `cxls_score` and optionally `cxls_call`.

## See Also

[cxls](#), [plotCxlsResults](#), [runCellQC](#)

## Examples

```
data(scExample, package = "singleCellTK")
sce <- subsetSCEcols(sce, colData = "type != 'EmptyDroplet'")
sce <- runCxls(sce)
```

---

|                   |                                                                   |
|-------------------|-------------------------------------------------------------------|
| runCxlsBcdsHybrid | Find doublets/multiplets using <a href="#">cxls_bcds_hybrid</a> . |
|-------------------|-------------------------------------------------------------------|

---

## Description

A wrapper function for [cxls\\_bcds\\_hybrid](#). Annotate doublets/multiplets using a binary classification approach to discriminate artificial doublets from original data. Generate a doublet score for each cell. Infer doublets if `estNdbl` is TRUE.

## Usage

```
runCxlsBcdsHybrid(
  inSCE,
  sample = NULL,
  seed = 12345,
  nTop = 500,
  cxlsArgs = list(),
  bcdsArgs = list(),
  verb = FALSE,
  estNdbl = FALSE,
  force = FALSE,
  useAssay = "counts"
)
```

## Arguments

|                       |                                                                                                                                                                                                                     |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>inSCE</code>    | A <a href="#">SingleCellExperiment</a> object. Needs counts in assays slot.                                                                                                                                         |
| <code>sample</code>   | Character vector. Indicates which sample each cell belongs to. <a href="#">cxls_bcds_hybrid</a> will be run on cells from each sample separately. If NULL, then all cells will be processed together. Default NULL. |
| <code>seed</code>     | Seed for the random number generator. Default 12345.                                                                                                                                                                |
| <code>nTop</code>     | The number of top variable genes to consider. Used in both <code>cxls</code> and <code>bcds</code> . Default 500.                                                                                                   |
| <code>cxlsArgs</code> | See <a href="#">cxls_bcds_hybrid</a> for more information. Default NULL.                                                                                                                                            |
| <code>bcdsArgs</code> | See <a href="#">cxls_bcds_hybrid</a> for more information. Default NULL.                                                                                                                                            |
| <code>verb</code>     | See <a href="#">cxls_bcds_hybrid</a> for more information. Default FALSE.                                                                                                                                           |
| <code>estNdbl</code>  | See <a href="#">cxls_bcds_hybrid</a> for more information. Default FALSE.                                                                                                                                           |
| <code>force</code>    | See <a href="#">cxls_bcds_hybrid</a> for more information. Default FALSE.                                                                                                                                           |
| <code>useAssay</code> | A string specifying which assay in the SCE to use.                                                                                                                                                                  |

## Value

A [SingleCellExperiment](#) object with [cxls\\_bcds\\_hybrid](#) output appended to the `colData` slot. The columns include `hybrid_score` and optionally `hybrid_call`. Please refer to the documentation of [cxls\\_bcds\\_hybrid](#) for details.

**Examples**

```
data(scExample, package = "singleCellTK")
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
sce <- runCxdSBcdsHybrid(sce)
```

runDEAnalysis

*Perform differential expression analysis on SCE object***Description**

Perform differential expression analysis on SCE object

**Usage**

```
runDEAnalysis(inSCE, method = "wilcox", ...)
```

```
runDESeq2(
  inSCE,
  useAssay = "counts",
  useReducedDim = NULL,
  index1 = NULL,
  index2 = NULL,
  class = NULL,
  classGroup1 = NULL,
  classGroup2 = NULL,
  analysisName,
  groupName1,
  groupName2,
  covariates = NULL,
  fullReduced = TRUE,
  onlyPos = FALSE,
  log2fcThreshold = NULL,
  fdrThreshold = NULL,
  minGroup1MeanExp = NULL,
  maxGroup2MeanExp = NULL,
  minGroup1ExprPerc = NULL,
  maxGroup2ExprPerc = NULL,
  overwrite = FALSE,
  verbose = TRUE
)
```

```
runLimmaDE(
  inSCE,
  useAssay = "logcounts",
  useReducedDim = NULL,
  index1 = NULL,
  index2 = NULL,
  class = NULL,
  classGroup1 = NULL,
  classGroup2 = NULL,
  analysisName,
```

```
    groupName1,  
    groupName2,  
    covariates = NULL,  
    onlyPos = FALSE,  
    log2fcThreshold = NULL,  
    fdrThreshold = NULL,  
    minGroup1MeanExp = NULL,  
    maxGroup2MeanExp = NULL,  
    minGroup1ExprPerc = NULL,  
    maxGroup2ExprPerc = NULL,  
    overwrite = FALSE,  
    verbose = TRUE  
)  
  
runANOVA(  
  inSCE,  
  useAssay = "logcounts",  
  useReducedDim = NULL,  
  index1 = NULL,  
  index2 = NULL,  
  class = NULL,  
  classGroup1 = NULL,  
  classGroup2 = NULL,  
  analysisName,  
  groupName1,  
  groupName2,  
  covariates = NULL,  
  onlyPos = FALSE,  
  log2fcThreshold = NULL,  
  fdrThreshold = NULL,  
  minGroup1MeanExp = NULL,  
  maxGroup2MeanExp = NULL,  
  minGroup1ExprPerc = NULL,  
  maxGroup2ExprPerc = NULL,  
  overwrite = FALSE,  
  verbose = TRUE  
)  
  
runMAST(  
  inSCE,  
  useAssay = "logcounts",  
  useReducedDim = NULL,  
  index1 = NULL,  
  index2 = NULL,  
  class = NULL,  
  classGroup1 = NULL,  
  classGroup2 = NULL,  
  analysisName,  
  groupName1,  
  groupName2,  
  covariates = NULL,  
  onlyPos = FALSE,
```

```

    log2fcThreshold = NULL,
    fdrThreshold = NULL,
    minGroup1MeanExp = NULL,
    maxGroup2MeanExp = NULL,
    minGroup1ExprPerc = NULL,
    maxGroup2ExprPerc = NULL,
    overwrite = FALSE,
    check_sanity = TRUE,
    verbose = TRUE
)

runWilcox(
  inSCE,
  useAssay = "logcounts",
  useReducedDim = NULL,
  index1 = NULL,
  index2 = NULL,
  class = "cluster",
  classGroup1 = c(1),
  classGroup2 = c(2),
  analysisName = "cluster1_VS_2",
  groupName1 = "cluster1",
  groupName2 = "cluster2",
  covariates = NULL,
  onlyPos = FALSE,
  log2fcThreshold = NULL,
  fdrThreshold = NULL,
  minGroup1MeanExp = NULL,
  maxGroup2MeanExp = NULL,
  minGroup1ExprPerc = NULL,
  maxGroup2ExprPerc = NULL,
  overwrite = FALSE,
  verbose = TRUE
)

```

## Arguments

|               |                                                                                                                                                                                                                                                                                |
|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE         | <a href="#">SingleCellExperiment</a> inherited object.                                                                                                                                                                                                                         |
| method        | Character. Specify which method to use when using runDEAnalysis(). Choose from "wilcox", "MAST", "DESeq2", "Limma", "ANOVA". Default "wilcox".                                                                                                                                 |
| ...           | Arguments to pass to specific methods when using the generic runDEAnalysis().                                                                                                                                                                                                  |
| useAssay      | character. A string specifying which assay to use for the DE regression. Ignored when useReducedDim is specified. Default "counts" for DESeq2, "logcounts" for other methods.                                                                                                  |
| useReducedDim | character. A string specifying which reducedDim to use for DE analysis. Will treat the dimensions as features. Default NULL.                                                                                                                                                   |
| index1        | Any type of indices that can subset a <a href="#">SingleCellExperiment</a> inherited object by cells. Specifies which cells are of interests. Default NULL.                                                                                                                    |
| index2        | Any type of indices that can subset a <a href="#">SingleCellExperiment</a> inherited object by cells. specifies the control group against those specified by index1. If NULL when using index specification, index1 cells will be compared with all other cells. Default NULL. |

|                   |                                                                                                                                                                                                                                                                                          |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| class             | A vector/factor with <code>ncol(inSCE)</code> elements, or a character scalar that specifies a column name of <code>colData(inSCE)</code> . Default "cluster".                                                                                                                           |
| classGroup1       | a vector specifying which "levels" given in <code>class</code> are of interests. Default <code>c(1)</code> .                                                                                                                                                                             |
| classGroup2       | a vector specifying which "levels" given in <code>class</code> is the control group against those specified by <code>classGroup1</code> . If NULL when using annotation specification, <code>classGroup1</code> cells will be compared with all other cells. Default <code>c(2)</code> . |
| analysisName      | A character scalar naming the DEG analysis. Default "cluster1_VS_2".                                                                                                                                                                                                                     |
| groupName1        | A character scalar naming the group of interests. Default "cluster1".                                                                                                                                                                                                                    |
| groupName2        | A character scalar naming the control group. Default "cluster2".                                                                                                                                                                                                                         |
| covariates        | A character vector of additional covariates to use when building the model. All covariates must exist in <code>names(colData(inSCE))</code> . Default NULL.                                                                                                                              |
| fullReduced       | Logical, DESeq2 only argument. Whether to apply LRT (Likelihood ratio test) with a 'full' model. Default TRUE.                                                                                                                                                                           |
| onlyPos           | Whether to only output DEG with positive <code>log2_FC</code> value. Default FALSE.                                                                                                                                                                                                      |
| log2fcThreshold   | Only out put DEGs with the absolute values of <code>log2FC</code> greater than this value. Default NULL.                                                                                                                                                                                 |
| fdrThreshold      | Only out put DEGs with FDR value less than this value. Default NULL.                                                                                                                                                                                                                     |
| minGroup1MeanExp  | Only out put DEGs with mean expression in <code>group1</code> greater then this value. Default NULL.                                                                                                                                                                                     |
| maxGroup2MeanExp  | Only out put DEGs with mean expression in <code>group2</code> less then this value. Default NULL.                                                                                                                                                                                        |
| minGroup1ExprPerc | Only out put DEGs expressed in greater then this fraction of cells in <code>group1</code> . Default NULL.                                                                                                                                                                                |
| maxGroup2ExprPerc | Only out put DEGs expressed in less then this fraction of cells in <code>group2</code> . Default NULL.                                                                                                                                                                                   |
| overwrite         | A logical scalar. Whether to overwrite result if exists. Default FALSE.                                                                                                                                                                                                                  |
| verbose           | A logical scalar. Whether to show messages. Default TRUE.                                                                                                                                                                                                                                |
| check_sanity      | Logical, MAST only argument. Whether to perform MAST's sanity check to see if the counts are logged. Default TRUE.                                                                                                                                                                       |

## Details

SCTK provides Limma, MAST, DESeq2, ANOVA and Wilcoxon test for differential expression analysis, where DESeq2 expects non-negative integer assay input while others expect logcounts.

Condition specification allows two methods: 1. Index level selection. Only use arguments `index1` and `index2`. 2. Annotation level selection. Only use arguments `class`, `classGroup1` and `classGroup2`.

## Value

The input [SingleCellExperiment](#) object, where `metadata(inSCE)$diffExp` is updated with a list named by `analysisName`, with elements of:

`$groupNames`      the naming of the two conditions

```

$useAssay, $useReducedDim
                        the matrix name that was used for calculation
$select                 the cell selection indices (logical) for each condition
$result                 a data.frame of the DEGs table
$method                 the method used

```

### See Also

See [plotDEGHeatmap](#), [plotDEGRegression](#), [plotDEGViolin](#) and [plotDEGVolcano](#) for visualization method after running DE analysis.

### Examples

```

data(scExample, package = "singleCellTK")
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
sce <- scatterlogNormCounts(sce, assayName = "logcounts")
sce <- runDEAnalysis(method = "Limma", inSCE = sce, groupName1 = "group1",
  groupName2 = "group2", index1 = seq(20), index2 = seq(21,40),
  analysisName = "Limma")

```

---

runDecontX

*Detecting contamination with DecontX.*


---

### Description

A wrapper function for [decontX](#). Identify potential contamination from experimental factors such as ambient RNA.

### Usage

```

runDecontX(
  inSCE,
  sample = NULL,
  useAssay = "counts",
  background = NULL,
  bgAssayName = NULL,
  bgBatch = NULL,
  z = NULL,
  maxIter = 500,
  delta = c(10, 10),
  estimateDelta = TRUE,
  convergence = 0.001,
  iterLogLik = 10,
  varGenes = 5000,
  dbscanEps = 1,
  seed = 12345,
  logfile = NULL,
  verbose = TRUE
)

```

**Arguments**

|               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE         | A <a href="#">SingleCellExperiment</a> object.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| sample        | A single character specifying a name that can be found in <code>colData(inSCE)</code> to directly use the cell annotation; or a character vector with as many elements as cells to indicate which sample each cell belongs to. Default NULL. <a href="#">decontX</a> will be run on cells from each sample separately.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| useAssay      | A string specifying which assay in the SCE to use. Default 'counts'.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| background    | A <a href="#">SingleCellExperiment</a> with the matrix located in the assay slot under <code>bgAssayName</code> . It should have the same structure as <code>inSCE</code> except it contains the matrix of empty droplets instead of cells. When supplied, empirical distribution of transcripts from these empty droplets will be used as the contamination distribution. Default NULL.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| bgAssayName   | Character. Name of the assay to use if background is a <a href="#">SingleCellExperiment</a> . If NULL, the function will use the same value as <code>useAssay</code> . Default is NULL.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| bgBatch       | Batch labels for background. If background is a <a href="#">SingleCellExperiment</a> object, this can be a single character specifying a name that can be found in <code>colData(background)</code> to directly use the barcode annotation; or a numeric / character vector that has as many elements as barcodes to indicate which sample each barcode belongs to. Its unique values should be the same as those in <code>sample</code> , such that each batch of cells have their corresponding batch of empty droplets as background, pointed by this parameter. Default to NULL.                                                                                                                                                                                                                                                                                                                                                            |
| z             | Numeric or character vector. Cell cluster labels. If NULL, PCA will be used to reduce the dimensionality of the dataset initially, ' <a href="#">umap</a> ' from the ' <a href="#">uwot</a> ' package will be used to further reduce the dataset to 2 dimensions and the ' <a href="#">dbscan</a> ' function from the ' <a href="#">dbscan</a> ' package will be used to identify clusters of broad cell types. Default NULL.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| maxIter       | Integer. Maximum iterations of the EM algorithm. Default 500.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| delta         | Numeric Vector of length 2. Concentration parameters for the Dirichlet prior for the contamination in each cell. The first element is the prior for the native counts while the second element is the prior for the contamination counts. These essentially act as pseudocounts for the native and contamination in each cell. If <code>estimateDelta = TRUE</code> , this is only used to produce a random sample of proportions for an initial value of contamination in each cell. Then <a href="#">fit_dirichlet</a> is used to update delta in each iteration. If <code>estimateDelta = FALSE</code> , then delta is fixed with these values for the entire inference procedure. Fixing delta and setting a high number in the second element will force <code>decontX</code> to be more aggressive and estimate higher levels of contamination at the expense of potentially removing native expression. Default <code>c(10, 10)</code> . |
| estimateDelta | Boolean. Whether to update delta at each iteration.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| convergence   | Numeric. The EM algorithm will be stopped if the maximum difference in the contamination estimates between the previous and current iterations is less than this. Default 0.001.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| iterLogLik    | Integer. Calculate log likelihood every <code>iterLogLik</code> iteration. Default 10.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| varGenes      | Integer. The number of variable genes to use in dimensionality reduction before clustering. Variability is calculated using <a href="#">modelGeneVar</a> function from the ' <a href="#">scrn</a> ' package. Used only when <code>z</code> is not provided. Default 5000.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| dbscanEps     | Numeric. The clustering resolution parameter used in ' <a href="#">dbscan</a> ' to estimate broad cell clusters. Used only when <code>z</code> is not provided. Default 1.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

|         |                                                                                                                                                                |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| seed    | Integer. Passed to <a href="#">with_seed</a> . For reproducibility, a default value of 12345 is used. If NULL, no calls to <a href="#">with_seed</a> are made. |
| logfile | Character. Messages will be redirected to a file named 'logfile'. If NULL, messages will be printed to stdout. Default NULL.                                   |
| verbose | Logical. Whether to print log messages. Default TRUE.                                                                                                          |

### Value

A [SingleCellExperiment](#) object with 'decontX\_Contamination' and 'decontX\_Clusters' added to the [colData](#) slot. Additionally, the decontaminated counts will be added as an assay called 'decontXCounts'.

### Examples

```
data(scExample, package = "singleCellTK")
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
sce <- runDecontX(sce[, sample(ncol(sce), 20)])
```

---

|              |                                                                      |
|--------------|----------------------------------------------------------------------|
| runDimReduce | <i>Generic Wrapper function for running dimensionality reduction</i> |
|--------------|----------------------------------------------------------------------|

---

### Description

Generic Wrapper function for running dimensionality reduction

### Usage

```
runDimReduce(
  inSCE,
  method = c("scaterPCA", "seuratPCA", "seuratICA", "scanpyPCA", "rTSNE", "seuratTSNE",
    "scaterUMAP", "seuratUMAP", "scanpyUMAP", "scanpyTSNE"),
  useAssay = NULL,
  useReducedDim = NULL,
  useAltExp = NULL,
  reducedDimName = method,
  nComponents = 20,
  useFeatureSubset = NULL,
  scale = FALSE,
  seed = 12345,
  ...
)
```

### Arguments

|               |                                                                                                                                                |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE         | Input <a href="#">SingleCellExperiment</a> object.                                                                                             |
| method        | One from "scaterPCA", "seuratPCA", "seuratICA", "rTSNE", "seuratTSNE", "scaterUMAP", "seuratUMAP", "scanpyPCA", "scanpyUMAP" and "scanpyTSNE". |
| useAssay      | Assay to use for computation. If useAltExp is specified, useAssay has to exist in assays(altExp(inSCE, useAltExp)). Default "counts".          |
| useReducedDim | The low dimension representation to use for embedding computation. Default NULL.                                                               |

|                  |                                                                                                                                                                                                                  |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| useAltExp        | The subset to use for computation, usually for the selected variable features. Default NULL.                                                                                                                     |
| reducedDimName   | The name of the result matrix. Required.                                                                                                                                                                         |
| nComponents      | Specify the number of dimensions to compute with the selected method in case of PCA/ICA and the number of components to use in the case of TSNE/UMAP methods.                                                    |
| useFeatureSubset | Subset of feature to use for dimension reduction. A character string indicating a rowData variable that stores the logical vector of HVG selection, or a vector that can subset the rows of inSCE. Default NULL. |
| scale            | Logical scalar, whether to standardize the expression values. Default TRUE.                                                                                                                                      |
| seed             | Random seed for reproducibility of results. Default NULL will use global seed in use by the R environment.                                                                                                       |
| ...              | The other arguments for running a specific algorithm. Please refer to the one you use.                                                                                                                           |

### Details

Wrapper function to run one of the available dimensionality reduction algorithms integrated within SCTK from [scaterPCA](#), [runSeuratPCA](#), [runSeuratICA](#), [runTSNE](#), [runSeuratTSNE](#), [runUMAP](#) and [runSeuratUMAP](#). Users can use an assay by specifying useAssay, use the assay in an altExp by specifying both useAltExp and useAssay, or use a low-dimensionality representation by specifying useReducedDim.

### Value

The input [SingleCellExperiment](#) object with reducedDim updated with the result.

### Examples

```
data(scExample, package = "singleCellTK")
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
sce <- runNormalization(sce, useAssay = "counts",
                        outAssayName = "logcounts",
                        normalizationMethod = "logNormCounts")
sce <- runDimReduce(inSCE = sce, method = "scaterPCA",
                   useAssay = "logcounts", scale = TRUE,
                   reducedDimName = "PCA")
```

---

|                  |                                                                  |
|------------------|------------------------------------------------------------------|
| runDoubletFinder | <i>Generates a doublet score for each cell via doubletFinder</i> |
|------------------|------------------------------------------------------------------|

---

### Description

Uses doubletFinder to determine cells within the dataset suspected to be doublets.

**Usage**

```
runDoubletFinder(
  inSCE,
  sample = NULL,
  useAssay = "counts",
  seed = 12345,
  seuratNfeatures = 2000,
  seuratPcs = seq(15),
  seuratRes = 1.5,
  sct = FALSE,
  formationRate = 0.075,
  nCores = NULL,
  verbose = FALSE
)
```

**Arguments**

|                 |                                                                                                                                          |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE           | inSCE A <a href="#">SingleCellExperiment</a> object.                                                                                     |
| sample          | Character vector or colData variable name. Indicates which sample each cell belongs to. Default NULL.                                    |
| useAssay        | A string specifying which assay in the SCE to use. Default "counts".                                                                     |
| seed            | Seed for the random number generator, can be set to NULL. Default 12345.                                                                 |
| seuratNfeatures | Integer. Number of highly variable genes to use. Default 2000.                                                                           |
| seuratPcs       | Numeric vector. The PCs used in seurat function to determine number of clusters. Default 1:15.                                           |
| seuratRes       | Numeric vector. The resolution parameter used in Seurat, which adjusts the number of clusters determined via the algorithm. Default 1.5. |
| sct             | Whether or not to use SCT. Default FALSE.                                                                                                |
| formationRate   | Doublet formation rate used within algorithm. Default 0.075.                                                                             |
| nCores          | Number of cores used for running the function. Default NULL.                                                                             |
| verbose         | Boolean. Whether to print messages from Seurat and DoubletFinder. Default FALSE.                                                         |

**Value**

[SingleCellExperiment](#) object containing the doublet\_finder\_doublet\_score variable in colData slot.

**See Also**

[runCellQC](#), [plotDoubletFinderResults](#)

**Examples**

```
data(scExample, package = "singleCellTK")
options(future.globals.maxSize = 786432000)
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
sce <- runDoubletFinder(sce)
```

---

|              |                                         |
|--------------|-----------------------------------------|
| runDropletQC | <i>Perform comprehensive droplet QC</i> |
|--------------|-----------------------------------------|

---

## Description

A wrapper function to run several QC algorithms for determining empty droplets in single cell RNA-seq data

## Usage

```
runDropletQC(
  inSCE,
  algorithms = c("QCMetrics", "emptyDrops", "barcodeRanks"),
  sample = NULL,
  useAssay = "counts",
  paramsList = NULL
)
```

## Arguments

|            |                                                                                                                             |
|------------|-----------------------------------------------------------------------------------------------------------------------------|
| inSCE      | A <a href="#">SingleCellExperiment</a> object containing the full droplet count matrix                                      |
| algorithms | Character vector. Specify which QC algorithms to run. Available options are "emptyDrops" and "barcodeRanks".                |
| sample     | Character vector. Indicates which sample each cell belongs to. Algorithms will be run on cells from each sample separately. |
| useAssay   | A string specifying which assay contains the count matrix for droplets.                                                     |
| paramsList | A list containing parameters for QC functions. Default NULL.                                                                |

## Value

SingleCellExperiment object containing the outputs of the specified algorithms in the [colData](#) of inSCE.

## Examples

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runDropletQC(sce)

## End(Not run)
```

---

|               |                                                                  |
|---------------|------------------------------------------------------------------|
| runEmptyDrops | <i>Identify empty droplets using <a href="#">emptyDrops</a>.</i> |
|---------------|------------------------------------------------------------------|

---

## Description

Run [emptyDrops](#) on the count matrix in the provided [SingleCellExperiment](#) object. Distinguish between droplets containing cells and ambient RNA in a droplet-based single-cell RNA sequencing experiment.

## Usage

```
runEmptyDrops(
  inSCE,
  sample = NULL,
  useAssay = "counts",
  lower = 100,
  niters = 10000,
  testAmbient = FALSE,
  ignore = NULL,
  alpha = NULL,
  retain = NULL,
  barcodeArgs = list(),
  BPPARAM = BiocParallel::SerialParam()
)
```

## Arguments

|             |                                                                                                                          |
|-------------|--------------------------------------------------------------------------------------------------------------------------|
| inSCE       | A <a href="#">SingleCellExperiment</a> object. Must contain a raw counts matrix before empty droplets have been removed. |
| sample      | Character vector or colData variable name. Indicates which sample each cell belongs to. Default NULL.                    |
| useAssay    | A string specifying which assay in the SCE to use. Default "counts"                                                      |
| lower       | See <a href="#">emptyDrops</a> for more information. Default 100.                                                        |
| niters      | See <a href="#">emptyDrops</a> for more information. Default 10000.                                                      |
| testAmbient | See <a href="#">emptyDrops</a> for more information. Default FALSE.                                                      |
| ignore      | See <a href="#">emptyDrops</a> for more information. Default NULL.                                                       |
| alpha       | See <a href="#">emptyDrops</a> for more information. Default NULL.                                                       |
| retain      | See <a href="#">emptyDrops</a> for more information. Default NULL.                                                       |
| barcodeArgs | See <a href="#">emptyDrops</a> for more information. Default list().                                                     |
| BPPARAM     | See <a href="#">emptyDrops</a> for more information. Default BiocParallel::SerialParam().                                |

## Value

A [SingleCellExperiment](#) object with the [emptyDrops](#) output table appended to the [colData](#) slot. The columns include emptyDrops\_total, emptyDrops\_logprob, emptyDrops\_pvalue, emptyDrops\_limited, emptyDrops\_fdr. Please refer to the documentation of [emptyDrops](#) for details.

See Also

[runDropletQC](#), [plotEmptyDropsResults](#), [plotEmptyDropsScatter](#)

Examples

```
data(scExample, package = "singleCellTK")
sce <- runEmptyDrops(inSCE = sce)
```

---

|            |                                  |
|------------|----------------------------------|
| runEnrichR | <i>Run EnrichR on SCE object</i> |
|------------|----------------------------------|

---

Description

Run EnrichR on SCE object

Usage

```
runEnrichR(
  inSCE,
  features,
  analysisName,
  db = NULL,
  by = "rownames",
  featureName = NULL
)
```

Arguments

|              |                                                                                                                                                                                                                                                             |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE        | A <a href="#">SingleCellExperiment</a> object.                                                                                                                                                                                                              |
| features     | Character vector, selected genes for enrichment analysis.                                                                                                                                                                                                   |
| analysisName | A string that identifies each specific analysis.                                                                                                                                                                                                            |
| db           | Character vector. Selected database name(s) from the enrichR database list. If NULL then EnrichR will be run on all the available databases on the enrichR database. See details. Default NULL                                                              |
| by           | Character. From where should we find the features? "rownames" for from rownames(inSCE), otherwise, from a column of feature metadata (rowData(inSCE)[[by]]). See details. Default "rownames".                                                               |
| featureName  | Character. Indicates the actual feature identifiers to be passed to EnrichR. Can be "rownames", a column in feature metadata (rowData(inSCE)[[featureName]]), or a character vector with its length equals to nrow(inSCE). See details. Default "rownames". |

Details

EnrichR works by querying the specified features to its online databases, thus it requires the Internet connection.

Available db options could be shown by running `enrichR::listEnrichrDbs()$libraryName`

This function checks for the existence of features in the SCE object. When features do not have a match in `rownames(inSCE)`, users may try to specify `by` to pass the check.

EnrichR expects gene symbols/names as the input (i.e. Ensembl ID might not work). When specified features are not qualified for this, users may try to specify `featureName` to change the identifier type to pass to EnrichR.

### Value

Updates `inSCE` metadata with a data.frame of enrichment terms overlapping in the respective databases along with p-values, z-scores etc.

### See Also

[getEnrichRResult](#)

### Examples

```
data("mouseBrainSubsetSCE")
if (Biobase::testBioCConnection()) {
  mouseBrainSubsetSCE <- runEnrichR(mouseBrainSubsetSCE, features = c("Vamp7", "Cntn2", "Olig1"),
                                     db = "GO_Cellular_Component_2025",
                                     analysisName = "analysis1")
}
```

---

runFastMNN

*Apply a fast version of the mutual nearest neighbors (MNN) batch effect correction method to SingleCellExperiment object*

---

### Description

fastMNN is a variant of the classic MNN method, modified for speed and more robust performance. For introduction of MNN, see [runMNNCorrect](#).

### Usage

```
runFastMNN(
  inSCE,
  useAssay = "logcounts",
  useReducedDim = NULL,
  batch = "batch",
  reducedDimName = "fastMNN",
  k = 20,
  propK = NULL,
  ndist = 3,
  minBatchSkip = 0,
  cosNorm = TRUE,
  nComponents = 50,
  weights = NULL,
  BPPARAM = BiocParallel::SerialParam()
)
```

**Arguments**

|                |                                                                                                                                                                             |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE          | Input <a href="#">SingleCellExperiment</a> object                                                                                                                           |
| useAssay       | A single character indicating the name of the assay requiring batch correction. Default "logcounts".                                                                        |
| useReducedDim  | A single character indicating the dimension reduction used for batch correction. Will ignore useAssay when using. Default NULL.                                             |
| batch          | A single character indicating a field in colData that annotates the batches of each cell; or a vector/factor with the same length as the number of cells. Default "batch".  |
| reducedDimName | A single character. The name for the corrected low-dimensional representation. Default "fastMNN".                                                                           |
| k              | An integer scalar specifying the number of nearest neighbors to consider when identifying MNNs. See "See Also". Default 20.                                                 |
| propK          | A numeric scalar in (0, 1) specifying the proportion of cells in each dataset to use for mutual nearest neighbor searching. See "See Also". Default NULL.                   |
| ndist          | A numeric scalar specifying the threshold beyond which neighbours are to be ignored when computing correction vectors. See "See Also". Default 3.                           |
| minBatchSkip   | Numeric scalar specifying the minimum relative magnitude of the batch effect, below which no correction will be performed at a given merge step. See "See Also". Default 0. |
| cosNorm        | A logical scalar indicating whether cosine normalization should be performed on useAssay prior to PCA. See "See Also". Default TRUE.                                        |
| nComponents    | An integer scalar specifying the number of dimensions to produce. See "See Also". Default 50.                                                                               |
| weights        | The weighting scheme to use. Passed to <a href="#">multiBatchPCA</a> . Default NULL.                                                                                        |
| BPPARAM        | A <a href="#">BiocParallelParam</a> object specifying whether the SVD should be parallelized.                                                                               |

**Value**

The input [SingleCellExperiment](#) object with reducedDim(inSCE, reducedDimName) updated.

**References**

Lun ATL, et al., 2016

**See Also**

[fastMNN](#) for using useAssay, and [reducedMNN](#) for using useReducedDim

**Examples**

```
data('sceBatches', package = 'singleCellTK')
logcounts(sceBatches) <- log1p(counts(sceBatches))
sceCorr <- runFastMNN(sceBatches, useAssay = 'logcounts')
```



---

|               |                                                  |
|---------------|--------------------------------------------------|
| runFindMarker | <i>Find the marker gene set for each cluster</i> |
|---------------|--------------------------------------------------|

---

## Description

With an input `SingleCellExperiment` object and specifying the clustering labels, this function iteratively call the differential expression analysis on each cluster against all the others. `runFindMarker` will be deprecated in the future.

## Usage

```
runFindMarker(
  inSCE,
  useAssay = "logcounts",
  useReducedDim = NULL,
  method = "wilcox",
  cluster = "cluster",
  covariates = NULL,
  log2fcThreshold = NULL,
  fdrThreshold = 0.05,
  minClustExprPerc = NULL,
  maxCtrlExprPerc = NULL,
  minMeanExpr = NULL,
  detectThresh = 0
)

findMarkerDiffExp(
  inSCE,
  useAssay = "logcounts",
  useReducedDim = NULL,
  method = c("wilcox", "MAST", "DESeq2", "Limma", "ANOVA"),
  cluster = "cluster",
  covariates = NULL,
  log2fcThreshold = NULL,
  fdrThreshold = 0.05,
  minClustExprPerc = NULL,
  maxCtrlExprPerc = NULL,
  minMeanExpr = NULL,
  detectThresh = 0
)
```

## Arguments

|                            |                                                                                                                                                          |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>inSCE</code>         | <code>SingleCellExperiment</code> inherited object.                                                                                                      |
| <code>useAssay</code>      | character. A string specifying which assay to use for the MAST calculations. Default "logcounts".                                                        |
| <code>useReducedDim</code> | character. A string specifying which reducedDim to use for MAST calculations. Set useAssay to NULL when using. Required.                                 |
| <code>method</code>        | A single character for specific differential expression analysis method. Choose from 'wilcox', 'MAST', 'DESeq2', 'Limma', and 'ANOVA'. Default "wilcox". |



runGSVA

*Run GSVA analysis on a [SingleCellExperiment](#) object***Description**

Run GSVA analysis on a [SingleCellExperiment](#) object

**Usage**

```
runGSVA(
  inSCE,
  useAssay = "logcounts",
  resultNamePrefix = NULL,
  geneSetCollectionName,
  ...
)
```

**Arguments**

|                       |                                                                                                                                                                                                                                                                       |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE                 | Input <a href="#">SingleCellExperiment</a> object.                                                                                                                                                                                                                    |
| useAssay              | Indicate which assay to use. The default is "logcounts"                                                                                                                                                                                                               |
| resultNamePrefix      | Character. Prefix to the name the GSVA results which will be stored in the reducedDim slot of inSCE. The names of the output matrix will be resultNamePrefix_Scores. If this parameter is set to NULL, then "GSVA_geneSetCollectionName_" will be used. Default NULL. |
| geneSetCollectionName | Character. The name of the gene set collection to use.                                                                                                                                                                                                                |
| ...                   | Parameters to pass to gsva()                                                                                                                                                                                                                                          |

**Value**

A [SingleCellExperiment](#) object with pathway activity scores from GSVA stored in reducedDim as GSVA\_geneSetCollectionName\_Scores.

**Examples**

```
data(scExample, package = "singleCellTK")
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
sce <- scaterlogNormCounts(sce, assayName = "logcounts")
gs1 <- rownames(sce)[seq(10)]
gs2 <- rownames(sce)[seq(11,20)]
gs <- list("geneset1" = gs1, "geneset2" = gs2)

sce <- importGeneSetsFromList(inSCE = sce, geneSetList = gs,
                             by = "rownames")

sce <- runGSVA(inSCE = sce,
               geneSetCollectionName = "GeneSetCollection",
               useAssay = "logcounts")
```

---

|            |                                                                                    |
|------------|------------------------------------------------------------------------------------|
| runHarmony | <i>Apply Harmony batch effect correction method to SingleCellExperiment object</i> |
|------------|------------------------------------------------------------------------------------|

---

## Description

Harmony is an algorithm that projects cells into a shared embedding in which cells group by cell type rather than dataset-specific conditions.

## Usage

```
runHarmony(
  inSCE,
  useAssay = NULL,
  useReducedDim = NULL,
  batch = "batch",
  reducedDimName = "HARMONY",
  nComponents = 50,
  lambda = 0.1,
  theta = 5,
  sigma = 0.1,
  nIter = 10,
  seed = 12345,
  verbose = TRUE,
  ...
)
```

## Arguments

|                |                                                                                                                                                                                                                                                                     |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE          | Input <a href="#">SingleCellExperiment</a> object                                                                                                                                                                                                                   |
| useAssay       | A single character indicating the name of the assay requiring batch correction. Default NULL. It is recommended to use a reducedDim such as PCA through the 'useReducedDim' parameter of this function.                                                             |
| useReducedDim  | A single character indicating the name of the reducedDim to be used. It is recommended to use a reducedDim instead of a full assay as using an assay might cause the algorithm to not converge and throw error. Specifying this will ignore useAssay. Default NULL. |
| batch          | A single character indicating a field in colData that annotates the batches of each cell; or a vector/factor with the same length as the number of cells. Default "batch".                                                                                          |
| reducedDimName | A single character. The name for the corrected low-dimensional representation. Will be saved to reducedDim(inSCE). Default "HARMONY".                                                                                                                               |
| nComponents    | An integer. The number of PCs to use and generate. Default 50.                                                                                                                                                                                                      |
| lambda         | A Numeric scalar. Ridge regression penalty parameter. Must be strictly positive. Smaller values result in more aggressive correction. Default 0.1.                                                                                                                  |
| theta          | A Numeric scalar. Diversity clustering penalty parameter. Larger values of theta result in more diverse clusters. theta=0 does not encourage any diversity. Default 5.                                                                                              |

|         |                                                                                                                                                                                                            |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| sigma   | A Numeric scalar. Width of soft kmeans clusters. Larger values of sigma result in cells assigned to more clusters. Smaller values of sigma make soft kmeans cluster approach hard clustering. Default 0.1. |
| nIter   | An integer. The max number of iterations to perform. Default 10L.                                                                                                                                          |
| seed    | Set seed for reproducibility. Default is 12345.                                                                                                                                                            |
| verbose | Whether to print progress messages. Default TRUE.                                                                                                                                                          |
| ...     | Other arguments passed to <a href="#">HarmonyMatrix</a> . See details.                                                                                                                                     |

### Details

Since some of the arguments of [HarmonyMatrix](#) is controlled by this wrapper function. The additional arguments users can work with only include: `nclust`, `tau`, `block.size`, `max.iter.cluster`, `epsilon.cluster`, `epsilon.harmony`, `plot.convergence`, `reference.values` and `cluster.prior`.

### Value

The input [SingleCellExperiment](#) object with `reducedDim(inSCE, reducedDimName)` updated.

### References

Ilya Korsunsky, et al., 2019

### Examples

```
data('sceBatches', package = 'singleCellTK')
logcounts(sceBatches) <- log1p(counts(sceBatches))
## Not run:
if (require("harmony"))
  sceCorr <- runHarmony(sceBatches)

## End(Not run)
```

---

runKMeans

*Get clustering with KMeans*


---

### Description

Perform KMeans clustering on a [SingleCellExperiment](#) object, with [kmeans](#).

### Usage

```
runKMeans(
  inSCE,
  nCenters,
  useReducedDim = "PCA",
  clusterName = "KMeans_cluster",
  nComp = 10,
  nIter = 10,
  nStart = 1,
  seed = 12345,
  algorithm = c("Hartigan-Wong", "Lloyd", "MacQueen")
)
```

**Arguments**

|               |                                                                                                                           |
|---------------|---------------------------------------------------------------------------------------------------------------------------|
| inSCE         | A <a href="#">SingleCellExperiment</a> object.                                                                            |
| nCenters      | An integer, the number of centroids (clusters).                                                                           |
| useReducedDim | A single character, specifying which low-dimension representation to perform the clustering algorithm on. Default "PCA".  |
| clusterName   | A single character, specifying the name to store the cluster label in <a href="#">colData</a> . Default "KMeans_cluster". |
| nComp         | An integer. The number of components to use for K-Means. Default 10. See Detail.                                          |
| nIter         | An integer, the maximum number of iterations allowed. Default 10.                                                         |
| nStart        | An integer, the number of random sets to choose. Default 1.                                                               |
| seed          | An integer. The seed for the random number generator. Default 12345.                                                      |
| algorithm     | A single character. Choose from "Hartigan-Wong", "Lloyd", "MacQueen". May be abbreviated. Default "Hartigan-Wong".        |

**Value**

The input [SingleCellExperiment](#) object with factor cluster labeling updated in `colData(inSCE)[[clusterName]]`.

**Examples**

```
data("mouseBrainSubsetSCE")
mouseBrainSubsetSCE <- runKMeans(mouseBrainSubsetSCE,
                                useReducedDim = "PCA_logcounts",
                                nCenters = 2)
```

---

|            |                                                                                    |
|------------|------------------------------------------------------------------------------------|
| runLimmaBC | <i>Apply Limma's batch effect correction method to SingleCellExperiment object</i> |
|------------|------------------------------------------------------------------------------------|

---

**Description**

Limma's batch effect removal function fits a linear model to the data, then removes the component due to the batch effects.

**Usage**

```
runLimmaBC(inSCE, useAssay = "logcounts", assayName = "LIMMA", batch = "batch")
```

**Arguments**

|           |                                                                                                                                                                                         |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE     | Input <a href="#">SingleCellExperiment</a> object                                                                                                                                       |
| useAssay  | A single character indicating the name of the assay requiring batch correction. Default "logcounts".                                                                                    |
| assayName | A single character. The name for the corrected assay. Will be saved to <a href="#">assay</a> . Default "LIMMA".                                                                         |
| batch     | A single character indicating a field in <code>colData</code> that annotates the batches of each cell; or a vector/factor with the same length as the number of cells. Default "batch". |

**Value**

The input [SingleCellExperiment](#) object with assay(inSCE, assayName) updated.

**References**

Gordon K Smyth, et al., 2003

**Examples**

```
data('sceBatches', package = 'singleCellTK')
logcounts(sceBatches) <- log1p(counts(sceBatches))
sceCorr <- runLimmaBC(sceBatches)
```

---

|               |                                                                                                               |
|---------------|---------------------------------------------------------------------------------------------------------------|
| runMNNCorrect | <i>Apply the mutual nearest neighbors (MNN) batch effect correction method to SingleCellExperiment object</i> |
|---------------|---------------------------------------------------------------------------------------------------------------|

---

**Description**

MNN is designed for batch correction of single-cell RNA-seq data where the batches are partially confounded with biological conditions of interest. It does so by identifying pairs of MNN in the high-dimensional log-expression space. For each MNN pair, a pairwise correction vector is computed by applying a Gaussian smoothing kernel with bandwidth 'sigma'.

**Usage**

```
runMNNCorrect(
  inSCE,
  useAssay = "logcounts",
  batch = "batch",
  assayName = "MNN",
  k = 20L,
  propK = NULL,
  sigma = 0.1,
  cosNormIn = TRUE,
  cosNormOut = TRUE,
  varAdj = TRUE,
  BPPARAM = BiocParallel::SerialParam()
)
```

**Arguments**

|           |                                                                                                                                                                            |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE     | Input <a href="#">SingleCellExperiment</a> object                                                                                                                          |
| useAssay  | A single character indicating the name of the assay requiring batch correction. Default "logcounts".                                                                       |
| batch     | A single character indicating a field in colData that annotates the batches of each cell; or a vector/factor with the same length as the number of cells. Default "batch". |
| assayName | A single character. The name for the corrected assay. Will be saved to <a href="#">assay</a> . Default "MNN".                                                              |

|            |                                                                                                                                                                            |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| k          | An integer scalar specifying the number of nearest neighbors to consider when identifying MNNs. See "See Also". Default 20.                                                |
| propK      | A numeric scalar in (0, 1) specifying the proportion of cells in each dataset to use for mutual nearest neighbor searching. See "See Also". Default NULL.                  |
| sigma      | A numeric scalar specifying the bandwidth of the Gaussian smoothing kernel used to compute the correction vector for each cell. See "See Also". Default 0.1.               |
| cosNormIn  | A logical scalar indicating whether cosine normalization should be performed on the input data prior to calculating distances between cells. See "See Also". Default TRUE. |
| cosNormOut | A logical scalar indicating whether cosine normalization should be performed prior to computing corrected expression values. See "See Also". Default TRUE.                 |
| varAdj     | A logical scalar indicating whether variance adjustment should be performed on the correction vectors. See "See Also". Default TRUE.                                       |
| BPPARAM    | A <a href="#">BiocParallelParam</a> object specifying whether the PCA and nearest-neighbor searches should be parallelized.                                                |

### Value

The input [SingleCellExperiment](#) object with `assay(inSCE, assayName)` updated.

### References

Haghverdi L, Lun ATL, et. al., 2018

### See Also

[mnnCorrect](#)

### Examples

```
data('sceBatches', package = 'singleCellTK')
logcounts(sceBatches) <- log1p(counts(sceBatches))
sceCorr <- runMNNCorrect(sceBatches)
```

---

runModelGeneVar

*Calculate Variable Genes with Scrان modelGeneVar*

---

### Description

Generates and stores variability data in the input [SingleCellExperiment](#) object, using [modelGeneVar](#) method.

Also selects a specified number of top HVGs and store the logical selection in `rowData`.

### Usage

```
runModelGeneVar(inSCE, useAssay = "logcounts")
```

**Arguments**

|          |                                                                                                |
|----------|------------------------------------------------------------------------------------------------|
| inSCE    | A <a href="#">SingleCellExperiment</a> object                                                  |
| useAssay | A character string to specify an assay to compute variable features from. Default "logcounts". |

**Value**

inSCE updated with variable feature metrics in rowData

**Author(s)**

Irzam Sarfraz

**See Also**

[runFeatureSelection](#), [runSeuratFindHVG](#), [getTopHVG](#), [plotTopHVG](#)

**Examples**

```
data("scExample", package = "singleCellTK")
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
sce <- scaterlogNormCounts(sce, "logcounts")
sce <- runModelGeneVar(sce)
hvf <- getTopHVG(sce, method = "modelGeneVar", hvgNumber = 10,
  useFeatureSubset = NULL)
```

---

|                  |                                                              |
|------------------|--------------------------------------------------------------|
| runNormalization | <i>Run normalization/transformation with various methods</i> |
|------------------|--------------------------------------------------------------|

---

**Description**

Wrapper function to run any of the integrated normalization/transformation methods in the single-CellTK. The available methods include 'LogNormalize', 'CLR', 'RC' and 'SCTransform' from Seurat, 'logNormCounts' and 'CPM' from Scater. Additionally, users can 'scale' using Z.Score, 'transform' using log, log1p and sqrt, add 'pseudocounts' and trim the final matrices between a range of values.

**Usage**

```
runNormalization(
  inSCE,
  useAssay = "counts",
  outAssayName = "logcounts",
  normalizationMethod = "logNormCounts",
  scale = FALSE,
  seuratScaleFactor = 10000,
  transformation = NULL,
  pseudocountsBeforeNorm = NULL,
  pseudocountsBeforeTransform = NULL,
  trim = NULL,
  verbose = TRUE
)
```

**Arguments**

|                                          |                                                                                                                                                                                                                                                                                                                 |
|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>inSCE</code>                       | Input <code>SingleCellExperiment</code> object.                                                                                                                                                                                                                                                                 |
| <code>useAssay</code>                    | Specify the name of the assay that should be used.                                                                                                                                                                                                                                                              |
| <code>outAssayName</code>                | Specify the name of the new output assay.                                                                                                                                                                                                                                                                       |
| <code>normalizationMethod</code>         | Specify a normalization method from <code>'LogNormalize'</code> , <code>'CLR'</code> , <code>'RC'</code> and <code>'SC-Transform'</code> from Seurat or <code>'logNormCounts'</code> and <code>'CPM'</code> from scater packages. Default <code>NULL</code> is set which will not run any normalization method. |
| <code>scale</code>                       | Logical value indicating if the data should be scaled using Z.Score. Default <code>FALSE</code> .                                                                                                                                                                                                               |
| <code>seuratScaleFactor</code>           | Specify the <code>'scaleFactor'</code> argument if a Seurat normalization method is selected. Default is <code>10000</code> . This parameter will not be used if methods other than seurat are selected.                                                                                                        |
| <code>transformation</code>              | Specify the transformation options to run on the selected assay. Options include <code>'log2'</code> (base 2 log transformation), <code>'log1p'</code> (natural log + 1 transformation) and <code>'sqrt'</code> (square root). Default value is <code>NULL</code> , which will not run any transformation.      |
| <code>pseudocountsBeforeNorm</code>      | Specify a numeric pseudo value that should be added to the assay before normalization is performed. Default is <code>NULL</code> , which will not add any value.                                                                                                                                                |
| <code>pseudocountsBeforeTransform</code> | Specify a numeric pseudo value that should be added to the assay before transformation is run. Default is <code>NULL</code> , which will not add any value.                                                                                                                                                     |
| <code>trim</code>                        | Specify a vector of two numeric values that should be used as the upper and lower trim values to trim the assay between these two values. For example, <code>c(10, -10)</code> will trim the values between 10 and -10. Default is <code>NULL</code> , which will not trim the data assay.                      |
| <code>verbose</code>                     | Logical value indicating if progress messages should be displayed to the user. Default is <code>TRUE</code> .                                                                                                                                                                                                   |

**Value**

Output SCE object with new normalized/transformed assay stored.

**Examples**

```
data(sce_chcl, package = "scds")
sce_chcl <- runNormalization(
  inSCE = sce_chcl,
  normalizationMethod = "LogNormalize",
  useAssay = "counts",
  outAssayName = "logcounts")
```

runPerCellQC

*Wrapper for calculating QC metrics with scater.***Description**

A wrapper function for [addPerCellQC](#). Calculate general quality control metrics for each cell in the count matrix.

**Usage**

```
runPerCellQC(
  inSCE,
  useAssay = "counts",
  mitoGeneLocation = "rownames",
  mitoRef = c(NULL, "human", "mouse"),
  mitoIDType = c("ensembl", "symbol", "entrez", "ensemblTranscriptID"),
  mitoPrefix = "MT-",
  mitoID = NULL,
  collectionName = NULL,
  geneSetList = NULL,
  geneSetListLocation = "rownames",
  geneSetCollection = NULL,
  percent_top = c(50, 100, 200, 500),
  use_altexps = FALSE,
  flatten = TRUE,
  detectionLimit = 0,
  BPPARAM = BiocParallel::SerialParam()
)
```

**Arguments**

|                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE            | A <a href="#">SingleCellExperiment</a> object.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| useAssay         | A string specifying which assay in the SCE to use. Default "counts".                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| mitoGeneLocation | Character. Describes the location within inSCE where the gene identifiers in the mitochondrial gene sets should be located. If set to "rownames" then the features will be searched for among rownames(inSCE). This can also be set to one of the column names of rowData(inSCE) in which case the gene identifies will be mapped to that column in the rowData of inSCE. See <a href="#">featureIndex</a> for more information. If this parameter is set to NULL, then no mitochondrial metrics will be calculated. Default "rownames". |
| mitoRef          | Character. The species used to extract mitochondrial genes ID from build-in mitochondrial geneset in SCTK. Available species options are "human" and "mouse". Default is "human".                                                                                                                                                                                                                                                                                                                                                        |
| mitoIDType       | Character. Types of mitochondrial gene id. SCTK supports "symbol", "entrez", "ensembl" and "ensemblTranscriptID". It is used with mitoRef to extract mitochondrial genes from build-in mitochondrial geneset in SCTK. Default NULL.                                                                                                                                                                                                                                                                                                      |
| mitoPrefix       | Character. The prefix used to get mitochondrial gene from either rownames(inSCE) or columns of rowData(inSCE) specified by mitoGeneLocation. This parameter is usually used to extract mitochondrial genes from the gene symbol. For                                                                                                                                                                                                                                                                                                     |

|                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                  | example, <code>mitoPrefix = "^MT-"</code> can be used to detect mito gene symbols like "MT-ND4". Note that case is ignored so "mt-" will still match "MT-ND4". Default <code>"^MT-"</code> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <code>mitoID</code>              | Character. A vector of mitochondrial genes to be quantified.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <code>collectionName</code>      | Character. Name of a <code>GeneSetCollection</code> obtained by using one of the <code>importGeneSet*</code> functions. Default <code>NULL</code> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <code>geneSetList</code>         | List of gene sets to be quantified. The genes in the assays will be matched to the genes in the list based on <code>geneSetListLocation</code> . Default <code>NULL</code> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <code>geneSetListLocation</code> | Character or numeric vector. If set to <code>'rownames'</code> , then the genes in <code>geneSetList</code> will be looked up in <code>rownames(inSCE)</code> . If another character is supplied, then genes will be looked up in the column names of <code>rowData(inSCE)</code> . A character vector with the same length as <code>geneSetList</code> can be supplied if the IDs for different gene sets are found in different places, including a mixture of <code>'rownames'</code> and <code>rowData(inSCE)</code> . An integer or integer vector can be supplied to denote the column index in <code>rowData(inSCE)</code> . Default <code>'rownames'</code> . |
| <code>geneSetCollection</code>   | Class of <code>GeneSetCollection</code> from package <code>GSEABase</code> . The location of the gene IDs in <code>inSCE</code> should be in the description slot of each gene set and should follow the same notation as <code>geneSetListLocation</code> . The function <code>getGmt</code> can be used to read in gene sets from a GMT file. If reading a GMT file, the second column for each gene set should be the description denoting the location of the gene IDs in <code>inSCE</code> . These gene sets will be included with those from <code>geneSetList</code> if both parameters are provided.                                                         |
| <code>percent_top</code>         | An integer vector. Each element is treated as a number of top genes to compute the percentage of library size occupied by the most highly expressed genes in each cell. Default <code>c(50, 100, 200, 500)</code> .                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <code>use_altexps</code>         | Logical scalar indicating whether QC statistics should be computed for alternative Experiments in <code>inSCE</code> ( <code>altExps(inSCE)</code> ). If <code>TRUE</code> , statistics are computed for all alternative experiments. Alternatively, an integer or character vector specifying the alternative Experiments to use to compute QC statistics. Alternatively <code>NULL</code> , in which case alternative experiments are not used. Default <code>FALSE</code> .                                                                                                                                                                                        |
| <code>flatten</code>             | Logical scalar indicating whether the nested <a href="#">DataFrame-class</a> in the output should be flattened. Default <code>TRUE</code> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <code>detectionLimit</code>      | A numeric scalar specifying the lower detection limit for expression. Default <code>0</code>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <code>BPPARAM</code>             | A <a href="#">BiocParallelParam</a> object specifying whether the QC calculations should be parallelized. Default <code>BiocParallel::SerialParam()</code> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

## Details

This function allows multiple ways to import mitochondrial genes and quantify their expression in cells. `mitoGeneLocation` is required for all methods to point to the location within `inSCE` object that stores the mitochondrial gene IDs or Symbols. The various ways mito genes can be specified are:

- A combination of `mitoRef` and `mitoIDType` parameters can be used to load pre-built mitochondrial gene sets stored in the `SCTK` package. These parameters are used in the [importMitoGeneSet](#) function.
- The `mitoPrefix` parameter can be used to search for features matching a particular pattern. The default pattern is an "MT-" at the beginning of the ID.

- The `mitoID` parameter can be used to directly supply a vector of mitochondrial gene IDs or names. Only features that exactly match items in this vector will be included in the mitochondrial gene set.

### Value

A [SingleCellExperiment](#) object with cell QC metrics added to the `colData` slot.

### See Also

[addPerCellQC](#), [link{plotRunPerCellQCResults}](#), [runCellQC](#)

### Examples

```
data(scExample, package = "singleCellTK")
mito.ix = grep("^MT-", rowData(sce)$feature_name)
geneSet <- list("Mito"=rownames(sce)[mito.ix])
sce <- runPerCellQC(sce, geneSetList = geneSet)
```

---

|              |                                                                                                               |
|--------------|---------------------------------------------------------------------------------------------------------------|
| runSCANORAMA | <i>Apply the mutual nearest neighbors (MNN) batch effect correction method to SingleCellExperiment object</i> |
|--------------|---------------------------------------------------------------------------------------------------------------|

---

### Description

SCANORAMA is analogous to computer vision algorithms for panorama stitching that identify images with overlapping content and merge these into a larger panorama.

### Usage

```
runSCANORAMA(
  inSCE,
  useAssay = "logcounts",
  batch = "batch",
  assayName = "SCANORAMA",
  SIGMA = 15,
  ALPHA = 0.1,
  KNN = 20,
  approx = TRUE
)
```

### Arguments

|                       |                                                                                                                                                                                         |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>inSCE</code>    | Input <a href="#">SingleCellExperiment</a> object                                                                                                                                       |
| <code>useAssay</code> | A single character indicating the name of the assay requiring batch correction. Scanorama requires a transformed normalized expression assay. Default "logcounts".                      |
| <code>batch</code>    | A single character indicating a field in <code>colData</code> that annotates the batches of each cell; or a vector/factor with the same length as the number of cells. Default "batch". |

|           |                                                                                                                     |
|-----------|---------------------------------------------------------------------------------------------------------------------|
| assayName | A single character. The name for the corrected assay. Will be saved to <a href="#">assay</a> . Default "SCANORAMA". |
| SIGMA     | A numeric scalar. Algorithmic parameter, correction smoothing parameter on Gaussian kernel. Default 15.             |
| ALPHA     | A numeric scalar. Algorithmic parameter, alignment score minimum cutoff. Default 0.1.                               |
| KNN       | An integer. Algorithmic parameter, number of nearest neighbors to use for matching. Default 20.                     |
| approx    | Boolean. Use approximate nearest neighbors, greatly speeds up matching run-time. Default TRUE.                      |

### Value

The input [SingleCellExperiment](#) object with assay(inSCE, assayName) updated.

### References

Brian Hie et al, 2019

### Examples

```
## Not run:
data('sceBatches', package = 'singleCellTK')
logcounts(sceBatches) <- log1p(counts(sceBatches))
sceCorr <- runSCANORAMA(sceBatches, "ScaterLogNormCounts")

## End(Not run)
```

---

runScanpyFindClusters *runScanpyFindClusters Computes the clusters from the input sce object and stores them back in sce object*

---

### Description

runScanpyFindClusters Computes the clusters from the input sce object and stores them back in sce object

### Usage

```
runScanpyFindClusters(
  inSCE,
  useAssay = "scanpyScaledData",
  useReducedDim = "scanpyPCA",
  nNeighbors = 10,
  dims = 40,
  method = c("leiden", "louvain"),
  colDataName = NULL,
  resolution = 1,
  niterations = -1,
  flavor = "vtraag",
  use_weights = FALSE,
```

```

cor_method = "pearson",
inplace = TRUE,
externalReduction = NULL,
seed = 12345
)

```

### Arguments

|                   |                                                                                                                                                                                                                                                        |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE             | (sce) object from which clusters should be computed and stored in                                                                                                                                                                                      |
| useAssay          | Assay containing scaled counts to use for clustering.                                                                                                                                                                                                  |
| useReducedDim     | Reduction method to use for computing clusters. Default "scanpyPCA".                                                                                                                                                                                   |
| nNeighbors        | The size of local neighborhood (in terms of number of neighboring data points) used for manifold approximation. Larger values result in more global views of the manifold, while smaller values result in more local data being preserved. Default 10. |
| dims              | numeric value of how many components to use for computing clusters. Default 40.                                                                                                                                                                        |
| method            | selected method to compute clusters. One of "louvain", and "leiden". Default louvain.                                                                                                                                                                  |
| colDataName       | Specify the name to give to this clustering result. Default is NULL that will generate a meaningful name automatically.                                                                                                                                |
| resolution        | A parameter value controlling the coarseness of the clustering. Higher values lead to more clusters Default 1.                                                                                                                                         |
| niterations       | How many iterations of the Leiden clustering method to perform. Positive values above 2 define the total number of iterations to perform, -1 has the method run until it reaches its optimal clustering. Default -1.                                   |
| flavor            | Choose between to packages for computing the clustering. Default vtraag                                                                                                                                                                                |
| use_weights       | Boolean. Use weights from knn graph. Default FALSE                                                                                                                                                                                                     |
| cor_method        | correlation method to use. Options are 'pearson', 'kendall', and 'spearman'. Default pearson.                                                                                                                                                          |
| inplace           | If True, adds dendrogram information to annData object, else this function returns the information. Default TRUE                                                                                                                                       |
| externalReduction | Pass DimReduce object if PCA computed through other libraries. Default NULL.                                                                                                                                                                           |
| seed              | Specify numeric value to set as a seed. Default 12345.                                                                                                                                                                                                 |

### Value

Updated sce object which now contains the computed clusters

### Examples

```

data(scExample, package = "singleCellTK")
## Not run:
sce <- runScanpyNormalizeData(sce, useAssay = "counts")
sce <- runScanpyFindHVG(sce, useAssay = "scanpyNormData", method = "seurat")
sce <- runScanpyScaleData(sce, useAssay = "scanpyNormData")
sce <- runScanpyPCA(sce, useAssay = "scanpyScaledData")
sce <- runScanpyFindClusters(sce, useReducedDim = "scanpyPCA")

## End(Not run)

```

---

|                  |                                                                                      |
|------------------|--------------------------------------------------------------------------------------|
| runScanpyFindHVG | <i>runScanpyFindHVG Find highly variable genes and store in the input sce object</i> |
|------------------|--------------------------------------------------------------------------------------|

---

## Description

runScanpyFindHVG Find highly variable genes and store in the input sce object

## Usage

```
runScanpyFindHVG(
  inSCE,
  useAssay = "scanpyNormData",
  method = c("seurat", "cell_ranger", "seurat_v3"),
  altExpName = "featureSubset",
  altExp = FALSE,
  hvgNumber = 2000,
  minMean = 0.0125,
  maxMean = 3,
  minDisp = 0.5,
  maxDisp = Inf
)
```

## Arguments

|            |                                                                                                                                                                                         |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE      | (sce) object to compute highly variable genes from and to store back to it                                                                                                              |
| useAssay   | Specify the name of the assay to use for computation of variable genes. It is recommended to use log normalized data, except when flavor='seurat_v3', in which counts data is expected. |
| method     | selected method to use for computation of highly variable genes. One of 'seurat', 'cell_ranger', or 'seurat_v3'. Default "seurat".                                                      |
| altExpName | Character. Name of the alternative experiment object to add if returnAsAltExp = TRUE. Default featureSubset.                                                                            |
| altExp     | Logical value indicating if the input object is an altExperiment. Default FALSE.                                                                                                        |
| hvgNumber  | numeric value of how many genes to select as highly variable. Default 2000                                                                                                              |
| minMean    | If n_top_genes unequals None, this and all other cutoffs for the means and the normalized dispersions are ignored. Ignored if flavor='seurat_v3'. Default 0.0125                        |
| maxMean    | If n_top_genes unequals None, this and all other cutoffs for the means and the normalized dispersions are ignored. Ignored if flavor='seurat_v3'. Default 3                             |
| minDisp    | If n_top_genes unequals None, this and all other cutoffs for the means and the normalized dispersions are ignored. Ignored if flavor='seurat_v3'. Default 0.5                           |
| maxDisp    | If n_top_genes unequals None, this and all other cutoffs for the means and the normalized dispersions are ignored. Ignored if flavor='seurat_v3'. Default Inf                           |

## Value

Updated SingleCellExperiment object with highly variable genes computation stored [getTopHVG](#), [plotTopHVG](#)

**Examples**

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runScanpyNormalizeData(sce, useAssay = "counts")
sce <- runScanpyFindHVG(sce, useAssay = "scanpyNormData", method = "seurat")
g <- getTopHVG(sce, method = "seurat", hvgNumber = 500)

## End(Not run)
```

---

```
runScanpyFindMarkers  runScanpyFindMarkers
```

---

**Description**

runScanpyFindMarkers

**Usage**

```
runScanpyFindMarkers(
  inSCE,
  nGenes = NULL,
  useAssay = "scanpyNormData",
  colDataName,
  group1 = "all",
  group2 = "rest",
  test = c("wilcoxon", "t-test", "t-test_overestim_var", "logreg"),
  corr_method = c("benjamini-hochberg", "bonferroni")
)
```

**Arguments**

|             |                                                                                                                                                                   |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE       | Input SingleCellExperiment object.                                                                                                                                |
| nGenes      | The number of genes that appear in the returned tables. Defaults to all genes.                                                                                    |
| useAssay    | Specify the name of the assay to use for computation of marker genes. It is recommended to use log normalized assay.                                              |
| colDataName | colData to use as the key of the observations grouping to consider.                                                                                               |
| group1      | Name of group1. Subset of groups, to which comparison shall be restricted, or 'all' (default), for all groups.                                                    |
| group2      | Name of group2. If 'rest', compare each group to the union of the rest of the group. If a group identifier, compare with respect to this group. Default is 'rest' |
| test        | Test to use for DE. Default "t-test".                                                                                                                             |
| corr_method | p-value correction method. Used only for 't-test', 't-test_overestim_var', and 'wilcoxon'.                                                                        |

**Value**

A SingleCellExperiment object that contains marker genes populated in a data.frame stored inside metadata slot.

**Examples**

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runScanpyNormalizeData(sce, useAssay = "counts")
sce <- runScanpyFindHVG(sce, useAssay = "scanpyNormData", method = "seurat")
sce <- runScanpyScaleData(sce, useAssay = "scanpyNormData")
sce <- runScanpyPCA(sce, useAssay = "scanpyScaledData")
sce <- runScanpyFindClusters(sce, useReducedDim = "scanpyPCA")
sce <- runScanpyFindMarkers(sce, colDataName = "Scanpy_louvain_1" )

## End(Not run)
```

---

runScanpyNormalizeData

*runScanpyNormalizeData Wrapper for NormalizeData() function from scanpy library Normalizes the sce object according to the input parameters*

---

**Description**

runScanpyNormalizeData Wrapper for NormalizeData() function from scanpy library Normalizes the sce object according to the input parameters

**Usage**

```
runScanpyNormalizeData(
  inSCE,
  useAssay,
  targetSum = 10000,
  maxFraction = 0.05,
  normAssayName = "scanpyNormData"
)
```

**Arguments**

|               |                                                                                                                                                                        |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE         | (sce) object to normalize                                                                                                                                              |
| useAssay      | Assay containing raw counts to use for normalization.                                                                                                                  |
| targetSum     | If NULL, after normalization, each observation (cell) has a total count equal to the median of total counts for observations (cells) before normalization. Default 1e4 |
| maxFraction   | Include cells that have more counts than max_fraction of the original total counts in at least one cell. Default 0.05                                                  |
| normAssayName | Name of new assay containing normalized data. Default scanpyNormData.                                                                                                  |

**Value**

Normalized SingleCellExperiment object

**Examples**

```
data(scExample, package = "singleCellTK")
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
rownames(sce) <- rowData(sce)$feature_name
## Not run:
sce <- runScanpyNormalizeData(sce, useAssay = "counts")

## End(Not run)
```

runScanpyPCA

---

*runScanpyPCA Computes PCA on the input sce object and stores the calculated principal components within the sce object*

---

**Description**

runScanpyPCA Computes PCA on the input sce object and stores the calculated principal components within the sce object

**Usage**

```
runScanpyPCA(
  inSCE,
  useAssay = "scanpyScaledData",
  reducedDimName = "scanpyPCA",
  nPCs = 50,
  method = c("arpack", "randomized", "auto", "lobpcg"),
  use_highly_variable = TRUE,
  seed = 12345
)
```

**Arguments**

|                     |                                                                                                                           |
|---------------------|---------------------------------------------------------------------------------------------------------------------------|
| inSCE               | (sce) object on which to compute PCA                                                                                      |
| useAssay            | Assay containing scaled counts to use in PCA. Default "scanpyScaledData".                                                 |
| reducedDimName      | Name of new reducedDims object containing Scanpy PCA. Default scanpyPCA.                                                  |
| nPCs                | numeric value of how many components to compute. Default 50.                                                              |
| method              | selected method to use for computation of pca. One of 'arpack', 'randomized', 'auto' or 'lobpcg'. Default "arpack".       |
| use_highly_variable | boolean value of whether to use highly variable genes only. By default uses them if they have been determined beforehand. |
| seed                | Specify numeric value to set as a seed. Default 12345.                                                                    |

**Value**

Updated SingleCellExperiment object which now contains the computed principal components

**Examples**

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runScanpyNormalizeData(sce, useAssay = "counts")
sce <- runScanpyFindHVG(sce, useAssay = "scanpyNormData", method = "seurat")
sce <- runScanpyScaleData(sce, useAssay = "scanpyNormData")
sce <- runScanpyPCA(sce, useAssay = "scanpyScaledData")

## End(Not run)
```

---

|                    |                                                                                         |
|--------------------|-----------------------------------------------------------------------------------------|
| runScanpyScaleData | <i>runScanpyScaleData Scales the input sce object according to the input parameters</i> |
|--------------------|-----------------------------------------------------------------------------------------|

---

**Description**

runScanpyScaleData Scales the input sce object according to the input parameters

**Usage**

```
runScanpyScaleData(
  inSCE,
  useAssay = "scanpyNormData",
  scaledAssayName = "scanpyScaledData"
)
```

**Arguments**

|                 |                                                                     |
|-----------------|---------------------------------------------------------------------|
| inSCE           | (sce) object to scale                                               |
| useAssay        | Assay containing normalized counts to scale.                        |
| scaledAssayName | Name of new assay containing scaled data. Default scanpyScaledData. |

**Value**

Scaled SingleCellExperiment object

**Examples**

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runScanpyNormalizeData(sce, useAssay = "counts")
sce <- runScanpyScaleData(sce, useAssay = "scanpyNormData")

## End(Not run)
```

---

|               |                                                                                                                        |
|---------------|------------------------------------------------------------------------------------------------------------------------|
| runScanpyTSNE | <i>runScanpyTSNE Computes tSNE from the given sce object and stores the tSNE computations back into the sce object</i> |
|---------------|------------------------------------------------------------------------------------------------------------------------|

---

### Description

runScanpyTSNE Computes tSNE from the given sce object and stores the tSNE computations back into the sce object

### Usage

```
runScanpyTSNE(
  inSCE,
  useAssay = NULL,
  useReducedDim = "scanpyPCA",
  reducedDimName = "scanpyTSNE",
  dims = 40,
  perplexity = 30,
  externalReduction = NULL,
  seed = 12345
)
```

### Arguments

|                   |                                                                                             |
|-------------------|---------------------------------------------------------------------------------------------|
| inSCE             | (sce) object on which to compute the tSNE                                                   |
| useAssay          | Specify name of assay to use. Default is NULL, so useReducedDim param will be used instead. |
| useReducedDim     | selected reduction method to use for computing tSNE. Default "scanpyPCA".                   |
| reducedDimName    | Name of new reducedDims object containing Scanpy tSNE Default scanpyTSNE.                   |
| dims              | Number of reduction components to use for tSNE computation. Default 40.                     |
| perplexity        | Adjust the perplexity tuneable parameter for the underlying tSNE call. Default 30.          |
| externalReduction | Pass DimReduc object if PCA computed through other libraries. Default NULL.                 |
| seed              | Specify numeric value to set as a seed. Default 12345.                                      |

### Value

Updated sce object with tSNE computations stored

### Examples

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runScanpyNormalizeData(sce, useAssay = "counts")
sce <- runScanpyFindHVG(sce, useAssay = "scanpyNormData", method = "seurat")
sce <- runScanpyScaleData(sce, useAssay = "scanpyNormData")
sce <- runScanpyPCA(sce, useAssay = "scanpyScaledData")
sce <- runScanpyFindClusters(sce, useReducedDim = "scanpyPCA")
sce <- runScanpyTSNE(sce, useReducedDim = "scanpyPCA")

## End(Not run)
```

---

|               |                                                                                                                        |
|---------------|------------------------------------------------------------------------------------------------------------------------|
| runScanpyUMAP | <i>runScanpyUMAP Computes UMAP from the given sce object and stores the UMAP computations back into the sce object</i> |
|---------------|------------------------------------------------------------------------------------------------------------------------|

---

## Description

runScanpyUMAP Computes UMAP from the given sce object and stores the UMAP computations back into the sce object

## Usage

```
runScanpyUMAP(
  inSCE,
  useAssay = NULL,
  useReducedDim = "scanpyPCA",
  reducedDimName = "scanpyUMAP",
  dims = 40,
  minDist = 0.5,
  nNeighbors = 10,
  spread = 1,
  alpha = 1,
  gamma = 1,
  externalReduction = NULL,
  seed = 12345
)
```

## Arguments

|                   |                                                                                             |
|-------------------|---------------------------------------------------------------------------------------------|
| inSCE             | (sce) object on which to compute the UMAP                                                   |
| useAssay          | Specify name of assay to use. Default is NULL, so useReducedDim param will be used instead. |
| useReducedDim     | Reduction to use for computing UMAP. Default is "scanpyPCA".                                |
| reducedDimName    | Name of new reducedDims object containing Scanpy UMAP Default scanpyUMAP.                   |
| dims              | Numerical value of how many reduction components to use for UMAP computation. Default 40.   |
| minDist           | Sets the "min_dist" parameter to the underlying UMAP call. Default 0.5.                     |
| nNeighbors        | Sets the "n_neighbors" parameter to the underlying UMAP call. Default 10.                   |
| spread            | Sets the "spread" parameter to the underlying UMAP call. Default 1.                         |
| alpha             | Sets the "alpha" parameter to the underlying UMAP call. Default 1.                          |
| gamma             | Sets the "gamma" parameter to the underlying UMAP call. Default 1.                          |
| externalReduction | Pass DimReduce object if PCA computed through other libraries. Default NULL.                |
| seed              | Specify numeric value to set as a seed. Default 12345.                                      |

## Value

Updated sce object with UMAP computations stored

## Examples

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runScanpyNormalizeData(sce, useAssay = "counts")
sce <- runScanpyFindHVG(sce, useAssay = "scanpyNormData", method = "seurat")
sce <- runScanpyScaleData(sce, useAssay = "scanpyNormData")
sce <- runScanpyPCA(sce, useAssay = "scanpyScaledData")
sce <- runScanpyFindClusters(sce, useReducedDim = "scanpyPCA")
sce <- runScanpyUMAP(sce, useReducedDim = "scanpyPCA")

## End(Not run)
```

---

|                |                                                                |
|----------------|----------------------------------------------------------------|
| runScDblFinder | <i>Detect doublet cells using <a href="#">scDblFinder</a>.</i> |
|----------------|----------------------------------------------------------------|

---

## Description

A wrapper function for [scDblFinder](#). Identify potential doublet cells based on simulations of putative doublet expression profiles. Generate a doublet score for each cell.

## Usage

```
runScDblFinder(
  inSCE,
  sample = NULL,
  useAssay = "counts",
  nNeighbors = 50,
  simDoublets = max(10000, ncol(inSCE)),
  seed = 12345,
  BPPARAM = BiocParallel::SerialParam(RNGseed = seed)
)
```

## Arguments

|             |                                                                                                                                                                                     |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE       | A <a href="#">SingleCellExperiment</a> object.                                                                                                                                      |
| sample      | Character vector or colData variable name. Indicates which sample each cell belongs to. Default NULL.                                                                               |
| useAssay    | A string specifying which assay in the SCE to use. Default "counts".                                                                                                                |
| nNeighbors  | Number of nearest neighbors used to calculate density for doublet detection. Default 50.                                                                                            |
| simDoublets | Number of simulated doublets created for doublet detection. Default 10000.                                                                                                          |
| seed        | Seed for the random number generator, can be set to NULL. Default 12345.                                                                                                            |
| BPPARAM     | A <a href="#">BiocParallelParam-class</a> object specifying whether the neighbour searches should be parallelized. Default <code>BiocParallel::SerialParam(RNGseed = seed)</code> . |

## Details

This function is a wrapper function for [scDblFinder](#). `runScDblFinder` runs [scDblFinder](#) for each sample within `inSCE` iteratively. The resulting doublet scores for all cells will be appended to the `colData` of `inSCE`.

**Value**

A [SingleCellExperiment](#) object with the scDblFinder QC outputs added to the [colData](#) slot.

**References**

Lun ATL (2018). Detecting doublet cells with scan. [https://ltda.github.io/SingleCellThoughts/software/doublet\\_detection/bycell.html](https://ltda.github.io/SingleCellThoughts/software/doublet_detection/bycell.html)

**See Also**

[scDblFinder](#), [plotScDblFinderResults](#), [runCellQC](#)

**Examples**

```
data(scExample, package = "singleCellTK")
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
sce <- runScDblFinder(sce)
```

---

|            |                                                                                    |
|------------|------------------------------------------------------------------------------------|
| runSCMerge | <i>Apply scMerge batch effect correction method to SingleCellExperiment object</i> |
|------------|------------------------------------------------------------------------------------|

---

**Description**

The scMerge method leverages factor analysis, stably expressed genes (SEGs) and (pseudo-) replicates to remove unwanted variations and merge multiple scRNA-Seq data.

**Usage**

```
runSCMerge(
  inSCE,
  useAssay = "logcounts",
  batch = "batch",
  assayName = "scMerge",
  hvgExprs = "counts",
  seg = NULL,
  kmeansK = NULL,
  cellType = NULL,
  BPPARAM = BiocParallel::SerialParam()
)
```

**Arguments**

|           |                                                                                                                   |
|-----------|-------------------------------------------------------------------------------------------------------------------|
| inSCE     | Input <a href="#">SingleCellExperiment</a> object                                                                 |
| useAssay  | A single character indicating the name of the assay requiring batch correction. Default "logcounts".              |
| batch     | A single character indicating a field in <a href="#">colData</a> that annotates the batches. Default "batch".     |
| assayName | A single character. The name for the corrected assay. Will be saved to <a href="#">assay</a> . Default "scMerge". |

|          |                                                                                                                                                                                                                                                                                                                                                |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| hvgExprs | A single character. The assay that to be used for highly variable genes identification. Default "counts".                                                                                                                                                                                                                                      |
| seg      | A vector of gene names or indices that specifies SEG (Stably Expressed Genes) set as negative control. Pre-defined dataset with human and mouse SEG lists is available with <a href="#">segList</a> or <a href="#">segList_ensemblGeneID</a> . Default NULL, and this value will be auto-detected by default with <a href="#">scSEGIndex</a> . |
| kmeansK  | An integer vector. Indicating the kmeans' K-value for each batch (i.e. how many subclusters in each batch should exist), in order to construct pseudo-replicates. The length of kmeansK needs to be the same as the number of batches. Default NULL, and this value will be auto-detected by default, depending on cellType.                   |
| cellType | A single character. A string indicating a field in colData(inSCE) that defines different cell types. Default 'cell_type'.                                                                                                                                                                                                                      |
| BPPARAM  | A <a href="#">BiocParallelParam</a> object specifying whether should be parallelized. Default <code>BiocParallel::SerialParam()</code> .                                                                                                                                                                                                       |

### Value

The input [SingleCellExperiment](#) object with assay(inSCE, assayName) updated.

### References

Hoa, et al., 2020

### Examples

```
data('sceBatches', package = 'singleCellTK')
## Not run:
logcounts(sceBatches) <- log1p(counts(sceBatches))
sceCorr <- runSCMerge(sceBatches)

## End(Not run)
```

---

runScranSNN

*Get clustering with SNN graph*


---

### Description

Perform SNN graph clustering on a [SingleCellExperiment](#) object, with graph construction by [buildSNNGraph](#) and graph clustering by "igraph" package.

### Usage

```
runScranSNN(
  inSCE,
  useReducedDim = "PCA",
  useAssay = NULL,
  useAltExp = NULL,
  altExpAssay = "counts",
  altExpRedDim = NULL,
  clusterName = "cluster",
  k = 14,
```

```

    nComp = 10,
    weightType = "jaccard",
    algorithm = c("louvain", "leiden", "walktrap", "infomap", "fastGreedy", "labelProp",
                  "leadingEigen"),
    BPPARAM = BiocParallel::SerialParam(),
    seed = 12345,
    ...
)

```

## Arguments

|                            |                                                                                                                                                                                                                                  |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>inSCE</code>         | A <a href="#">SingleCellExperiment</a> object.                                                                                                                                                                                   |
| <code>useReducedDim</code> | A single character, specifying which low-dimension representation ( <a href="#">reducedDim</a> ) to perform the clustering algorithm on. Default "PCA".                                                                          |
| <code>useAssay</code>      | A single character, specifying which <a href="#">assay</a> to perform the clustering algorithm on. Default NULL.                                                                                                                 |
| <code>useAltExp</code>     | A single character, specifying the assay which <a href="#">altExp</a> to perform the clustering algorithm on. Default NULL.                                                                                                      |
| <code>altExpAssay</code>   | A single character, specifying which <a href="#">assay</a> in the chosen <a href="#">altExp</a> to work on. Only used when <code>useAltExp</code> is set. Default "counts".                                                      |
| <code>altExpRedDim</code>  | A single character, specifying which <a href="#">reducedDim</a> within the <a href="#">altExp</a> specified by <code>useAltExp</code> to use. Only used when <code>useAltExp</code> is set. Default NULL.                        |
| <code>clusterName</code>   | A single character, specifying the name to store the cluster label in <a href="#">colData</a> . Default "cluster".                                                                                                               |
| <code>k</code>             | An integer, the number of nearest neighbors used to construct the graph. Smaller value indicates higher resolution and larger number of clusters. Default 14.                                                                    |
| <code>nComp</code>         | An integer. The number of components to use for graph construction. Default 10. See Detail.                                                                                                                                      |
| <code>weightType</code>    | A single character, that specifies the edge weighing scheme when constructing the Shared Nearest-Neighbor (SNN) graph. Choose from "rank", "number", "jaccard". Default "jaccard".                                               |
| <code>algorithm</code>     | A single character, that specifies the community detection algorithm to work on the SNN graph. Choose from "leiden", "louvain", "walktrap", "infomap", "fastGreedy", "labelProp", "leadingEigen". Default "louvain". See Detail. |
| <code>BPPARAM</code>       | A <a href="#">BiocParallelParam</a> object to use for processing the SNN graph generation step in parallel.                                                                                                                      |
| <code>seed</code>          | Random seed for reproducibility of results. Default NULL will use global seed in use by the R environment.                                                                                                                       |
| <code>...</code>           | Other optional parameters passed to the <a href="#">igraph</a> clustering functions. See Details.                                                                                                                                |

## Details

Different graph based clustering algorithms have diverse sets of parameters that users can tweak. The help information can be found here:

- for "louvain", see function help [cluster\\_louvain](#)
- for "leiden", see function help [cluster\\_leiden](#)

- for "walktrap", see function help [cluster\\_walktrap](#)
- for "infomap", see function help [cluster\\_infomap](#)
- for "fastGreedy", see function help [cluster\\_fast\\_greedy](#)
- for "labelProp", see function help [cluster\\_label\\_prop](#)
- for "leadingEigen", see function help [cluster\\_leading\\_eigen](#)

The Scran SNN building method can work on specified nComp components. When users specify input matrix by useAssay or useAltExp + altExpAssay, the method will generate nComp components and use them all. When specifying useReducedDim or useAltExp + altExpReducedDim, this function will subset the top nComp components and pass them to the method.

### Value

The input [SingleCellExperiment](#) object with factor cluster labeling updated in colData(inSCE)[[clusterName]].

### References

Aaron Lun and et. al., 2016

### Examples

```
data("mouseBrainSubsetSCE")
mouseBrainSubsetSCE <- runScranSNN(mouseBrainSubsetSCE,
                                   useReducedDim = "PCA_logcounts")
```

---

|             |                                      |
|-------------|--------------------------------------|
| runScrublet | <i>Find doublets using scrublet.</i> |
|-------------|--------------------------------------|

---

### Description

A wrapper function that calls scrub\_doublets from python module scrublet. Simulates doublets from the observed data and uses a k-nearest-neighbor classifier to calculate a continuous scrublet\_score (between 0 and 1) for each transcriptome. The score is automatically thresholded to generate scrublet\_call, a boolean array that is TRUE for predicted doublets and FALSE otherwise.

### Usage

```
runScrublet(
  inSCE,
  sample = NULL,
  useAssay = "counts",
  simDoubletRatio = 2,
  nNeighbors = NULL,
  minDist = NULL,
  expectedDoubletRate = 0.1,
  stdevDoubletRate = 0.02,
  syntheticDoubletUmiSubsampling = 1,
  useApproxNeighbors = TRUE,
  distanceMetric = "euclidean",
  getDoubletNeighborParents = FALSE,
```

```

    minCounts = 3,
    minCells = 3L,
    minGeneVariabilityPct1 = 85,
    logTransform = FALSE,
    meanCenter = TRUE,
    normalizeVariance = TRUE,
    nPrinComps = 30L,
    tsneAngle = NULL,
    tsnePerplexity = NULL,
    verbose = TRUE,
    seed = 12345
)

```

## Arguments

|                                |                                                                                                                                                                                                                                                                                               |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE                          | A <a href="#">SingleCellExperiment</a> object.                                                                                                                                                                                                                                                |
| sample                         | Character vector or colData variable name. Indicates which sample each cell belongs to. Default NULL.                                                                                                                                                                                         |
| useAssay                       | A string specifying which assay in the SCE to use. Default "counts".                                                                                                                                                                                                                          |
| simDoubletRatio                | Numeric. Number of doublets to simulate relative to the number of observed transcriptomes. Default 2.0.                                                                                                                                                                                       |
| nNeighbors                     | Integer. Number of neighbors used to construct the KNN graph of observed transcriptomes and simulated doublets. If NULL, this is set to $\text{round}(0.5 * \sqrt{n\_cells})$ . Default NULL.                                                                                                 |
| minDist                        | Float Determines how tightly UMAP packs points together. If NULL, this is set to 0.1. Default NULL.                                                                                                                                                                                           |
| expectedDoubletRate            | The estimated doublet rate for the experiment. Default 0.1.                                                                                                                                                                                                                                   |
| stdevDoubletRate               | Uncertainty in the expected doublet rate. Default 0.02.                                                                                                                                                                                                                                       |
| syntheticDoubletUmiSubsampling | Numeric. Rate for sampling UMIs when creating synthetic doublets. If 1.0, each doublet is created by simply adding the UMIs from two randomly sampled observed transcriptomes. For values less than 1, the UMI counts are added and then randomly sampled at the specified rate. Default 1.0. |
| useApproxNeighbors             | Boolean. Use approximate nearest neighbor method (annoy) for the KNN classifier. Default TRUE.                                                                                                                                                                                                |
| distanceMetric                 | Character. Distance metric used when finding nearest neighbors. See detail. Default "euclidean".                                                                                                                                                                                              |
| getDoubletNeighborParents      | Boolean. If TRUE, return the parent transcriptomes that generated the doublet neighbors of each observed transcriptome. This information can be used to infer the cell states that generated a given doublet state. Default FALSE.                                                            |
| minCounts                      | Numeric. Used for gene filtering prior to PCA. Genes expressed at fewer than minCounts in fewer than minCells are excluded. Default 3.                                                                                                                                                        |
| minCells                       | Integer. Used for gene filtering prior to PCA. Genes expressed at fewer than minCounts in fewer than minCells are excluded. Default 3.                                                                                                                                                        |

|                        |                                                                                                                                                                                                                     |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| minGeneVariabilityPctl | Numeric. Used for gene filtering prior to PCA. Keep the most highly variable genes (in the top minGeneVariabilityPctl percentile), as measured by the v-statistic (Klein et al., Cell 2015). Default 85.            |
| logTransform           | Boolean. If TRUE, log-transform the counts matrix ( $\log_{1p}(\text{TPM})$ ). <code>sklearn.decomposition.TruncatedSVD</code> will be used for dimensionality reduction, unless meanCenter is TRUE. Default FALSE. |
| meanCenter             | If TRUE, center the data such that each gene has a mean of 0. <code>sklearn.decomposition.PCA</code> will be used for dimensionality reduction. Default TRUE.                                                       |
| normalizeVariance      | Boolean. If TRUE, normalize the data such that each gene has a variance of 1. <code>sklearn.decomposition.TruncatedSVD</code> will be used for dimensionality reduction, unless meanCenter is TRUE. Default TRUE.   |
| nPrinComps             | Integer. Number of principal components used to embed the transcriptomes prior to k-nearest-neighbor graph construction. Default 30.                                                                                |
| tsneAngle              | Float. Determines angular size of a distant node as measured from a point in the t-SNE plot. If NULL, it is set to 0.5. Default NULL.                                                                               |
| tsnePerplexity         | Integer. The number of nearest neighbors that is used in other manifold learning algorithms. If NULL, it is set to 30. Default NULL.                                                                                |
| verbose                | Boolean. If TRUE, print progress updates. Default TRUE.                                                                                                                                                             |
| seed                   | Seed for the random number generator, can be set to NULL. Default 12345.                                                                                                                                            |

## Details

For the list of valid values for distanceMetric, see the documentation for [annoy](#) (if useApproxNeighbors is TRUE) or [sklearn.neighbors.NearestNeighbors](#) (if useApproxNeighbors is FALSE).

## Value

A [SingleCellExperiment](#) object with scrub\_doublings output appended to the [colData](#) slot. The columns include scrublet\_score and scrublet\_call.

## See Also

[plotScrubletResults](#), [runCellQC](#)

## Examples

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
sce <- runScrublet(sce)

## End(Not run)
```

---

`runSeuratFindClusters` *runSeuratFindClusters* Computes the clusters from the input sce object and stores them back in sce object

---

## Description

`runSeuratFindClusters` Computes the clusters from the input sce object and stores them back in sce object

## Usage

```
runSeuratFindClusters(
  inSCE,
  useAssay = "seuratNormData",
  useReduction = c("pca", "ica"),
  dims = 10,
  algorithm = c("louvain", "multilevel", "SLM"),
  groupSingletons = TRUE,
  resolution = 0.8,
  seed = 12345,
  externalReduction = NULL,
  verbose = TRUE
)
```

## Arguments

|                                |                                                                                                                                                                                                                    |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>inSCE</code>             | (sce) object from which clusters should be computed and stored in                                                                                                                                                  |
| <code>useAssay</code>          | Assay containing scaled counts to use for clustering.                                                                                                                                                              |
| <code>useReduction</code>      | Reduction method to use for computing clusters. One of "pca" or "ica". Default "pca".                                                                                                                              |
| <code>dims</code>              | numeric value of how many components to use for computing clusters. Default 10.                                                                                                                                    |
| <code>algorithm</code>         | selected algorithm to compute clusters. One of "louvain", "multilevel", or "SLM". Use louvain for "original Louvain algorithm" and multilevel for "Louvain algorithm with multilevel refinement". Default louvain. |
| <code>groupSingletons</code>   | boolean if singletons should be grouped together or not. Default TRUE.                                                                                                                                             |
| <code>resolution</code>        | Set the resolution parameter to find larger (value above 1) or smaller (value below 1) number of communities. Default 0.8.                                                                                         |
| <code>seed</code>              | Specify the seed value. Default 12345.                                                                                                                                                                             |
| <code>externalReduction</code> | Pass DimReduc object if PCA/ICA computed through other libraries. Default NULL.                                                                                                                                    |
| <code>verbose</code>           | Logical value indicating if informative messages should be displayed. Default is TRUE.                                                                                                                             |

## Value

Updated sce object which now contains the computed clusters

Examples

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runSeuratNormalizeData(sce, useAssay = "counts")
sce <- runSeuratFindHVG(sce, useAssay = "counts")
sce <- runSeuratScaleData(sce, useAssay = "counts")
sce <- runSeuratPCA(sce, useAssay = "counts")
sce <- runSeuratFindClusters(sce, useAssay = "counts")

## End(Not run)
```

---

|                  |                                                                                      |
|------------------|--------------------------------------------------------------------------------------|
| runSeuratFindHVG | <i>runSeuratFindHVG Find highly variable genes and store in the input sce object</i> |
|------------------|--------------------------------------------------------------------------------------|

---

Description

runSeuratFindHVG Find highly variable genes and store in the input sce object

Usage

```
runSeuratFindHVG(
  inSCE,
  useAssay = "counts",
  method = c("vst", "dispersion", "mean.var.plot"),
  hvgNumber = 2000,
  createFeatureSubset = "hvf",
  altExp = FALSE,
  verbose = TRUE
)
```

Arguments

|                     |                                                                                                                                                                                                             |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE               | (sce) object to compute highly variable genes from and to store back to it                                                                                                                                  |
| useAssay            | Specify the name of the assay to use for computation of variable genes. It is recommended to use a raw counts assay with the "vst" method and normalized assay with all other methods. Default is "counts". |
| method              | selected method to use for computation of highly variable genes. One of 'vst', 'dispersion', or 'mean.var.plot'. Default "vst" which uses the raw counts. All other methods use normalized counts.          |
| hvgNumber           | numeric value of how many genes to select as highly variable. Default 2000                                                                                                                                  |
| createFeatureSubset | Specify a name of the subset to create for the identified variable features. Default is "hvf". Leave it NULL if you do not want to create a subset of variable features.                                    |
| altExp              | Logical value indicating if the input object is an altExperiment. Default FALSE.                                                                                                                            |
| verbose             | Logical value indicating if informative messages should be displayed. Default is TRUE.                                                                                                                      |

Value

Updated SingleCellExperiment object with highly variable genes computation stored

**See Also**

[runFeatureSelection](#), [runModelGeneVar](#), [getTopHVG](#), [plotTopHVG](#)

**Examples**

```
data(scExample, package = "singleCellTK")
sce <- runSeuratFindHVG(sce)
```

---

runSeuratFindMarkers     *runSeuratFindMarkers*

---

**Description**

runSeuratFindMarkers

**Usage**

```
runSeuratFindMarkers(
  inSCE,
  cells1 = NULL,
  cells2 = NULL,
  group1 = NULL,
  group2 = NULL,
  allGroup = NULL,
  conserved = FALSE,
  test = "wilcox",
  onlyPos = FALSE,
  minPCT = 0.1,
  threshUse = 0.25,
  verbose = TRUE
)
```

**Arguments**

|           |                                                                                                                                                                         |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE     | Input SingleCellExperiment object.                                                                                                                                      |
| cells1    | A list of sample names included in group1.                                                                                                                              |
| cells2    | A list of sample names included in group2.                                                                                                                              |
| group1    | Name of group1.                                                                                                                                                         |
| group2    | Name of group2.                                                                                                                                                         |
| allGroup  | Name of all groups.                                                                                                                                                     |
| conserved | Logical value indicating if markers conserved between two groups should be identified. Default is FALSE.                                                                |
| test      | Test to use for DE. Default "wilcox".                                                                                                                                   |
| onlyPos   | Logical value indicating if only positive markers should be returned.                                                                                                   |
| minPCT    | Numeric value indicating the minimum fraction of min.pct cells in which genes are detected. Default is 0.1.                                                             |
| threshUse | Numeric value indicating the logFC threshold value on which on average, at least X-fold difference (log-scale) between the two groups of cells exists. Default is 0.25. |
| verbose   | Logical value indicating if informative messages should be displayed. Default is TRUE.                                                                                  |

**Value**

A SingleCellExperiment object that contains marker genes populated in a data.frame stored inside metadata slot.

---

|                  |                                                                                                    |
|------------------|----------------------------------------------------------------------------------------------------|
| runSeuratHeatmap | <i>runSeuratHeatmap Computes the heatmap plot object from the pca slot in the input sce object</i> |
|------------------|----------------------------------------------------------------------------------------------------|

---

**Description**

runSeuratHeatmap Computes the heatmap plot object from the pca slot in the input sce object

**Usage**

```
runSeuratHeatmap(
  inSCE,
  useAssay,
  useReduction = c("pca", "ica"),
  dims = NULL,
  nfeatures = 30,
  cells = NULL,
  ncol = NULL,
  balanced = TRUE,
  fast = TRUE,
  combine = TRUE,
  raster = TRUE,
  externalReduction = NULL
)
```

**Arguments**

|                   |                                                                                                                                      |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| inSCE             | (sce) object from which to compute heatmap (pca should be computed)                                                                  |
| useAssay          | Specify name of the assay that will be scaled by this function. The output scaled assay will be used for computation of the heatmap. |
| useReduction      | Reduction method to use for computing clusters. One of "pca" or "ica". Default "pca".                                                |
| dims              | Number of components to generate heatmap plot objects. If NULL, a heatmap will be generated for all components. Default NULL.        |
| nfeatures         | Number of features to include in the heatmap. Default 30.                                                                            |
| cells             | Numeric value indicating the number of top cells to plot. Default is NULL which indicates all cells.                                 |
| ncol              | Numeric value indicating the number of columns to use for plot. Default is NULL which will automatically compute accordingly.        |
| balanced          | Plot equal number of genes with positive and negative scores. Default is TRUE.                                                       |
| fast              | See <a href="#">DimHeatmap</a> for more information. Default TRUE.                                                                   |
| combine           | See <a href="#">DimHeatmap</a> for more information. Default TRUE.                                                                   |
| raster            | See <a href="#">DimHeatmap</a> for more information. Default TRUE.                                                                   |
| externalReduction | Pass DimReduc object if PCA/ICA computed through other libraries. Default NULL.                                                      |

**Value**

plot object

**Examples**

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runSeuratNormalizeData(sce, useAssay = "counts")
sce <- runSeuratFindHVG(sce, useAssay = "counts")
sce <- runSeuratScaleData(sce, useAssay = "counts")
sce <- runSeuratPCA(sce, useAssay = "counts")
heatmap <- runSeuratHeatmap(sce, useAssay = "counts")
plotSeuratHeatmap(heatmap)

## End(Not run)
```

---

|              |                                                                                                                                 |
|--------------|---------------------------------------------------------------------------------------------------------------------------------|
| runSeuratICA | <i>runSeuratICA Computes ICA on the input sce object and stores the calculated independent components within the sce object</i> |
|--------------|---------------------------------------------------------------------------------------------------------------------------------|

---

**Description**

runSeuratICA Computes ICA on the input sce object and stores the calculated independent components within the sce object

**Usage**

```
runSeuratICA(
  inSCE,
  useAssay = "seuratScaledData",
  useFeatureSubset = NULL,
  scale = TRUE,
  reducedDimName = "seuratICA",
  nics = 20,
  seed = 12345,
  verbose = FALSE
)
```

**Arguments**

|                  |                                                                                                                                                                                                                  |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE            | (sce) object on which to compute ICA                                                                                                                                                                             |
| useAssay         | Assay containing scaled counts to use in ICA.                                                                                                                                                                    |
| useFeatureSubset | Subset of feature to use for dimension reduction. A character string indicating a rowData variable that stores the logical vector of HVG selection, or a vector that can subset the rows of inSCE. Default NULL. |
| scale            | Logical scalar, whether to standardize the expression values using <a href="#">ScaleData</a> . Default TRUE.                                                                                                     |
| reducedDimName   | Name of new reducedDims object containing Seurat ICA Default seuratICA.                                                                                                                                          |
| nics             | Number of independent components to compute. Default 20.                                                                                                                                                         |

|         |                                                                                                            |
|---------|------------------------------------------------------------------------------------------------------------|
| seed    | Random seed for reproducibility of results. Default NULL will use global seed in use by the R environment. |
| verbose | Logical value indicating if informative messages should be displayed. Default is TRUE.                     |

### Details

For features used for computation, it can be controlled by `features` or `useFeatureSubset`. When `features` is specified, the scaling and dimensionality reduction will only be processed with these features. When `features` is NULL but `useFeatureSubset` is specified, will use the features that the HVG list points to. If both parameters are NULL, the function will see if any Seurat's variable feature detection has been ever performed, and use them if found. Otherwise, all features are used.

### Value

Updated `SingleCellExperiment` object which now contains the computed independent components

### Examples

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runSeuratNormalizeData(sce, useAssay = "counts")
sce <- runSeuratFindHVG(sce, useAssay = "counts")
sce <- runSeuratScaleData(sce, useAssay = "counts")
sce <- runSeuratICA(sce, useAssay = "counts")

## End(Not run)
```

---

`runSeuratIntegration` *runSeuratIntegration* A wrapper function to Seurat Batch-Correction/Integration workflow.

---

### Description

`runSeuratIntegration` A wrapper function to Seurat Batch-Correction/Integration workflow.

### Usage

```
runSeuratIntegration(
  inSCE,
  useAssay = "counts",
  batch,
  newAssayName = "SeuratIntegratedAssay",
  kAnchor,
  kFilter,
  kWeight,
  ndims = 10
)
```

**Arguments**

|              |                                                                                                               |
|--------------|---------------------------------------------------------------------------------------------------------------|
| inSCE        | Input SingleCellExperiment object that contains the assay to batch-correct.                                   |
| useAssay     | Assay to batch-correct.                                                                                       |
| batch        | Batch variable from colData slot of SingleCellExperiment object.                                              |
| newAssayName | Assay name for the batch-corrected output assay.                                                              |
| kAnchor      | Number of neighbours to use for finding the anchors in the <a href="#">FindIntegrationAnchors</a> function.   |
| kFilter      | Number of neighbours to use for filtering the anchors in the <a href="#">FindIntegrationAnchors</a> function. |
| kWeight      | Number of neighbours to use when weighing the anchors in the <a href="#">IntegrateData</a> function.          |
| ndims        | Number of dimensions to use. Default 10.                                                                      |

**Value**

A SingleCellExperiment object that contains the batch-corrected assay inside the altExp slot of the object

---

|                    |                                                                                                     |
|--------------------|-----------------------------------------------------------------------------------------------------|
| runSeuratJackStraw | <i>runSeuratJackStraw Compute jackstraw plot and store the computations in the input sce object</i> |
|--------------------|-----------------------------------------------------------------------------------------------------|

---

**Description**

runSeuratJackStraw Compute jackstraw plot and store the computations in the input sce object

**Usage**

```
runSeuratJackStraw(
  inSCE,
  useAssay,
  dims = NULL,
  numReplicate = 100,
  propFreq = 0.025,
  externalReduction = NULL
)
```

**Arguments**

|              |                                                                                                                                                                                                                                        |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE        | (sce) object on which to compute and store jackstraw plot                                                                                                                                                                              |
| useAssay     | Specify name of the assay to use for scaling. Assay name provided against this parameter is scaled by the function and used for the computation of JackStraw scores along with the reduced dimensions specified by the dims parameter. |
| dims         | Number of components to test in Jackstraw. If NULL, then all components are used. Default NULL.                                                                                                                                        |
| numReplicate | Numeric value indicating the number of replicate samplings to perform. Default value is 100.                                                                                                                                           |

propFreq            Numeric value indicating the proportion of data to randomly permute for each replicate. Default value is 0.025.

externalReduction    Pass DimReduc object if PCA/ICA computed through other libraries. Default NULL.

### Value

Updated SingleCellExperiment object with jackstraw computations stored in it

### Examples

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runSeuratNormalizeData(sce, useAssay = "counts")
sce <- runSeuratFindHVG(sce, useAssay = "counts")
sce <- runSeuratScaleData(sce, useAssay = "counts")
sce <- runSeuratPCA(sce, useAssay = "counts")
sce <- runSeuratJackStraw(sce, useAssay = "counts")

## End(Not run)
```

---

runSeuratNormalizeData

*runSeuratNormalizeData Wrapper for NormalizeData() function from  
seurat library Normalizes the sce object according to the input param-  
eters*

---

### Description

runSeuratNormalizeData Wrapper for NormalizeData() function from seurat library Normalizes the sce object according to the input parameters

### Usage

```
runSeuratNormalizeData(
  inSCE,
  useAssay,
  normAssayName = "seuratNormData",
  normalizationMethod = "LogNormalize",
  scaleFactor = 10000,
  verbose = TRUE
)
```

### Arguments

inSCE            (sce) object to normalize

useAssay        Assay containing raw counts to use for normalization.

normAssayName   Name of new assay containing normalized data. Default seuratNormData.

normalizationMethod   selected normalization method. Default "LogNormalize".

|             |                                                                                        |
|-------------|----------------------------------------------------------------------------------------|
| scaleFactor | numeric value that represents the scaling factor. Default 10000.                       |
| verbose     | Logical value indicating if informative messages should be displayed. Default is TRUE. |

### Value

Normalized SingleCellExperiment object

### Examples

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runSeuratNormalizeData(sce, useAssay = "counts")

## End(Not run)
```

---

|              |                                                                                                                               |
|--------------|-------------------------------------------------------------------------------------------------------------------------------|
| runSeuratPCA | <i>runSeuratPCA Computes PCA on the input sce object and stores the calculated principal components within the sce object</i> |
|--------------|-------------------------------------------------------------------------------------------------------------------------------|

---

### Description

runSeuratPCA Computes PCA on the input sce object and stores the calculated principal components within the sce object

### Usage

```
runSeuratPCA(
  inSCE,
  useAssay = "seuratNormData",
  useFeatureSubset = "hvf",
  scale = TRUE,
  reducedDimName = "seuratPCA",
  nPCs = 20,
  seed = 12345,
  verbose = TRUE
)
```

### Arguments

|                  |                                                                                                                                                                                                                   |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE            | (sce) object on which to compute PCA                                                                                                                                                                              |
| useAssay         | Assay containing scaled counts to use in PCA. Default "seuratNormData".                                                                                                                                           |
| useFeatureSubset | Subset of feature to use for dimension reduction. A character string indicating a rowData variable that stores the logical vector of HVG selection, or a vector that can subset the rows of inSCE. Default "hvf". |
| scale            | Logical scalar, whether to standardize the expression values using <a href="#">ScaleData</a> . Default TRUE.                                                                                                      |
| reducedDimName   | Name of new reducedDims object containing Seurat PCA. Default seuratPCA.                                                                                                                                          |
| nPCs             | numeric value of how many components to compute. Default 20.                                                                                                                                                      |

|         |                                                                                                            |
|---------|------------------------------------------------------------------------------------------------------------|
| seed    | Random seed for reproducibility of results. Default NULL will use global seed in use by the R environment. |
| verbose | Logical value indicating if informative messages should be displayed. Default is TRUE.                     |

### Details

For features used for computation, it can be controlled by features or useFeatureSubset. When features is specified, the scaling and dimensionality reduction will only be processed with these features. When features is NULL but useFeatureSubset is specified, will use the features that the HVG list points to. If both parameters are NULL, the function will see if any Seurat's variable feature detection has been ever performed, and use them if found. Otherwise, all features are used.

### Value

Updated SingleCellExperiment object which now contains the computed principal components

### Examples

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runSeuratNormalizeData(sce, useAssay = "counts")
sce <- runSeuratFindHVG(sce, useAssay = "counts")
sce <- setTopHVG(sce, method = "vst", featureSubsetName = "hvf")
sce <- runSeuratScaleData(sce, useAssay = "counts")
sce <- runSeuratPCA(sce, useAssay = "counts")

## End(Not run)
```

---

|                    |                                                                                         |
|--------------------|-----------------------------------------------------------------------------------------|
| runSeuratScaleData | <i>runSeuratScaleData Scales the input sce object according to the input parameters</i> |
|--------------------|-----------------------------------------------------------------------------------------|

---

### Description

runSeuratScaleData Scales the input sce object according to the input parameters

### Usage

```
runSeuratScaleData(
  inSCE,
  useAssay = "seuratNormData",
  scaledAssayName = "seuratScaledData",
  model = "linear",
  scale = TRUE,
  center = TRUE,
  scaleMax = 10,
  verbose = TRUE
)
```

**Arguments**

|                 |                                                                                        |
|-----------------|----------------------------------------------------------------------------------------|
| inSCE           | (sce) object to scale                                                                  |
| useAssay        | Assay containing normalized counts to scale.                                           |
| scaledAssayName | Name of new assay containing scaled data. Default seuratScaledData.                    |
| model           | selected model to use for scaling data. Default "linear".                              |
| scale           | boolean if data should be scaled or not. Default TRUE.                                 |
| center          | boolean if data should be centered or not. Default TRUE                                |
| scaleMax        | maximum numeric value to return for scaled data. Default 10.                           |
| verbose         | Logical value indicating if informative messages should be displayed. Default is TRUE. |

**Value**

Scaled SingleCellExperiment object

**Examples**

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runSeuratNormalizeData(sce, useAssay = "counts")
sce <- runSeuratFindHVG(sce, useAssay = "counts")
sce <- runSeuratScaleData(sce, useAssay = "counts")

## End(Not run)
```

---

runSeuratSCTransform    *runSeuratSCTransform* Runs the *SCTransform* function to transform/normalize the input data

---

**Description**

runSeuratSCTransform Runs the *SCTransform* function to transform/normalize the input data

**Usage**

```
runSeuratSCTransform(
  inSCE,
  normAssayName = "SCTCounts",
  useAssay = "counts",
  verbose = TRUE
)
```

**Arguments**

|               |                                                                                        |
|---------------|----------------------------------------------------------------------------------------|
| inSCE         | Input SingleCellExperiment object                                                      |
| normAssayName | Name for the output data assay. Default "SCTCounts".                                   |
| useAssay      | Name for the input data assay. Default "counts".                                       |
| verbose       | Logical value indicating if informative messages should be displayed. Default is TRUE. |

**Value**

Updated SingleCellExperiment object containing the transformed data

**Examples**

```
data("mouseBrainSubsetSCE", package = "singleCellTK")
mouseBrainSubsetSCE <- runSeuratSCTransform(mouseBrainSubsetSCE)
```

---

|               |                                                                                                                        |
|---------------|------------------------------------------------------------------------------------------------------------------------|
| runSeuratTSNE | <i>runSeuratTSNE Computes tSNE from the given sce object and stores the tSNE computations back into the sce object</i> |
|---------------|------------------------------------------------------------------------------------------------------------------------|

---

**Description**

runSeuratTSNE Computes tSNE from the given sce object and stores the tSNE computations back into the sce object

**Usage**

```
runSeuratTSNE(
  inSCE,
  useReduction = c("pca", "ica"),
  reducedDimName = "seuratTSNE",
  dims = 10,
  perplexity = 30,
  externalReduction = NULL,
  seed = 1
)
```

**Arguments**

|                   |                                                                                               |
|-------------------|-----------------------------------------------------------------------------------------------|
| inSCE             | (sce) object on which to compute the tSNE                                                     |
| useReduction      | selected reduction algorithm to use for computing tSNE. One of "pca" or "ica". Default "pca". |
| reducedDimName    | Name of new reducedDims object containing Seurat tSNE Default seuratTSNE.                     |
| dims              | Number of reduction components to use for tSNE computation. Default 10.                       |
| perplexity        | Adjust the perplexity tuneable parameter for the underlying tSNE call. Default 30.            |
| externalReduction | Pass DimReduc object if PCA/ICA computed through other libraries. Default NULL.               |
| seed              | Random seed for reproducibility of results. Default 1.                                        |

**Value**

Updated sce object with tSNE computations stored

---

|               |                                                                                                                        |
|---------------|------------------------------------------------------------------------------------------------------------------------|
| runSeuratUMAP | <i>runSeuratUMAP Computes UMAP from the given sce object and stores the UMAP computations back into the sce object</i> |
|---------------|------------------------------------------------------------------------------------------------------------------------|

---

## Description

runSeuratUMAP Computes UMAP from the given sce object and stores the UMAP computations back into the sce object

## Usage

```
runSeuratUMAP(
  inSCE,
  useReduction = c("pca", "ica"),
  reducedDimName = "seuratUMAP",
  dims = 10,
  minDist = 0.3,
  nNeighbors = 30L,
  spread = 1,
  externalReduction = NULL,
  seed = 42,
  verbose = TRUE
)
```

## Arguments

|                   |                                                                                                                              |
|-------------------|------------------------------------------------------------------------------------------------------------------------------|
| inSCE             | (sce) object on which to compute the UMAP                                                                                    |
| useReduction      | Reduction to use for computing UMAP. One of "pca" or "ica". Default is "pca".                                                |
| reducedDimName    | Name of new reducedDims object containing Seurat UMAP Default seuratUMAP.                                                    |
| dims              | Numerical value of how many reduction components to use for UMAP computation. Default 10.                                    |
| minDist           | Sets the "min.dist" parameter to the underlying UMAP call. See <a href="#">RunUMAP</a> for more information. Default 0.3.    |
| nNeighbors        | Sets the "n.neighbors" parameter to the underlying UMAP call. See <a href="#">RunUMAP</a> for more information. Default 30L. |
| spread            | Sets the "spread" parameter to the underlying UMAP call. See <a href="#">RunUMAP</a> for more information. Default 1.        |
| externalReduction | Pass DimReduc object if PCA/ICA computed through other libraries. Default NULL.                                              |
| seed              | Random seed for reproducibility of results. Default 42.                                                                      |
| verbose           | Logical value indicating if informative messages should be displayed. Default is TRUE.                                       |

## Value

Updated sce object with UMAP computations stored

## Examples

```
data(scExample, package = "singleCellTK")
## Not run:
sce <- runSeuratNormalizeData(sce, useAssay = "counts")
sce <- runSeuratFindHVG(sce, useAssay = "counts")
sce <- runSeuratScaleData(sce, useAssay = "counts")
sce <- runSeuratPCA(sce, useAssay = "counts")
sce <- runSeuratFindClusters(sce, useAssay = "counts")
sce <- runSeuratUMAP(sce, useReduction = "pca")

## End(Not run)
```

---

runSingleR

*Label cell types with SingleR*


---

## Description

SingleR works with a reference dataset where the cell type labeling is given. Given a reference dataset of samples (single-cell or bulk) with known labels, it assigns those labels to new cells from a test dataset based on similarities in their expression profiles.

## Usage

```
runSingleR(
  inSCE,
  useAssay = "logcounts",
  useSCERef = NULL,
  labelColName = NULL,
  useBltinRef = c("hpca", "bpe", "mp", "dice", "immgen", "mouse", "zeisel"),
  level = "fine",
  featureType = c("symbol", "ensembl"),
  labelByCluster = NULL
)
```

## Arguments

|              |                                                                                                                                                                                |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE        | <a href="#">SingleCellExperiment</a> inherited object. Required.                                                                                                               |
| useAssay     | character. A string specifying which assay to use for expression profile identification. Required.                                                                             |
| useSCERef    | <a href="#">SingleCellExperiment</a> inherited object. An optional customized reference dataset. Default NULL.                                                                 |
| labelColName | A single character. A string specifying the column in colData(useSCERef) that stores the cell type labeling. Default NULL.                                                     |
| useBltinRef  | A single character. A string that specifies a reference provided by SingleR. Choose from "hpca", "bpe", "mp", "dice", "immgen", "mouse", "zeisel". See detail. Default "hpca". |
| level        | A string for cell type labeling level. Used only when using some of the SingleR built-in references. Choose from "main", "fine", "ont". Default "fine".                        |

- featureType** A string for whether to use gene symbols or Ensembl IDs when using a SingleR built-in reference. Should be set based on the type of rownames of `inSCE`. Choose from "symbol", "ensembl". Default "symbol".
- labelByCluster** A single character. A string specifying the column name in `colData(inSCE)` that stores clustering labels. Use this when users want to only label cells on cluster level, instead of performing calculation on each cell. Default NULL.

### Value

Input SCE object with cell type labeling updated in `colData(inSCE)`, together with scoring metrics.

### Examples

```
data("sceBatches")
logcounts(sceBatches) <- log1p(counts(sceBatches))
#sceBatches <- runSingleR(sceBatches, useBltinRef = "mp")
```

---

runSoupX

---

*Detecting and correct contamination with SoupX*


---

### Description

A wrapper function for [autoEstCont](#) and [adjustCounts](#). Identify potential contamination from experimental factors such as ambient RNA. Visit [their vignette](#) for better understanding.

### Usage

```
runSoupX(
  inSCE,
  sample = NULL,
  useAssay = "counts",
  background = NULL,
  bgAssayName = NULL,
  bgBatch = NULL,
  assayName = ifelse(is.null(background), "SoupX", "SoupX_bg"),
  cluster = NULL,
  reducedDimName = ifelse(is.null(background), "SoupX_UMAP_", "SoupX_bg_UMAP_"),
  tfidfMin = 1,
  soupQuantile = 0.9,
  maxMarkers = 100,
  contaminationRange = c(0.01, 0.8),
  rhoMaxFDR = 0.2,
  priorRho = 0.05,
  priorRhoStdDev = 0.1,
  forceAccept = FALSE,
  adjustMethod = c("subtraction", "soupOnly", "multinomial"),
  roundToInt = FALSE,
  tol = 0.001,
  pCut = 0.01
)
```

**Arguments**

|                    |                                                                                                                                                                                                                                                                                          |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE              | A <a href="#">SingleCellExperiment</a> object.                                                                                                                                                                                                                                           |
| sample             | A single character specifying a name that can be found in colData(inSCE) to directly use the cell annotation; or a character vector with as many elements as cells to indicates which sample each cell belongs to. SoupX will be run on cells from each sample separately. Default NULL. |
| useAssay           | A single character string specifying which assay in inSCE to use. Default 'counts'.                                                                                                                                                                                                      |
| background         | A numeric matrix of counts or a <a href="#">SingleCellExperiment</a> object with the matrix in assay slot. It should have the same structure as inSCE except it contains the matrix including empty droplets. Default NULL.                                                              |
| bgAssayName        | A single character string specifying which assay in background to use when background is a <a href="#">SingleCellExperiment</a> object. If NULL, the function will use the same value as useAssay. Default NULL.                                                                         |
| bgBatch            | The same thing as sample but for background. Can be a single character only when background is a <a href="#">SingleCellExperiment</a> object. Default NULL.                                                                                                                              |
| assayName          | A single character string of the output corrected matrix. Default "SoupX" when not using a background, otherwise, "SoupX_bg".                                                                                                                                                            |
| cluster            | Prior knowledge of clustering labels on cells. A single character string for specifying clustering label stored in colData(inSCE), or a character vector with as many elements as cells. When not supplied, <a href="#">quickCluster</a> method will be applied.                         |
| reducedDimName     | A single character string of the prefix of output corrected embedding matrix for each sample. Default "SoupX_UMAP_" when not using a background, otherwise, "SoupX_bg_UMAP_".                                                                                                            |
| tfidfMin           | Numeric. Minimum value of tfidf to accept for a marker gene. Default 1. See ?SoupX::autoEstCont.                                                                                                                                                                                         |
| soupQuantile       | Numeric. Only use genes that are at or above this expression quantile in the soup. This prevents inaccurate estimates due to using genes with poorly constrained contribution to the background. Default 0.9. See ?SoupX::autoEstCont.                                                   |
| maxMarkers         | Integer. If we have heaps of good markers, keep only the best maxMarkers of them. Default 100. See ?SoupX::autoEstCont.                                                                                                                                                                  |
| contaminationRange | Numeric vector of two elements. This constrains the contamination fraction to lie within this range. Must be between 0 and 1. The high end of this range is passed to <a href="#">estimateNonExpressingCells</a> as maximumContamination. Default c(0.01, 0.8). See ?SoupX::autoEstCont. |
| rhoMaxFDR          | Numeric. False discovery rate passed to <a href="#">estimateNonExpressingCells</a> , to test if rho is less than maximumContamination. Default 0.2. See ?SoupX::autoEstCont.                                                                                                             |
| priorRho           | Numeric. Mode of gamma distribution prior on contamination fraction. Default 0.05. See ?SoupX::autoEstCont.                                                                                                                                                                              |
| priorRhoStdDev     | Numeric. Standard deviation of gamma distribution prior on contamination fraction. Default 0.1. See ?SoupX::autoEstCont.                                                                                                                                                                 |
| forceAccept        | Logical. Should we allow very high contamination fractions to be used. Passed to <a href="#">setContaminationFraction</a> . Default FALSE. See ?SoupX::autoEstCont.                                                                                                                      |
| adjustMethod       | Character. Method to use for correction. One of 'subtraction', 'soupOnly', or 'multinomial'. Default 'subtraction'. See ?SoupX::adjustCounts.                                                                                                                                            |

|            |                                                                                                                             |
|------------|-----------------------------------------------------------------------------------------------------------------------------|
| roundToInt | Logical. Should the resulting matrix be rounded to integers? Default FALSE. See ?SoupX::adjustCounts.                       |
| tol        | Numeric. Allowed deviation from expected number of soup counts. Don't change this. Default 0.001. See ?SoupX::adjustCounts. |
| pCut       | Numeric. The p-value cut-off used when method = 'soupOnly'. Default 0.01. See ?SoupX::adjustCounts.                         |

### Value

The input inSCE object with soupX\_nUMIs, soupX\_clustrers, soupX\_contamination appended to colData slot; soupX\_{sample}\_est and soupX\_{sample}\_counts for each sample appended to rowData slot; and other computational metrics at getSoupX(inSCE). Replace "soupX" to "soupX\_bg" when background is used.

### Author(s)

Yichen Wang

### See Also

plotSoupXResults

### Examples

```
## Not run:
# SoupX does not work for toy example,
sce <- importExampleData("pbmc3k")
sce <- runSoupX(sce, sample = "sample")
plotSoupXResults(sce, sample = "sample")

## End(Not run)
```

---

runTSCAN

*Run TSCAN to obtain pseudotime values for cells*


---

### Description

Wrapper for obtaining a pseudotime ordering of the cells by projecting them onto the minimum spanning tree (MST)

### Usage

```
runTSCAN(
  inSCE,
  useReducedDim = "PCA",
  cluster = NULL,
  starter = NULL,
  seed = 12345
)
```

**Arguments**

|               |                                                                                                                                                                                                       |
|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE         | Input <a href="#">SingleCellExperiment</a> object.                                                                                                                                                    |
| useReducedDim | Character. A low-dimension representation in reducedDims, will be used for both clustering if cluster not specified and MST construction. Default "PCA".                                              |
| cluster       | Grouping for each cell in inSCE. A vector with equal length to the number of the cells in inSCE, or a single character for retrieving colData variable. Default NULL, will run runScranSNN to obtain. |
| starter       | Character. Specifies the starting node from which to compute the pseudotime. Default NULL, will select an arbitrary node.                                                                             |
| seed          | An integer. Random seed for clustering if cluster is not specified. Default 12345.                                                                                                                    |

**Value**

The input inSCE object with pseudotime ordering of the cells along the paths and the cluster label stored in colData, and other unstructured information in metadata.

**Author(s)**

Nida Pervaiz

**Examples**

```
data("mouseBrainSubsetSCE", package = "singleCellTK")
mouseBrainSubsetSCE <- runTSCAN(inSCE = mouseBrainSubsetSCE,
                                useReducedDim = "PCA_logcounts")
```

---

runTSCANClusterDEAnalysis

*Find DE genes between all TSCAN paths rooted from given cluster*

---

**Description**

This function finds all paths that root from a given cluster useCluster, and performs tests to identify significant features for each path, and are not significant and/or changing in the opposite direction in the other paths. Using a branching cluster (i.e. a node with degree > 2) may highlight features which are responsible for the branching event. MST has to be pre-calculated with [runTSCAN](#).

**Usage**

```
runTSCANClusterDEAnalysis(
  inSCE,
  useCluster,
  useAssay = "logcounts",
  fdrThreshold = 0.05
)
```

**Arguments**

|              |                                                                                                                |
|--------------|----------------------------------------------------------------------------------------------------------------|
| inSCE        | Input <a href="#">SingleCellExperiment</a> object.                                                             |
| useCluster   | The cluster to be regarded as the root, has to existing in colData(inSCE)\$TSCAN_clusters.                     |
| useAssay     | Character. The name of the assay to use. This assay should contain log normalized counts. Default "logcounts". |
| fdrThreshold | Only out put DEGs with FDR value smaller than this value. Default 0.05.                                        |

**Value**

The input inSCE with results updated in metadata.

**Author(s)**

Nida Pervaiz

**Examples**

```
data("mouseBrainSubsetSCE", package = "singleCellTK")
mouseBrainSubsetSCE <- runTSCAN(inSCE = mouseBrainSubsetSCE,
                               useReducedDim = "PCA_logcounts")
mouseBrainSubsetSCE <- runTSCANclusterDEAnalysis(inSCE = mouseBrainSubsetSCE,
                                                  useCluster = 1)
```

---

runTSCANDEG

---

*Test gene expression changes along a TSCAN trajectory path*


---

**Description**

Wrapper for identifying genes with significant changes with respect to one of the TSCAN pseudo-time paths

**Usage**

```
runTSCANDEG(inSCE, pathIndex, useAssay = "logcounts", discardCluster = NULL)
```

**Arguments**

|                |                                                                                                                                                                                                                                  |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE          | Input <a href="#">SingleCellExperiment</a> object.                                                                                                                                                                               |
| pathIndex      | Path index for which the pseudotime values should be used. This corresponds to the terminal node of specific path from the root node to the terminal node. Run <code>listTSCANTerminalNodes(inSCE)</code> for available options. |
| useAssay       | Character. The name of the assay to use for testing the expression change. Should be log-normalized. Default "logcounts"                                                                                                         |
| discardCluster | Cluster(s) which are not of use or masks other interesting effects can be discarded. Default NULL.                                                                                                                               |

**Value**

The input inSCE with results updated in metadata.

**Author(s)**

Nida Pervaiz

**Examples**

```
data("mouseBrainSubsetSCE", package = "singleCellTK")
mouseBrainSubsetSCE <- runTSCAN(inSCE = mouseBrainSubsetSCE,
                               useReducedDim = "PCA_logcounts")
terminalNodes <- listTSCANTerminalNodes(mouseBrainSubsetSCE)
mouseBrainSubsetSCE <- runTSCANDEG(inSCE = mouseBrainSubsetSCE,
                                   pathIndex = terminalNodes[1])
```

runTSNE

*Run t-SNE embedding with Rtsne method***Description**

T-Stochastic Neighbour Embedding (t-SNE) algorithm is commonly for 2D visualization of single-cell data. This function wraps the Rtsne [Rtsne](#) function.

With this function, users can create tSNE embedding directly from raw count matrix, with necessary preprocessing including normalization, scaling, dimension reduction all automated. Yet we still recommend having the PCA as input, so that the result can match with the clustering based on the same input PCA, and will be much faster.

**Usage**

```
runTSNE(
  inSCE,
  useReducedDim = "PCA",
  useAssay = NULL,
  useAltExp = NULL,
  reducedDimName = "TSNE",
  logNorm = TRUE,
  useFeatureSubset = NULL,
  nTop = 2000,
  center = TRUE,
  scale = TRUE,
  pca = TRUE,
  partialPCA = FALSE,
  initialDims = 25,
  theta = 0.5,
  perplexity = 30,
  nIterations = 1000,
  numThreads = 1,
  seed = 12345
)

runQuickTSNE(inSCE, useAssay = "counts", ...)

getTSNE(
  inSCE,
```

```

    useReducedDim = "PCA",
    useAssay = NULL,
    useAltExp = NULL,
    reducedDimName = "TSNE",
    logNorm = TRUE,
    useFeatureSubset = NULL,
    nTop = 2000,
    center = TRUE,
    scale = TRUE,
    pca = TRUE,
    partialPCA = FALSE,
    initialDims = 25,
    theta = 0.5,
    perplexity = 30,
    nIterations = 1000,
    numThreads = 1,
    seed = 12345
  )

```

### Arguments

|                               |                                                                                                                                                                                                                                             |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>inSCE</code>            | Input <a href="#">SingleCellExperiment</a> object.                                                                                                                                                                                          |
| <code>useReducedDim</code>    | The low dimension representation to use for UMAP computation. Default "PCA".                                                                                                                                                                |
| <code>useAssay</code>         | Assay to use for tSNE computation. If <code>useAltExp</code> is specified, <code>useAssay</code> has to exist in <code>assays(altExp(inSCE, useAltExp))</code> . Default NULL.                                                              |
| <code>useAltExp</code>        | The subset to use for tSNE computation, usually for the selected.variable features. Default NULL.                                                                                                                                           |
| <code>reducedDimName</code>   | a name to store the results of the dimension reductions. Default "TSNE".                                                                                                                                                                    |
| <code>logNorm</code>          | Whether the counts will need to be log-normalized prior to generating the tSNE via <a href="#">scaterlogNormCounts</a> . Ignored when using <code>useReducedDim</code> . Default TRUE.                                                      |
| <code>useFeatureSubset</code> | Subset of feature to use for dimension reduction. A character string indicating a <code>rowData</code> variable that stores the logical vector of HVG selection, or a vector that can subset the rows of <code>inSCE</code> . Default NULL. |
| <code>nTop</code>             | Automatically detect this number of variable features to use for dimension reduction. Ignored when using <code>useReducedDim</code> or using <code>useFeatureSubset</code> . Default 2000.                                                  |
| <code>center</code>           | Whether data should be centered before PCA is applied. Ignored when using <code>useReducedDim</code> . Default TRUE.                                                                                                                        |
| <code>scale</code>            | Whether data should be scaled before PCA is applied. Ignored when using <code>useReducedDim</code> . Default TRUE.                                                                                                                          |
| <code>pca</code>              | Whether an initial PCA step should be performed. Ignored when using <code>useReducedDim</code> . Default TRUE.                                                                                                                              |
| <code>partialPCA</code>       | Whether truncated PCA should be used to calculate principal components (requires the <code>irlba</code> package). This is faster for large input matrices. Ignored when using <code>useReducedDim</code> . Default FALSE.                   |
| <code>initialDims</code>      | Number of dimensions from PCA to use as input in tSNE. Default 25.                                                                                                                                                                          |
| <code>theta</code>            | Numeric value for speed/accuracy trade-off (increase for less accuracy), set to 0.0 for exact TSNE. Default 0.5.                                                                                                                            |

|             |                                                                                                                                                                             |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| perplexity  | perplexity parameter. Should not be bigger than $3 * \text{perplexity} < \text{ncol}(\text{inSCE}) - 1$ . Default 30. See <a href="#">Rtsne</a> details for interpretation. |
| nIterations | maximum iterations. Default 1000.                                                                                                                                           |
| numThreads  | Integer, number of threads to use using OpenMP, Default 1. 0 corresponds to using all available cores.                                                                      |
| seed        | Random seed for reproducibility of tSNE results. Default NULL will use global seed in use by the R environment.                                                             |
| ...         | Other parameters to be passed to runTSNE                                                                                                                                    |

### Value

A [SingleCellExperiment](#) object with tSNE computation updated in `reducedDim(inSCE, reducedDimName)`.

### Examples

```
data(scExample, package = "singleCellTK")
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
# Run from raw counts
sce <- runQuickTSNE(sce)
## Not run:
# Run from PCA
sce <- scaterlogNormCounts(sce, "logcounts")
sce <- runModelGeneVar(sce)
sce <- setTopHVG(sce, method = "modelGeneVar", hvgNumber = 2000,
                 featureSubsetName = "HVG_modelGeneVar2000")
sce <- scaterPCA(sce, useAssay = "logcounts",
                 useFeatureSubset = "HVG_modelGeneVar2000", scale = TRUE)
sce <- runTSNE(sce, useReducedDim = "PCA")

## End(Not run)
```

---

runUMAP

*Run UMAP embedding with scater method*

---

### Description

Uniform Manifold Approximation and Projection (UMAP) algorithm is commonly for 2D visualization of single-cell data. These functions wrap the scater [calculateUMAP](#) function.

Users can use `runQuickUMAP` to directly create UMAP embedding from raw count matrix, with necessary preprocessing including normalization, variable feature selection, scaling, dimension reduction all automated. Therefore, `useReducedDim` is disabled for `runQuickUMAP`.

In a complete analysis, we still recommend having dimension reduction such as PCA created beforehand and select proper numbers of dimensions for using `runUMAP`, so that the result can match with the clustering based on the same input PCA.

### Usage

```
runUMAP(
  inSCE,
  useReducedDim = "PCA",
  useAssay = NULL,
```

```

    useAltExp = NULL,
    sample = NULL,
    reducedDimName = "UMAP",
    logNorm = TRUE,
    useFeatureSubset = NULL,
    nTop = 2000,
    scale = TRUE,
    pca = TRUE,
    initialDims = 10,
    nNeighbors = 30,
    nIterations = 200,
    alpha = 1,
    minDist = 0.01,
    spread = 1,
    seed = 12345,
    verbose = TRUE,
    BPPARAM = SerialParam()
)

runQuickUMAP(inSCE, useAssay = "counts", sample = "sample", ...)

getUMAP(
  inSCE,
  useReducedDim = "PCA",
  useAssay = NULL,
  useAltExp = NULL,
  sample = NULL,
  reducedDimName = "UMAP",
  logNorm = TRUE,
  useFeatureSubset = NULL,
  nTop = 2000,
  scale = TRUE,
  pca = TRUE,
  initialDims = 25,
  nNeighbors = 30,
  nIterations = 200,
  alpha = 1,
  minDist = 0.01,
  spread = 1,
  seed = 12345,
  BPPARAM = SerialParam()
)

```

### Arguments

|               |                                                                                                                                                                              |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE         | Input <a href="#">SingleCellExperiment</a> object.                                                                                                                           |
| useReducedDim | The low dimension representation to use for UMAP computation. If useAltExp is specified, useReducedDim has to exist in reducedDims(altExp(inSCE, useAltExp)). Default "PCA". |
| useAssay      | Assay to use for UMAP computation. If useAltExp is specified, useAssay has to exist in assays(altExp(inSCE, useAltExp)). Ignored when using useReducedDim. Default NULL.     |

|                  |                                                                                                                                                                                                                                                                                                                                   |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| useAltExp        | The subset to use for UMAP computation, usually for the selected variable features. Default NULL.                                                                                                                                                                                                                                 |
| sample           | Character vector. Indicates which sample each cell belongs to. If given a single character, will take the annotation from colData. Default NULL.                                                                                                                                                                                  |
| reducedDimName   | A name to store the results of the UMAP embedding coordinates obtained from this method. Default "UMAP".                                                                                                                                                                                                                          |
| logNorm          | Whether the counts will need to be log-normalized prior to generating the UMAP via <a href="#">scaterlogNormCounts</a> . Ignored when using useReducedDim. Default TRUE.                                                                                                                                                          |
| useFeatureSubset | Subset of feature to use for dimension reduction. A character string indicating a rowData variable that stores the logical vector of HVG selection, or a vector that can subset the rows of inSCE. Default NULL.                                                                                                                  |
| nTop             | Automatically detect this number of variable features to use for dimension reduction. Ignored when using useReducedDim or using useFeatureSubset. Default 2000.                                                                                                                                                                   |
| scale            | Whether useAssay matrix will need to be standardized. Default TRUE.                                                                                                                                                                                                                                                               |
| pca              | Logical. Whether to perform dimension reduction with PCA before UMAP. Ignored when using useReducedDim. Default TRUE.                                                                                                                                                                                                             |
| initialDims      | Number of dimensions from PCA to use as input in UMAP. Default 10.                                                                                                                                                                                                                                                                |
| nNeighbors       | The size of local neighborhood used for manifold approximation. Larger values result in more global views of the manifold, while smaller values result in more local data being preserved. Default 30. See <a href="#">calculateUMAP</a> for more information.                                                                    |
| nIterations      | The number of iterations performed during layout optimization. Default is 200.                                                                                                                                                                                                                                                    |
| alpha            | The initial value of "learning rate" of layout optimization. Default is 1.                                                                                                                                                                                                                                                        |
| minDist          | The effective minimum distance between embedded points. Smaller values will result in a more clustered/clumped embedding where nearby points on the manifold are drawn closer together, while larger values will result on a more even dispersal of points. Default 0.01. See <a href="#">calculateUMAP</a> for more information. |
| spread           | The effective scale of embedded points. In combination with minDist, this determines how clustered/clumped the embedded points are. Default 1. See <a href="#">calculateUMAP</a> for more information.                                                                                                                            |
| seed             | Random seed for reproducibility of UMAP results. Default NULL will use global seed in use by the R environment.                                                                                                                                                                                                                   |
| verbose          | Logical. Whether to print log messages. Default TRUE.                                                                                                                                                                                                                                                                             |
| BPPARAM          | A <a href="#">BiocParallelParam</a> object specifying whether the PCA should be parallelized.                                                                                                                                                                                                                                     |
| ...              | Parameters passed to runUMAP                                                                                                                                                                                                                                                                                                      |

### Value

A [SingleCellExperiment](#) object with UMAP computation updated in reducedDim(inSCE, reducedDimName).

### Examples

```
data(scExample, package = "singleCellTK")
sce <- subsetSCEcols(sce, colData = "type != 'EmptyDroplet'")
# Run from raw counts
sce <- runQuickUMAP(sce)
plotDimRed(sce, "UMAP")
```

runVAM

*Run VAM to score gene sets in single cell data***Description**

Wrapper for the Variance-adjusted Mahalanobis (VAM), which is a fast and accurate method for cell-specific gene set scoring of single cell data. This algorithm computes distance statistics and one-sided p-values for all cells in the specified single cell gene expression matrix. Gene sets should already be imported and stored in the meta data using functions such as [importGeneSetsFromList](#) or [importGeneSetsFromMSigDB](#)

**Usage**

```
runVAM(
  inSCE,
  geneSetCollectionName = "H",
  useAssay = "logcounts",
  resultNamePrefix = NULL,
  center = FALSE,
  gamma = TRUE
)
```

**Arguments**

|                       |                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE                 | Input <a href="#">SingleCellExperiment</a> object.                                                                                                                                                                                                                                                                                                                                                                                         |
| geneSetCollectionName | Character. The name of the gene set collection to use. Default "H".                                                                                                                                                                                                                                                                                                                                                                        |
| useAssay              | Character. The name of the assay to use. This assay should contain log normalized counts. Default "logcounts".                                                                                                                                                                                                                                                                                                                             |
| resultNamePrefix      | Character. Prefix to the name the VAM results which will be stored in the reducedDim slot of inSCE. The names of the output matrices will be resultNamePrefix_Distance and resultNamePrefix_CDF. If this parameter is set to NULL, then "VAM_geneSetCollectionName_" will be used. Default NULL.                                                                                                                                           |
| center                | Boolean. If TRUE, values will be mean centered when computing the Mahalanobis statistic. Default FALSE.                                                                                                                                                                                                                                                                                                                                    |
| gamma                 | Boolean. If TRUE, a gamma distribution will be fit to the non-zero squared Mahalanobis distances computed from a row-permuted version of the gene expression matrix. The estimated gamma distribution will be used to compute a one-sided p-value for each cell. If FALSE, the p-value will be computed using the standard chi-square approximation for the squared Mahalanobis distance (or non-central if center = FALSE). Default TRUE. |

**Value**

A [SingleCellExperiment](#) object with VAM metrics stored in reducedDim as VAM\_NameOfTheGeneset\_Distance and VAM\_NameOfTheGeneset\_CDF.

**Author(s)**

Nida Pervaiz

**See Also**

[importGeneSetsFromList](#), [importGeneSetsFromMSigDB](#), [importGeneSetsFromGMT](#), [importGeneSetsFromCollection](#) for importing gene sets. [sctkListGeneSetCollections](#), [getPathwayResultNames](#) and [getGenesetNamesFromCollection](#) for available related information in inSCE.

**Examples**

```
data(scExample, package = "singleCellTK")
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
sce <- scaterlogNormCounts(sce, assayName = "logcounts")
gs1 <- rownames(sce)[seq(10)]
gs2 <- rownames(sce)[seq(11,20)]
gs <- list("geneset1" = gs1, "geneset2" = gs2)
sce <- importGeneSetsFromList(inSCE = sce, geneSetList = gs,
                             by = "rownames")

sce <- runVAM(inSCE = sce,
              geneSetCollectionName = "GeneSetCollection",
              useAssay = "logcounts")
```

runZINBWaVE

*Apply ZINBWaVE Batch effect correction method to SingleCellExperiment object*

**Description**

A general and flexible zero-inflated negative binomial model that can be used to provide a low-dimensional representations of scRNAseq data. The model accounts for zero inflation (dropouts), over-dispersion, and the count nature of the data. The model also accounts for the difference in library sizes and optionally for batch effects and/or other covariates.

**Usage**

```
runZINBWaVE(
  inSCE,
  useAssay = "counts",
  batch = "batch",
  nHVG = 1000L,
  nComponents = 50L,
  epsilon = 1000,
  nIter = 10L,
  reducedDimName = "zinbwave",
  BPPARAM = BiocParallel::SerialParam()
)
```

**Arguments**

|          |                                                                                                                                                                                                        |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE    | Input <a href="#">SingleCellExperiment</a> object                                                                                                                                                      |
| useAssay | A single character indicating the name of the assay requiring batch correction. Note that ZINBWaVE works for counts (integer) input rather than logcounts that other methods prefer. Default "counts". |

|                |                                                                                                                                                      |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| batch          | A single character indicating a field in <code>colData</code> that annotates the batches. Default "batch".                                           |
| nHVG           | An integer. Number of highly variable genes to use when fitting the model. Default 1000L.                                                            |
| nComponents    | An integer. The number of principle components or dimensionality to generate in the resulting matrix. Default 50L.                                   |
| epsilon        | An integer. Algorithmic parameter. Empirically, a high epsilon is often required to obtain a good low-level representation. Default 1000L.           |
| nIter          | An integer, The max number of iterations to perform. Default 10L.                                                                                    |
| reducedDimName | A single character. The name for the corrected low-dimensional representation. Will be saved to <code>reducedDim(inSCE)</code> . Default "zinbwave". |
| BPPARAM        | A <code>BiocParallelParam</code> object specifying whether should be parallelized. Default <code>BiocParallel::SerialParam()</code> .                |

**Value**

The input `SingleCellExperiment` object with `reducedDim(inSCE, reducedDimName)` updated.

**References**

Pollen, Alex A et al., 2014

**Examples**

```
data('sceBatches', package = 'singleCellTK')
## Not run:
  sceCorr <- runZINBWave(sceBatches, nIter = 5)

## End(Not run)
```

---

|                    |                                           |
|--------------------|-------------------------------------------|
| sampleSummaryStats | <i>Generate table of SCTK QC outputs.</i> |
|--------------------|-------------------------------------------|

---

**Description**

Creates a table of QC metrics generated from QC algorithms, which is stored within the metadata slot of the input `SingleCellExperiment` object.

**Usage**

```
sampleSummaryStats(
  inSCE,
  sample = NULL,
  useAssay = "counts",
  simple = TRUE,
  statsName = "qc_table"
)
```

**Arguments**

|           |                                                                                                                                                               |
|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE     | Input <a href="#">SingleCellExperiment</a> object with saved <a href="#">assay</a> data and/or <a href="#">colData</a> data. Required.                        |
| sample    | Character vector. Indicates which sample each cell belongs to.                                                                                                |
| useAssay  | A string specifying which assay in the SCE to use. Default 'counts'.                                                                                          |
| simple    | Boolean. Indicates whether to generate a table of only basic QC stats (ex. library size), or to generate a summary table of all QC stats stored in the inSCE. |
| statsName | Character. The name of the slot that will store the QC stat table. Default "qc_table".                                                                        |

**Value**

A SingleCellExperiment object with a summary table for QC statistics in the 'sample\_summary' slot of metadata.

**Examples**

```
data(scExample, package = "singleCellTK")
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
sce <- sampleSummaryStats(sce, simple = TRUE)
getSampleSummaryStatsTable(sce, statsName = "qc_table")
```

---

|           |                                                                              |
|-----------|------------------------------------------------------------------------------|
| scaterCPM | <i>scaterCPM Uses CPM from scater library to compute counts-per-million.</i> |
|-----------|------------------------------------------------------------------------------|

---

**Description**

scaterCPM Uses CPM from scater library to compute counts-per-million.

**Usage**

```
scaterCPM(inSCE, assayName = "ScaterCPMCounts", useAssay = "counts")
```

**Arguments**

|           |                                   |
|-----------|-----------------------------------|
| inSCE     | Input SingleCellExperiment object |
| assayName | New assay name for cpm data.      |
| useAssay  | Input assay                       |

**Value**

inSCE Updated SingleCellExperiment object

**Author(s)**

Irzam Sarfraz

**Examples**

```
data(sce_chc1, package = "scds")
sce_chc1 <- scaterCPM(sce_chc1, "countsCPM", "counts")
```

---

|                     |                                                                                           |
|---------------------|-------------------------------------------------------------------------------------------|
| scaterlogNormCounts | <i>scaterlogNormCounts Uses <a href="#">logNormCounts</a> to log normalize input data</i> |
|---------------------|-------------------------------------------------------------------------------------------|

---

### Description

scaterlogNormCounts Uses [logNormCounts](#) to log normalize input data

### Usage

```
scaterlogNormCounts(  
  inSCE,  
  assayName = "ScaterLogNormCounts",  
  useAssay = "counts"  
)
```

### Arguments

|           |                                        |
|-----------|----------------------------------------|
| inSCE     | Input SingleCellExperiment object      |
| assayName | New assay name for log normalized data |
| useAssay  | Input assay                            |

### Value

inSCE Updated SingleCellExperiment object that contains the new log normalized data

### Author(s)

Irzam Sarfraz

### Examples

```
data(sce_chc1, package = "scds")  
sce_chc1 <- scaterlogNormCounts(sce_chc1, "logcounts", "counts")
```

---

|           |                                                            |
|-----------|------------------------------------------------------------|
| scaterPCA | <i>Perform scater PCA on a SingleCellExperiment Object</i> |
|-----------|------------------------------------------------------------|

---

### Description

A wrapper to [runPCA](#) function to compute principal component analysis (PCA) from a given [SingleCellExperiment](#) object.

**Usage**

```
scaterPCA(
  inSCE,
  useAssay = "logcounts",
  useFeatureSubset = "hvg2000",
  scale = TRUE,
  reducedDimName = "PCA",
  nComponents = 50,
  ntop = 2000,
  useAltExp = NULL,
  seed = 12345,
  BPPARAM = BiocParallel::SerialParam()
)
```

**Arguments**

|                               |                                                                                                                                                                                                                                                  |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>inSCE</code>            | Input <a href="#">SingleCellExperiment</a> object.                                                                                                                                                                                               |
| <code>useAssay</code>         | Assay to use for PCA computation. If <code>useAltExp</code> is specified, <code>useAssay</code> has to exist in <code>assays(altExp(inSCE, useAltExp))</code> . Default "logcounts"                                                              |
| <code>useFeatureSubset</code> | Subset of feature to use for dimension reduction. A character string indicating a <code>rowData</code> variable that stores the logical vector of HVG selection, or a vector that can subset the rows of <code>inSCE</code> . Default "hvg2000". |
| <code>scale</code>            | Logical scalar, whether to standardize the expression values. Default TRUE.                                                                                                                                                                      |
| <code>reducedDimName</code>   | Name to use for the reduced output assay. Default "PCA".                                                                                                                                                                                         |
| <code>nComponents</code>      | Number of principal components to obtain from the PCA computation. Default 50.                                                                                                                                                                   |
| <code>ntop</code>             | Automatically detect this number of variable features to use for dimension reduction. Ignored when using <code>useReducedDim</code> or using <code>useFeatureSubset</code> . Default 2000.                                                       |
| <code>useAltExp</code>        | The subset to use for PCA computation, usually for the <code>selected.variable</code> features. Default NULL.                                                                                                                                    |
| <code>seed</code>             | Integer, random seed for reproducibility of PCA results. Default NULL.                                                                                                                                                                           |
| <code>BPPARAM</code>          | A <a href="#">BiocParallelParam</a> object specifying whether the PCA should be parallelized.                                                                                                                                                    |

**Value**

A [SingleCellExperiment](#) object with PCA computation updated in `reducedDim(inSCE, reducedDimName)`.

**Examples**

```
data(scExample, package = "singleCellTK")
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
sce <- scaterlogNormCounts(sce, "logcounts")

# Example of ranking variable genes, selecting the top variable features,
# and running PCA. Make sure to increase the number of highly variable
# features (hvgNumber) and the number of principal components (nComponents)
# for real datasets
sce <- runModelGeneVar(sce, useAssay = "logcounts")
sce <- setTopHVG(sce, method = "modelGeneVar", hvgNumber = 100,
```

```

featureSubsetName = "hvf")
sce <- scaterPCA(sce, useAssay = "logcounts", scale = TRUE,
  useFeatureSubset = "hvf", nComponents = 5)

# Alternatively, let the scater PCA function select the top variable genes
sce <- scaterPCA(sce, useAssay = "logcounts", scale = TRUE,
  useFeatureSubset = NULL, ntop = 100, nComponents = 5)

```

---

|     |                                                                                                      |
|-----|------------------------------------------------------------------------------------------------------|
| sce | <i>Example Single Cell RNA-Seq data in SingleCellExperiment Object, subset of 10x public dataset</i> |
|-----|------------------------------------------------------------------------------------------------------|

---

## Description

<https://support.10xgenomics.com/single-cell-gene-expression/datasets/2.1.0/pbmc4k> A subset of 390 barcodes and top 200 genes were included in this example. Within 390 barcodes, 195 barcodes are empty droplet, 150 barcodes are cell barcode and 45 barcodes are doublets predicted by scrublet and doubletFinder package. This example only serves as a proof of concept and a tutorial on how to run the functions in this package. The results should not be used for drawing scientific conclusions.

## Usage

```
data("scExample")
```

## Format

A [SingleCellExperiment](#) object.

## Value

Example Single Cell RNA-Seq data in SingleCellExperiment Object, subset of 10x public dataset

## Examples

```
data("scExample")
```

---

|            |                                                                                                          |
|------------|----------------------------------------------------------------------------------------------------------|
| sceBatches | <i>Example Single Cell RNA-Seq data in SingleCellExperiment object, with different batches annotated</i> |
|------------|----------------------------------------------------------------------------------------------------------|

---

## Description

Two batches of pancreas scRNAseq dataset are combined with their original counts. Cell types and batches are annotated in 'colData(sceBatches)'. Two batches came from Wang, et al., 2016, annotated as 'w'; and Xin, et al., 2016, annotated as 'x'. Two common cell types, 'alpha' and 'beta', that could be found in both original studies with relatively large population were kept for cleaner demonstration.

## Usage

```
data('sceBatches')
```

**Format**

An object of class `SingleCellExperiment` with 100 rows and 250 columns.

**Value**

Example Single Cell RNA-Seq data in `SingleCellExperiment` object, with different batches annotated

---

```
sctkListGeneSetCollections
```

*Lists imported GeneSetCollections*

---

**Description**

Returns a vector of `GeneSetCollections` that have been imported and stored in `metadata(inSCE)$sctk$genesets`.

**Usage**

```
sctkListGeneSetCollections(inSCE)
```

**Arguments**

`inSCE` A [SingleCellExperiment](#) object.

**Value**

Character vector.

**Author(s)**

Joshua D. Campbell

**See Also**

[importGeneSetsFromList](#) for importing from lists, [importGeneSetsFromGMT](#) for importing from GMT files, [GeneSetCollection](#) objects, and [importGeneSetsFromMSigDB](#) for importing MSigDB gene sets.

**Examples**

```
data(scExample)
gs1 <- GSEABase::GeneSet(setName = "geneset1",
  geneIds = rownames(sce)[seq(10)])
gs2 <- GSEABase::GeneSet(setName = "geneset2",
  geneIds = rownames(sce)[seq(11,20)])
gsc1 <- GSEABase::GeneSetCollection(gs1)
gsc2 <- GSEABase::GeneSetCollection(gs2)
sce <- importGeneSetsFromCollection(inSCE = sce,
  geneSetCollection = gsc1,
  by = "rownames",
  collectionName = "Collection1")
sce <- importGeneSetsFromCollection(inSCE = sce,
  geneSetCollection = gsc2,
```

```

                                by = "rownames",
                                collectionName = "Collection2")
collections <- sctkListGeneSetCollections(sce)

```

---

sctkPythonInstallConda

*Installs Python packages into a Conda environment*


---

## Description

Install all Python packages used in the [singleCellTK](#) package using [conda\\_install](#) from package [reticulate](#). This will create a new Conda environment with the name envname if not already present. Note that Anaconda or Miniconda already need to be installed on the local system.

## Usage

```

sctkPythonInstallConda(
  envname = "sctk-reticulate",
  conda = "auto",
  packages = c("scipy", "numpy", "astroid", "six"),
  pipPackages = c("scrublet", "scanpy", "louvain", "leidenalg", "bbknn", "scanorama",
    "anndata"),
  selectConda = TRUE,
  forge = FALSE,
  pipIgnoreInstalled = TRUE,
  pythonVersion = NULL,
  ...
)

```

## Arguments

|                    |                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| envname            | Character. Name of the conda environment to create.                                                                                                                                                                                                                                                                                                                                           |
| conda              | Character. Path to conda executable. Use "auto" to find conda using the PATH and other conventional install locations. Default 'auto'.                                                                                                                                                                                                                                                        |
| packages           | Character Vector. List of packages to install from Conda.                                                                                                                                                                                                                                                                                                                                     |
| pipPackages        | Character Vector. List of packages to install into the Conda environment using 'pip'.                                                                                                                                                                                                                                                                                                         |
| selectConda        | Boolean. Run <a href="#">selectSCTKConda</a> after installing all packages to select the Conda environment. Default TRUE.                                                                                                                                                                                                                                                                     |
| forge              | Boolean. Include the Conda Forge repository.                                                                                                                                                                                                                                                                                                                                                  |
| pipIgnoreInstalled | Boolean. Ignore installed versions when using pip. This is TRUE by default so that specific package versions can be installed even if they are downgrades. The FALSE option is useful for situations where you don't want a pip install to attempt an overwrite of a conda binary package (e.g. SciPy on Windows which is very difficult to install via pip due to compilation requirements). |
| pythonVersion      | Passed to python_version variable in <a href="#">conda_install</a> . Default NULL.                                                                                                                                                                                                                                                                                                            |
| ...                | Other parameters to pass to <a href="#">conda_install</a> .                                                                                                                                                                                                                                                                                                                                   |

**Value**

None. Installation of Conda environment.

**See Also**

See [conda\\_create](#) for more information on creating a Conda environment. See [conda\\_install](#) for more description of the installation parameters. See <https://rstudio.github.io/reticulate/> for more information on package [reticulate](#). See [selectSCTKConda](#) for reloading the Conda environment if R is restarted without going through the whole installation process again. See <https://docs.conda.io/en/latest/> for more information on Conda environments.

**Examples**

```
## Not run:
sctkPythonInstallConda(envname = "sctk-reticulate")

## End(Not run)
```

---

sctkPythonInstallVirtualEnv

*Installs Python packages into a virtual environment*

---

**Description**

Install all Python packages used in the [singleCellTK](#) package using [virtualenv\\_install](#) from package [reticulate](#). This will create a new virtual environment with the name envname if not already present.

**Usage**

```
sctkPythonInstallVirtualEnv(
  envname = "sctk-reticulate",
  packages = c("scipy", "numpy", "astroid", "six", "scrublet", "scanpy", "louvain",
    "leidenalg", "scanorama", "bbknn", "anndata"),
  selectEnvironment = TRUE,
  python = NULL
)
```

**Arguments**

|                   |                                                                                                                                                                                      |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| envname           | Character. Name of the virtual environment to create.                                                                                                                                |
| packages          | Character Vector. List of packages to install.                                                                                                                                       |
| selectEnvironment | Boolean. Run <a href="#">selectSCTKVirtualEnvironment</a> after installing all packages to select the virtual environment. Default TRUE.                                             |
| python            | The path to a Python interpreter, to be used with the created virtual environment. When NULL, the Python interpreter associated with the current session will be used. Default NULL. |

**Value**

None. Installation of virtual environment.

**See Also**

See [virtualenv\\_create](#) for more information on creating a Conda environment. See [virtualenv\\_install](#) for more description of the installation parameters. See <https://rstudio.github.io/reticulate/> for more information on package [reticulate](#). See [selectSCTKVirtualEnvironment](#) for reloading the virtual environment if R is restarted without going through the whole installation process again.

**Examples**

```
## Not run:
sctkPythonInstallVirtualEnv(envname = "sctk-reticulate")

## End(Not run)
```

---

|     |                                                                                    |
|-----|------------------------------------------------------------------------------------|
| SEG | <i>Stably Expressed Gene (SEG) list object, with SEG sets for human and mouse.</i> |
|-----|------------------------------------------------------------------------------------|

---

**Description**

The two gene sets came from dataset called 'segList' of package 'scMerge'.

**Usage**

```
data('SEG')
```

**Format**

list, with two entries "human" and "mouse", each is a character vector.

**Value**

Stably Expressed Gene (SEG) list object, with SEG sets for human and mouse.

**Source**

```
data('segList', package='scMerge')
```

**Examples**

```
data('SEG')
humanSEG <- SEG$human
```

---

|                 |                                    |
|-----------------|------------------------------------|
| selectSCTKConda | <i>Selects a Conda environment</i> |
|-----------------|------------------------------------|

---

**Description**

Selects a Conda environment with Python packages used in [singleCellTK](#).

**Usage**

```
selectSCTKConda(envname = "sctk-reticulate")
```

**Arguments**

|         |                                                       |
|---------|-------------------------------------------------------|
| envname | Character. Name of the conda environment to activate. |
|---------|-------------------------------------------------------|

**Value**

None. Selects Conda environment.

**See Also**

[conda-tools](#) for more information on using Conda environments with package [reticulate](#). See <https://rstudio.github.io/reticulate/> for more information on package [reticulate](#).

See [sctkPythonInstallConda](#) for installation of Python modules into a Conda environment. See [conda-tools](#) for more information on using Conda environments with package [reticulate](#). See <https://rstudio.github.io/reticulate/> for more information on package [reticulate](#). See <https://docs.conda.io/en/latest/> for more information on Conda environments.

**Examples**

```
## Not run:
sctkPythonInstallConda(envname = "sctk-reticulate", selectConda = FALSE)
selectSCTKConda(envname = "sctk-reticulate")

## End(Not run)
```

---

|                              |                                      |
|------------------------------|--------------------------------------|
| selectSCTKVirtualEnvironment | <i>Selects a virtual environment</i> |
|------------------------------|--------------------------------------|

---

**Description**

Selects a virtual environment with Python packages used in [singleCellTK](#)

**Usage**

```
selectSCTKVirtualEnvironment(envname = "sctk-reticulate")
```

**Arguments**

|         |                                                         |
|---------|---------------------------------------------------------|
| envname | Character. Name of the virtual environment to activate. |
|---------|---------------------------------------------------------|

**Value**

None. Selects virtual environment.

**See Also**

See [sctkPythonInstallVirtualEnv](#) for installation of Python modules into a virtual environment. See [virtualenv-tools](#) for more information on using virtual environments with package [reticulate](#). See <https://rstudio.github.io/reticulate/> for more information on package [reticulate](#).

**Examples**

```
## Not run:
sctkPythonInstallVirtualEnv(envname = "sctk-reticulate", selectEnvironment = FALSE)
selectSCTKVirtualEnvironment(envname = "sctk-reticulate")

## End(Not run)
```

---

setRowNames

*Set rownames of SCE with a character vector or a rowData column*


---

**Description**

Users can set rownames of an SCE object with either a character vector where the length equals to `nrow(x)`, or a single character specifying a column in `rowData(x)`. Also applicable to matrix like object where `rownames<-` method works, but only allows full size name vector. Users can set `dedup = TRUE` to remove duplicated entries in the specification, by adding -1, -2, ..., -i suffix to the duplication of the same identifier.

**Usage**

```
setRowNames(x, rowNames, dedup = TRUE)
```

**Arguments**

|                       |                                                                                                                                                                            |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>x</code>        | Input object where the rownames will be modified.                                                                                                                          |
| <code>rowNames</code> | Character vector of the rownames. If <code>x</code> is an <a href="#">SingleCellExperiment</a> object, a single character specifying a column in <code>rowData(x)</code> . |
| <code>dedup</code>    | Logical. Whether to deduplicate the specified rowNames. Default TRUE                                                                                                       |

**Value**

The input SCE object with rownames updated.

**Examples**

```
data("scExample", package = "singleCellTK")
head(rownames(sce))
sce <- setRowNames(sce, "feature_name")
head(rownames(sce))
```

---

|                   |                                                         |
|-------------------|---------------------------------------------------------|
| setSCTKDisplayRow | <i>Indicates which rowData to use for visualization</i> |
|-------------------|---------------------------------------------------------|

---

### Description

This function is to be used to specify which

### Usage

```
setSCTKDisplayRow(inSCE, featureDisplayRow)
```

### Arguments

|                   |                                                                                                                                         |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| inSCE             | Input <a href="#">SingleCellExperiment</a> object with saved dimension reduction components or a variable with saved results. Required. |
| featureDisplayRow | Indicates which column name of rowData to be used for plots.                                                                            |

### Value

A SingleCellExperiment object with the specific column name of rowData to be used for plotting stored in metadata.

### Examples

```
data(scExample, package="singleCellTK")
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
sce <- setSCTKDisplayRow(inSCE = sce, featureDisplayRow = "feature_name")
plotSCEViolinAssayData(inSCE = sce, feature = "ENSG00000019582")
```

---

|              |                                         |
|--------------|-----------------------------------------|
| singleCellTK | <i>Run the single cell analysis app</i> |
|--------------|-----------------------------------------|

---

### Description

Use this function to run the single cell analysis app.

### Usage

```
singleCellTK(inSCE = NULL, includeVersion = TRUE, theme = "yeti")
```

### Arguments

|                |                                                                               |
|----------------|-------------------------------------------------------------------------------|
| inSCE          | Input <a href="#">SingleCellExperiment</a> object.                            |
| includeVersion | Include the version number in the SCTK header. The default is TRUE.           |
| theme          | The bootswatch theme to use for the singleCellTK UI. The default is 'flatly'. |

### Value

The shiny app will open

## Examples

```
## Not run:
#Upload data through the app
singleCellTK()

# Load the app with a SingleCellExperiment object
data("mouseBrainSubsetSCE")
singleCellTK(mouseBrainSubsetSCE)

## End(Not run)
```

---

|           |                                                                                                                                                                                               |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| subDiffEx | <i>Passes the output of generateSimulatedData() to differential expression tests, picking either t-tests or ANOVA for data with only two conditions or multiple conditions, respectively.</i> |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

---

## Description

Passes the output of generateSimulatedData() to differential expression tests, picking either t-tests or ANOVA for data with only two conditions or multiple conditions, respectively.

## Usage

```
subDiffEx(tempData)

subDiffExttest(countMatrix, class.labels, test.type = "t.equalvar")

subDiffExANOVA(countMatrix, condition)
```

## Arguments

|              |                                                                                               |
|--------------|-----------------------------------------------------------------------------------------------|
| tempData     | Matrix. The output of generateSimulatedData(), where the first row contains condition labels. |
| countMatrix  | Matrix. A simulated counts matrix, sans labels.                                               |
| class.labels | Factor. The condition labels for the simulated cells. Will be coerced into 1's and 0's.       |
| test.type    | Type of test to perform. The default is t.equalvar.                                           |
| condition    | Factor. The condition labels for the simulated cells.                                         |

## Value

subDiffEx(): A vector of fdr-adjusted p-values for all genes. Nonviable results (such as for genes with 0 counts in a simulated dataset) are coerced to 1.

subDiffExttest(): A vector of fdr-adjusted p-values for all genes. Nonviable results (such as for genes with 0 counts in a simulated dataset) are coerced to 1.

subDiffExANOVA(): A vector of fdr-adjusted p-values for all genes. Nonviable results (such as for genes with 0 counts in a simulated dataset) are coerced to 1.

## Functions

- `subDiffEx()`:
- `subDiffExttest()`: Runs t-tests on all genes in a simulated dataset with 2 conditions, and adjusts for FDR.
- `subDiffExANOVA()`: Runs ANOVA on all genes in a simulated dataset with more than 2 conditions, and adjusts for FDR.

## Examples

```
data("mouseBrainSubsetSCE")
res <- generateSimulatedData(
  totalReads = 1000, cells=10,
  originalData = assay(mouseBrainSubsetSCE, "counts"),
  realLabels = colData(mouseBrainSubsetSCE)[, "level1class"])
tempSigDiff <- subDiffEx(res)

data("mouseBrainSubsetSCE")
#sort first 100 expressed genes
ord <- rownames(mouseBrainSubsetSCE)[
  order(rowSums(assay(mouseBrainSubsetSCE, "counts")),
    decreasing = TRUE)][seq(100)]
#subset to those first 100 genes
subset <- mouseBrainSubsetSCE[ord, ]
res <- generateSimulatedData(totalReads = 1000, cells=10,
  originalData = assay(subset, "counts"),
  realLabels = colData(subset)[, "level1class"])

realLabels <- res[1, ]
output <- res[-1, ]
fdr <- subDiffExttest(output, realLabels)

data("mouseBrainSubsetSCE")
#sort first 100 expressed genes
ord <- rownames(mouseBrainSubsetSCE)[
  order(rowSums(assay(mouseBrainSubsetSCE, "counts")),
    decreasing = TRUE)][seq(100)]
# subset to those first 100 genes
subset <- mouseBrainSubsetSCE[ord, ]
res <- generateSimulatedData(totalReads = 1000, cells=10,
  originalData = assay(subset, "counts"),
  realLabels = colData(subset)[, "level2class"])

realLabels <- res[1, ]
output <- res[-1, ]
fdr <- subDiffExANOVA(output, realLabels)
```

---

subsetSCECols

---

*Subset a SingleCellExperiment object by columns*


---

## Description

Used to perform subsetting of a [SingleCellExperiment](#) object using a variety of methods that indicate the correct columns to keep. The various methods, `index`, `bool`, and `colData`, can be used in conjunction with one another.

**Usage**

```
subsetSCECols(inSCE, index = NULL, bool = NULL, colData = NULL)
```

**Arguments**

|                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>inSCE</code>   | Input <a href="#">SingleCellExperiment</a> object.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <code>index</code>   | Integer vector. Vector of indices indicating which columns to keep. If <code>NULL</code> , this will not be used for subsetting. Default <code>NULL</code> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <code>bool</code>    | Boolean vector. Vector of <code>TRUE</code> or <code>FALSE</code> indicating which columns should be kept. Needs to be the same length as the number of columns in <code>inSCE</code> . If <code>NULL</code> , this will not be used for subsetting. Default <code>NULL</code> .                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <code>colData</code> | Character. An expression that will identify a subset of columns using variables found in the <code>colData</code> of <code>inSCE</code> . For example, if <code>x</code> is a numeric vector in <code>colData</code> , then <code>"x &lt; 5"</code> will return all columns with <code>x</code> less than 5. Single quotes should be used for character strings. For example, <code>"y == 'yes'"</code> will return all columns where <code>y</code> is "yes". Multiple expressions can be evaluated by placing them in a vector. For example <code>c("x &lt; 5", "y == 'yes'")</code> will apply both operations for subsetting. If <code>NULL</code> , this will not be used for subsetting. Default <code>NULL</code> . |

**Value**

A [SingleCellExperiment](#) object that has been subsetted by `colData`.

**Author(s)**

Joshua D. Campbell

**Examples**

```
data(scExample)
sce <- subsetSCECols(sce, colData = "type != 'EmptyDroplet'")
```

---

subsetSCERows

---

*Subset a SingleCellExperiment object by rows*


---

**Description**

Used to perform subsetting of a [SingleCellExperiment](#) object using a variety of methods that indicate the correct rows to keep. The various methods, `index`, `bool`, and `rowData`, can be used in conjunction with one another. If `returnAsAltExp` is set to `TRUE`, then the returned object will have the same number of rows as the input `inSCE` as the subsetted object will be stored in the [altExp](#) slot.

**Usage**

```
subsetSCERows(
  inSCE,
  index = NULL,
  bool = NULL,
  rowData = NULL,
```

```

    returnAsAltExp = TRUE,
    altExpName = "subset",
    prependAltExpName = TRUE
  )

```

## Arguments

|                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>inSCE</code>             | Input <a href="#">SingleCellExperiment</a> object.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <code>index</code>             | Integer vector. Vector of indicies indicating which rows to keep. If NULL, this will not be used for subsetting. Default NULL.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <code>bool</code>              | Boolean vector. Vector of TRUE or FALSE indicating which rows should be kept. Needs to be the same length as the number of rows in <code>inSCE</code> . If NULL, this will not be used for subsetting. Default NULL.                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <code>rowData</code>           | Character. An expression that will identify a subset of rows using variables found in the <code>rowData</code> of <code>inSCE</code> . For example, if <code>x</code> is a numeric vector in <code>rowData</code> , then <code>"x &lt; 5"</code> will return all rows with <code>x</code> less than 5. Single quotes should be used for character strings. For example, <code>"y == 'yes'"</code> will return all rows where <code>y</code> is "yes". Multiple expressions can be evaluated by placing them in a vector. For example <code>c("x &lt; 5", "y == 'yes'")</code> will apply both operations for subsetting. If NULL, this will not be used for subsetting. Default NULL. |
| <code>returnAsAltExp</code>    | Boolean. If TRUE, the subsetted <a href="#">SingleCellExperiment</a> object will be returned in the <code>altExp</code> slot of <code>inSCE</code> . If FALSE, the subsetted <a href="#">SingleCellExperiment</a> object will be directly returned.                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <code>altExpName</code>        | Character. Name of the alternative experiment object to add if <code>returnAsAltExp</code> = TRUE. Default <code>subset</code> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <code>prependAltExpName</code> | Boolean. If TRUE, <code>altExpName</code> will be added to the beginning of the assay names in the <code>altExp</code> object. This is only utilized if <code>returnAsAltExp</code> = TRUE. Default TRUE.                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

## Value

A [SingleCellExperiment](#) object that has been subsetted by `rowData`.

## Author(s)

Joshua D. Campbell

## Examples

```

data(scExample)

# Set a variable up in the rowData indicating mitochondrial genes
rowData(sce)$isMito <- ifelse(grepl("^MT-", rowData(sce)$feature_name),
                              "yes", "no")
sce <- subsetSCERows(sce, rowData = "isMito == 'yes'")

```

---

|              |                                                                     |
|--------------|---------------------------------------------------------------------|
| summarizeSCE | <i>Summarize an assay in a <a href="#">SingleCellExperiment</a></i> |
|--------------|---------------------------------------------------------------------|

---

**Description**

Creates a table of summary metrics from an input [SingleCellExperiment](#)

**Usage**

```
summarizeSCE(inSCE, useAssay = NULL, sampleVariableName = NULL)
```

**Arguments**

|                    |                                                                                                                                                         |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| inSCE              | Input <a href="#">SingleCellExperiment</a> object.                                                                                                      |
| useAssay           | Indicate which assay to summarize. If NULL, then the first assay in inSCE will be used. Default NULL.                                                   |
| sampleVariableName | Variable name in colData denoting which sample each cell belongs to. If NULL, all cells will be assumed to come from the same sample. Default "sample". |

**Value**

A data.frame object of summary metrics.

**Examples**

```
data("mouseBrainSubsetSCE")
summarizeSCE(mouseBrainSubsetSCE, sample = NULL)
```

---

|            |                    |
|------------|--------------------|
| trimCounts | <i>Trim Counts</i> |
|------------|--------------------|

---

**Description**

Trims an input count matrix such that each value greater than a threshold value and each value less than a provided lower threshold value is trimmed to the lower threshold value.

**Usage**

```
trimCounts(counts, trimValue = c(10, -10))
```

**Arguments**

|           |                                                                                                   |
|-----------|---------------------------------------------------------------------------------------------------|
| counts    | matrix                                                                                            |
| trimValue | where trimValue[1] for upper threshold and trimValue[2] as lower threshold. Default is c(10, -10) |

**Value**

trimmed counts matrix



# Index

## \* datasets

MitoGenes, [73](#)  
mouseBrainSubsetSCE, [73](#)  
msigdb\_table, [74](#)  
sce, [277](#)  
sceBatches, [277](#)  
SEG, [281](#)

addPerCellQC, [228](#), [230](#)  
adjustCounts, [261](#)  
altExp, [243](#), [287](#)  
assay, [39](#), [200](#), [223](#), [224](#), [231](#), [241](#), [243](#), [274](#)  
autoEstCont, [261](#)

barcodeRanks, [194](#)  
bcds, [196](#), [197](#)  
BiocParallelParam, [216](#), [225](#), [229](#), [242](#), [243](#),  
[270](#), [273](#), [276](#)  
buildSNNGraph, [242](#)

calcEffectSizes, [7](#)  
calculateUMAP, [268](#), [270](#)  
cluster\_fast\_greedy, [244](#)  
cluster\_infomap, [244](#)  
cluster\_label\_prop, [244](#)  
cluster\_leading\_eigen, [244](#)  
cluster\_leiden, [243](#)  
cluster\_louvain, [243](#)  
cluster\_walktrap, [244](#)  
colData, [14](#), [39](#), [83](#), [175](#), [176](#), [194](#), [196](#), [198](#),  
[200–202](#), [209](#), [212](#), [213](#), [223](#), [230](#),  
[240](#), [241](#), [243](#), [246](#), [273](#), [274](#)

colorRamp2, [144](#)  
combineSCE, [8](#)  
computeHeatmap, [9](#)  
computeZScore, [10](#)  
conda\_create, [280](#)  
conda\_install, [279](#), [280](#)  
constructSCE, [10](#)  
convertSCEToSeurat, [11](#)  
convertSeuratToSCE, [12](#)  
cxds, [201](#)  
cxds\_bcds\_hybrid, [202](#)

data.table, [10](#)

DataFrame-class, [229](#)  
dbscan, [208](#)  
decontX, [14](#), [207](#), [208](#)  
dedupRowNames, [13](#)  
DelayedArray, [45](#), [46](#), [51–55](#), [57](#), [65](#), [67](#), [68](#),  
[70](#), [173](#)  
DelayedArray-class, [48](#)  
detectCellOutlier, [13](#)  
diffAbundanceFET, [14](#), [35](#)  
DimHeatmap, [250](#)  
discreteColorPalette, [15](#)  
distinctColors, [15](#), [16](#)  
downSampleCells, [16](#)  
downSampleDepth, [18](#)

emptyDrops, [67](#), [213](#)  
estimateNonExpressingCells, [262](#)  
expData, [19](#)  
expData, ANY, character-method, [19](#)  
expData<-, [20](#)  
expData<-, ANY, character, CharacterOrNullOrMissing, logical,  
[21](#)  
expDataNames, [21](#)  
expDataNames, ANY-method, [22](#)  
expDeleteDataTag, [23](#)  
exportSCE, [23](#)  
exportSCEtoAnnData, [24](#)  
exportSCEtoFlatFile, [25](#)  
exportSCEtoSeurat, [26](#)  
expSetDataTag, [27](#)  
expTaggedData, [28](#)

fastMNN, [216](#)  
featureIndex, [29](#), [58](#), [60](#), [61](#), [63](#), [64](#), [228](#)  
FindIntegrationAnchors, [253](#)  
findMarkerDiffExp (runFindMarker), [218](#)  
findMarkerTopTable  
(getFindMarkerTopTable), [36](#)  
fit\_dirichlet, [208](#)

generateHTANMeta, [30](#)  
generateMeta, [31](#)  
generateSimulatedData, [31](#)  
GeneSetCollection, [58–65](#), [278](#)

getBiomarker, [32](#)  
 getDEGTopTable, [33](#)  
 getDiffAbundanceResults, [34](#)  
 getDiffAbundanceResults, SingleCellExperiment-method  
     (getDiffAbundanceResults), [34](#)  
 getDiffAbundanceResults<-  
     (getDiffAbundanceResults), [34](#)  
 getDiffAbundanceResults<-, SingleCellExperiment-method  
     (getDiffAbundanceResults), [34](#)  
 getEnrichRResult, [215](#)  
 getEnrichRResult (getEnrichRResult<-),  
     [35](#)  
 getEnrichRResult, SingleCellExperiment-method  
     (getEnrichRResult<-), [35](#)  
 getEnrichRResult<-, [35](#)  
 getEnrichRResult<-, SingleCellExperiment-method  
     (getEnrichRResult<-), [35](#)  
 getFindMarkerTopTable, [36](#), [104](#), [219](#)  
 getGenesetNamesFromCollection, [37](#), [272](#)  
 getGmt, [59](#), [229](#)  
 getMSigDBTable, [38](#)  
 getPathwayResultNames, [38](#), [272](#)  
 getSampleSummaryStatsTable, [39](#)  
 getSampleSummaryStatsTable, SingleCellExperiment-method  
     (getSampleSummaryStatsTable),  
     [39](#)  
 getSceParams, [40](#)  
 getSeuratVariableFeatures, [40](#)  
 getSoupX (getSoupX<-), [41](#)  
 getSoupX, SingleCellExperiment-method  
     (getSoupX<-), [41](#)  
 getSoupX<-, [41](#)  
 getSoupX<-, SingleCellExperiment-method  
     (getSoupX<-), [41](#)  
 getTopHVG, [42](#), [164](#), [217](#), [226](#), [233](#), [249](#)  
 getTSCANResults, [44](#)  
 getTSCANResults, SingleCellExperiment-method  
     (getTSCANResults), [44](#)  
 getTSCANResults<- (getTSCANResults), [44](#)  
 getTSCANResults<-, SingleCellExperiment-method  
     (getTSCANResults), [44](#)  
 getTSNE (runTSNE), [266](#)  
 getUMAP (runUMAP), [268](#)  
 ggplot, [83](#), [91](#), [144](#)  
 grep, [29](#), [193](#)  
 GSEABase, [58](#), [60](#), [61](#), [63](#), [64](#)  
  
 HarmonyMatrix, [222](#)  
 Heatmap, [104](#), [144](#)  
  
 igraph, [243](#)  
 importAlevin, [45](#)  
 importAnnData, [46](#)  
  
 importBUSTools, [47](#)  
 importCellRanger, [49](#)  
 importCellRangerV2 (importCellRanger),  
     method [49](#)  
 importCellRangerV2Sample, [52](#)  
 importCellRangerV3 (importCellRanger),  
     [49](#)  
 importCellRangerV3Sample, [53](#)  
 importDropEst, [54](#)  
 importExampleData, [55](#)  
 importFromFiles, [56](#)  
 importGeneSetsFromCollection, [58](#), [60](#), [62](#),  
     [272](#)  
 importGeneSetsFromGMT, [59](#), [59](#), [62](#), [63](#), [65](#),  
     [272](#), [278](#)  
 importGeneSetsFromList, [59](#), [60](#), [61](#), [63](#), [65](#),  
     [271](#), [272](#), [278](#)  
 importGeneSetsFromMSigDB, [38](#), [59](#), [60](#), [62](#),  
     [62](#), [74](#), [271](#), [272](#), [278](#)  
 importMitoGeneSet, [64](#), [229](#)  
 importMultipleSources, [65](#)  
 importOptimus, [66](#)  
 importSEQC, [67](#)  
 importSTARsolo, [69](#)  
 IntegrateData, [253](#)  
 isOutlier, [13](#)  
 iterateSimulations, [70](#)  
  
 kmeans, [222](#)  
  
 list.dirs, [50](#)  
 listSampleSummaryStatsTables, [71](#)  
 listSampleSummaryStatsTables, SingleCellExperiment-method  
     (listSampleSummaryStatsTables),  
     [71](#)  
 listTSCANResults (getTSCANResults), [44](#)  
 listTSCANResults, SingleCellExperiment-method  
     (getTSCANResults), [44](#)  
 listTSCANTerminalNodes  
     (getTSCANResults), [44](#)  
 listTSCANTerminalNodes, SingleCellExperiment-method  
     (getTSCANResults), [44](#)  
 logNormCounts, [275](#)  
  
 Matrix, [55](#)  
 matrix, [45](#), [46](#), [48](#), [51–54](#), [57](#), [67](#), [68](#), [70](#)  
 mergeSCEColData, [72](#)  
 metadata, [59](#), [60](#), [62–64](#), [72](#)  
 MitoGenes, [73](#)  
 mnnCorrect, [225](#)  
 modelGeneVar, [208](#), [225](#)  
 mouseBrainSubsetSCE, [73](#)  
 msigdb\_table, [74](#)

- msigdb, [63](#)
- msigdb\_species, [63](#)
- multiBatchPCA, [216](#)
- NestorowaHSCData, [55](#)
- plotBarcodeRankDropsResults, [75](#), [77](#), [194](#)
- plotBarcodeRankScatter, [76](#)
- plotBatchCorrCompare, [77](#)
- plotBatchVariance, [78](#)
- plotBcbsResults, [79](#), [197](#)
- plotBubble, [82](#)
- plotClusterAbundance, [83](#)
- plotCxlsResults, [84](#), [201](#)
- plotDecontXResults, [86](#)
- plotDEGHeatmap, [89](#), [94](#), [207](#)
- plotDEGRegression, [91](#), [207](#)
- plotDEGViolin, [92](#), [207](#)
- plotDEGVolcano, [94](#), [207](#)
- plotDimRed, [95](#)
- plotDoubletFinderResults, [96](#), [211](#)
- plotEmptyDropsResults, [98](#), [101](#), [214](#)
- plotEmptyDropsScatter, [99](#), [100](#), [214](#)
- plotFindMarkerHeatmap, [37](#), [101](#), [219](#)
- plotMarkerDiffExp  
(plotFindMarkerHeatmap), [101](#)
- plotMASTThresholdGenes, [104](#)
- plotPathway, [105](#)
- plotPCA, [106](#)
- plotRunPerCellQCResults, [107](#)
- plotScanpyDotPlot, [109](#)
- plotScanpyEmbedding, [111](#)
- plotScanpyHeatmap, [112](#)
- plotScanpyHVG, [113](#)
- plotScanpyMarkerGenes, [113](#)
- plotScanpyMarkerGenesDotPlot, [114](#)
- plotScanpyMarkerGenesHeatmap, [116](#)
- plotScanpyMarkerGenesMatrixPlot, [117](#)
- plotScanpyMarkerGenesViolin, [118](#)
- plotScanpyMatrixPlot, [119](#)
- plotScanpyPCA, [120](#)
- plotScanpyPCAGeneRanking, [121](#)
- plotScanpyPCAVariance, [122](#)
- plotScanpyViolin, [122](#)
- plotScDbfFinderResults, [123](#), [241](#)
- plotScdsHybridResults, [126](#)
- plotSCEBarAssayData, [128](#)
- plotSCEBarColData, [130](#)
- plotSCEBatchFeatureMean, [131](#)
- plotSCEDensity, [132](#)
- plotSCEDensityAssayData, [133](#)
- plotSCEDensityColData, [135](#)
- plotSCEDimReduceColData, [136](#), [162](#)
- plotSCEDimReduceFeatures, [139](#)
- plotSCEHeatmap, [90](#), [91](#), [104](#), [141](#)
- plotSCEScatter, [144](#)
- plotSCEViolin, [146](#)
- plotSCEViolinAssayData, [149](#)
- plotSCEViolinColData, [151](#)
- plotScrubletResults, [153](#), [246](#)
- plotSeuratElbow, [156](#)
- plotSeuratGenes, [157](#)
- plotSeuratHeatmap, [158](#)
- plotSeuratHVG, [158](#)
- plotSeuratJackStraw, [159](#)
- plotSeuratReduction, [160](#)
- plotSoupXResults, [161](#)
- plotTopHVG, [43](#), [163](#), [217](#), [226](#), [233](#), [249](#)
- plotTSCANClusterDEG, [164](#)
- plotTSCANClusterPseudo, [165](#)
- plotTSCANDimReduceFeatures, [166](#)
- plotTSCANPseudotimeGenes, [167](#)
- plotTSCANPseudotimeHeatmap, [168](#)
- plotTSCANResults, [169](#)
- plotTSNE, [170](#)
- plotUMAP, [171](#)
- qcInputProcess, [172](#)
- quickCluster, [262](#)
- readMM, [45](#), [46](#), [48](#), [51–54](#), [57](#), [67](#), [68](#), [70](#)
- readSingleCellMatrix, [173](#)
- reducedDim, [243](#)
- reducedMNN, [216](#)
- reportCellQC, [174](#)
- reportClusterAbundance, [175](#)
- reportDiffAbundanceFET, [175](#)
- reportDiffExp, [176](#)
- reportDropletQC, [177](#)
- reportFindMarker, [178](#)
- reportQCtool, [179](#)
- reportSeurat, [180](#)
- reportSeuratClustering, [182](#)
- reportSeuratDimRed, [183](#)
- reportSeuratFeatureSelection, [185](#)
- reportSeuratMarkerSelection, [186](#)
- reportSeuratNormalization, [187](#)
- reportSeuratResults, [188](#)
- reportSeuratRun, [190](#)
- reportSeuratScaling, [192](#)
- ReprocessedAllenData, [55](#)
- ReprocessedFluidigmData, [55](#)
- reticulate, [279–283](#)
- retrieveFeatureIndex, [193](#)
- retrieveFeatureInfo, [30](#)
- retrieveSCEIndex, [193](#)

Rtsne, 266, 268  
 runANOVA (runDEAnalysis), 203  
 runBarcodeRankDrops, 75–77, 194  
 runBBKNN, 195  
 runBcbs, 79–81, 196  
 runCellQC, 58, 60, 61, 63, 64, 197, 197, 201, 211, 230, 241, 246  
 runClusterSummaryMetrics, 198  
 runComBatSeq, 199  
 runCxls, 84, 86, 154, 201  
 runCxlsBcbsHybrid, 126, 202  
 runDEAnalysis, 94, 176, 177, 203, 219  
 runDecontX, 87, 207  
 runDESeq2 (runDEAnalysis), 203  
 runDimReduce, 209  
 runDoubletFinder, 97, 98, 210  
 runDropletQC, 194, 212, 214  
 runEmptyDrops, 98–101, 213  
 runEnrichR, 36, 214  
 runFastMNN, 215  
 runFeatureSelection, 43, 164, 217, 226, 249  
 runFindMarker, 37, 101, 103, 104, 178, 218, 218  
 runGSVA, 220  
 runHarmony, 221  
 runKMeans, 222  
 runLimmaBC, 223  
 runLimmaDE (runDEAnalysis), 203  
 runMAST (runDEAnalysis), 203  
 runMNNCorrect, 215, 224  
 runModelGeneVar, 43, 164, 217, 225, 249  
 runNormalization, 226  
 runPCA, 275  
 runPerCellQC, 108, 109, 198, 228  
 runQuickTSNE (runTSNE), 266  
 runQuickUMAP (runUMAP), 268  
 runSCANORAMA, 230  
 runScanpyFindClusters, 231  
 runScanpyFindHVG, 233  
 runScanpyFindMarkers, 234  
 runScanpyNormalizeData, 235  
 runScanpyPCA, 236  
 runScanpyScaleData, 237  
 runScanpyTSNE, 238  
 runScanpyUMAP, 239  
 runScDbtFinder, 123–125, 240  
 runSCMerge, 241  
 runScranSNN, 242  
 runScrublet, 155, 244  
 runSeuratFindClusters, 247  
 runSeuratFindHVG, 43, 164, 217, 226, 248

runSeuratFindMarkers, 249  
 runSeuratHeatmap, 250  
 runSeuratICA, 210, 251  
 runSeuratIntegration, 252  
 runSeuratJackStraw, 253  
 runSeuratNormalizeData, 254  
 runSeuratPCA, 210, 255  
 runSeuratScaleData, 256  
 runSeuratSCTransform, 257  
 runSeuratTSNE, 210, 258  
 runSeuratUMAP, 210, 259  
 runSingleR, 260  
 runSoupX, 41, 161, 261  
 runTSCAN, 44, 165, 169, 263, 264  
 runTSCANClusterDEAnalysis, 44, 164, 165, 264  
 runTSCANDEG, 44, 167–169, 265  
 runTSNE, 210, 266  
 RunUMAP, 259  
 runUMAP, 210, 268  
 runVAM, 271  
 runWilcox (runDEAnalysis), 203  
 runZINBWave, 272

sampleSummaryStats, 273  
 ScaleData, 251, 255  
 scaterCPM, 274  
 scaterlogNormCounts, 267, 270, 275  
 scaterPCA, 210, 275  
 scDbtFinder, 240, 241  
 sce, 277  
 sceBatches, 277  
 scRNAseq, 55  
 scSEIndex, 242  
 sctkListGeneSetCollections, 272, 278  
 sctkPythonInstallConda, 279, 282  
 sctkPythonInstallVirtualEnv, 280, 283  
 SCTransform, 257  
 SEG, 281  
 segList, 242  
 segList\_ensemblGeneID, 242  
 selectSCTKConda, 279, 280, 282  
 selectSCTKVirtualEnvironment, 280, 281, 282  
 setContaminationFraction, 262  
 setRowNames, 283  
 setSampleSummaryStatsTable<-  
     (getSampleSummaryStatsTable),  
     39  
 setSampleSummaryStatsTable<- ,SingleCellExperiment-metho  
     (getSampleSummaryStatsTable),  
     39

setSCTKDisplayRow, [33](#), [43](#), [90](#), [94](#), [163](#), [164](#),  
[166](#), [168](#), [169](#), [284](#)  
setTopHVG, [217](#)  
setTopHVG (getTopHVG), [42](#)  
SingleCellExperiment, [8](#), [10](#), [13–15](#), [17](#), [18](#),  
[24–26](#), [29–33](#), [35–42](#), [44](#), [46](#), [47](#), [49](#),  
[55–67](#), [69](#), [71](#), [72](#), [75–77](#), [79](#), [80](#), [83](#),  
[84](#), [87](#), [89](#), [92–94](#), [97–100](#), [103](#), [105](#),  
[107](#), [108](#), [123](#), [124](#), [126](#), [127](#),  
[129–132](#), [134](#), [135](#), [137](#), [139](#), [140](#),  
[142](#), [145](#), [147](#), [149](#), [152](#), [154](#), [161](#),  
[164–172](#), [174–180](#), [182–198](#),  
[200–202](#), [205](#), [206](#), [208–214](#),  
[216–226](#), [228](#), [230](#), [231](#), [240–246](#),  
[260](#), [262](#), [264](#), [265](#), [267–278](#), [283](#),  
[284](#), [286–289](#)  
singleCellTK, [58](#), [59](#), [61](#), [62](#), [64](#), [279](#), [280](#),  
[282](#), [284](#)  
subDiffEx, [285](#)  
subDiffExANOVA (subDiffEx), [285](#)  
subDiffExttest (subDiffEx), [285](#)  
subsetSCECols, [286](#)  
subsetSCERows, [287](#)  
SummarizedExperiment, [29](#)  
summarizeSCE, [289](#)  
  
TENxPBMCData, [55](#), [56](#)  
thresholdSCRNACountMatrix, [104](#)  
trimCounts, [289](#)  
  
umap, [208](#)  
unit, [143](#)  
  
virtualenv\_create, [281](#)  
virtualenv\_install, [280](#), [281](#)  
  
with\_seed, [209](#)