

# Package ‘smoothclust’

June 30, 2025

**Version** 1.4.0

**Title** smoothclust

**Description** Method for segmentation of spatial domains and spatially-aware clustering in spatial transcriptomics data. The method generates spatial domains with smooth boundaries by smoothing gene expression profiles across neighboring spatial locations, followed by unsupervised clustering. Spatial domains consisting of consistent mixtures of cell types may then be further investigated by applying cell type compositional analyses or differential analyses.

**URL** <https://github.com/lmweber/smoothclust>

**BugReports** <https://github.com/lmweber/smoothclust/issues>

**License** MIT + file LICENSE

**Encoding** UTF-8

**biocViews** Spatial, SingleCell, Transcriptomics, GeneExpression,  
Clustering

**Depends** R (>= 4.4.0)

**Imports** SpatialExperiment, SummarizedExperiment, sparseMatrixStats,  
spdep, methods, utils

**VignetteBuilder** knitr

**Suggests** BiocStyle, knitr, STexampleData, scuttle, scanr, scater,  
ggspavis, testthat

**RoxygenNote** 7.3.2

**git\_url** <https://git.bioconductor.org/packages/smoothclust>

**git\_branch** RELEASE\_3\_21

**git\_last\_commit** 5eb1029

**git\_last\_commit\_date** 2025-04-15

**Repository** Bioconductor 3.21

**Date/Publication** 2025-06-29

**Author** Lukas M. Weber [aut, cre] (ORCID:  
<<https://orcid.org/0000-0002-3282-1730>>)

**Maintainer** Lukas M. Weber <lmweb012@gmail.com>

## Contents

smoothclust . . . . .	2
smoothness_metric . . . . .	4
<b>Index</b>	<b>6</b>

---

smoothclust	<i>smoothclust</i>
-------------	--------------------

---

## Description

Method for segmentation of spatial domains and spatially-aware clustering.

## Usage

```
smoothclust(
  input,
  assay_name = "counts",
  spatial_coords = NULL,
  method = c("uniform", "kernel", "knn"),
  bandwidth = 0.05,
  k = 18,
  truncate = 0.05,
  sparse = TRUE
)
```

## Arguments

input	Input data, which can be provided as either a SpatialExperiment object or a numeric matrix. If this is a SpatialExperiment object, it is assumed to contain either raw expression counts or logcounts in the assay slots and spatial coordinates in the spatialCoords slot. If this is a numeric matrix, it is assumed to contain either raw expression counts or logcounts, and spatial coordinates need to be provided separately with the spatial_coords argument.
assay_name	For a SpatialExperiment input object, this argument specifies the name of the assay containing the expression values to be smoothed. In most cases, this will be counts, which contains raw expression counts. Alternatively, logcounts may also be used. Note that if logcounts are used, the smoothed values represent geometric averages, which are more difficult to interpret. We recommend using raw counts if possible. This argument is only used if the input is a SpatialExperiment object. Default = counts.
spatial_coords	Numeric matrix of spatial coordinates, assumed to contain x coordinates in first column and y coordinates in second column. This argument is only used if the input is a numeric matrix.

method	Method used for smoothing. Options are uniform, kernel, and knn. The uniform method calculates unweighted averages across spatial locations within a circular window with radius bandwidth at each spatial location, which smooths out spatial variability as well as sparsity due to sampling variability. The kernel method calculates a weighted average using a truncated exponential kernel applied to Euclidean distances with a length scale parameter equal to bandwidth, which provides a more sophisticated approach to smoothing out spatial variability but may be affected by sparsity due to sampling variability (especially sparsity at the index point), and is computationally slower. The knn method calculates an unweighted average across the index point and its k nearest neighbors, and is the fastest method. Default = uniform.
bandwidth	Bandwidth parameter for smoothing, expressed as proportion of width or height (whichever is greater) of tissue area. Only used for method = "uniform" or method = "kernel". For method = "uniform", the bandwidth represents the radius of a circle, and unweighted averages are calculated across neighboring points within this circle. For method = "kernel", the averaging is weighted by distances scaled using a truncated exponential kernel applied to Euclidean distances. For example, a bandwidth of 0.05 will smooth values across neighbors weighted by distances scaled using a truncated exponential kernel with length scale equal to 5 area. Weights for method = "kernel" are truncated at small values for computational efficiency. Default = 0.05.
k	Number of nearest neighbors parameter for method = "knn". Only used for method == "knn". Unweighted averages are calculated across the index point and its k nearest neighbors. Default = 18 (based on two layers in honeycomb pattern for 10x Genomics Visium platform).
truncate	Truncation threshold parameter if method = "kernel". Kernel weights below this value are set to zero for computational efficiency. Only used for method = "kernel". Default = 0.05.
sparse	Whether to return output assay or numeric matrix as sparse matrix. Default = TRUE. In most cases (e.g. if using SpatialExperiment objects) this should be left as TRUE. Set to FALSE to return a dense matrix instead.

## Details

Method for segmentation of spatial domains and spatially-aware clustering in spatial transcriptomics data.

Method for segmentation of spatial domains and spatially-aware clustering in spatial transcriptomics data. The method generates spatial domains with smooth boundaries by smoothing gene expression profiles across neighboring spatial locations, followed by unsupervised clustering. Spatial domains consisting of consistent mixtures of cell types may then be further investigated by applying cell type compositional analyses or differential analyses.

## Value

Returns spatially smoothed expression values, which can then be used as the input for further downstream analyses. Results are returned either as a SpatialExperiment object containing a new assay named <assay\_name>\_smooth (e.g. counts\_smooth or logcounts\_smooth), or as a numeric matrix, depending on the input type.

**Examples**

```
library(STexampleData)

# load data
spe <- Visium_humanDLPFC()
# keep spots over tissue
spe <- spe[, colData(spe)$in_tissue == 1]

# run smoothclust using default parameters
spe <- smoothclust(spe)

# see vignette for extended example including downstream analyses
```

---

smoothness_metric	<i>Function for smoothness metric</i>
-------------------	---------------------------------------

---

**Description**

Function for clustering smoothness evaluation metric

**Usage**

```
smoothness_metric(spatial_coords, labels, k = 6)
```

**Arguments**

spatial_coords	Numeric matrix containing spatial coordinates of points, formatted as nrow = number of points, ncol = 2 (assuming x and y dimensions). For example, 'spatial_coords = spatialCoords(spe)' if using a SpatialExperiment object.
labels	Numeric vector of cluster labels for each point. For example, 'labels <- as.numeric(colData(spe)\$label)' if using a SpatialExperiment object.
k	Number of k nearest neighbors to use in calculation. Default = 6 (from 10x Genomics Visium platform).

**Details**

Function to calculate clustering smoothness evaluation metric, defined as the average number of nearest neighbors per point that are from a different cluster. This metric can be used to quantify and compare the relative smoothness of the boundaries of clusters or spatial domains.

**Value**

Returns a list containing (i) a vector of values at each point (i.e. the number of nearest neighbors that are from a different cluster at each point) and (ii) the average value across all points.

**Examples**

```
library(STexampleData)
library(scran)
library(scater)

# load data
spe <- Visium_humanDLPFC()
# keep spots over tissue
spe <- spe[, colData(spe)$in_tissue == 1]

# run smoothclust using default parameters
spe <- smoothclust(spe)

# calculate logcounts
spe <- logNormCounts(spe, assay.type = "counts_smooth")

# preprocessing steps for clustering
# remove mitochondrial genes
is_mito <- grepl("^mt-", rowData(spe)$gene_name, ignore.case = TRUE)
spe <- spe[!is_mito, ]
# select top highly variable genes (HVGs)
dec <- modelGeneVar(spe)
top_hvgs <- getTopHVGs(dec, prop = 0.1)
spe <- spe[top_hvgs, ]

# dimensionality reduction
set.seed(123)
spe <- runPCA(spe)

# run k-means clustering
set.seed(123)
k <- 5
clus <- kmeans(reducedDim(spe, "PCA"), centers = k)$cluster
colLabels(spe) <- factor(clus)

# calculate smoothness metric
res <- smoothness_metric(spatialCoords(spe), as.numeric(colData(spe)$label))

# results
str(res)
head(res$n_discordant)
res$mean_discordant
```

# Index

smoothclust, [2](#)

smoothness\_metric, [4](#)