

# Package ‘NBtsVarSel’

January 20, 2025

**Type** Package

**Title** Variable Selection in a Specific Regression Time Series of Counts

**Version** 1.0

**Date** 2023-07-17

**Description** Performs variable selection in sparse negative binomial GLARMA (Generalised Linear Autoregressive Moving Average) models. For further details we refer the reader to the paper Gomtsyan (2023), <[arXiv:2307.00929](https://arxiv.org/abs/2307.00929)>.

**License** GPL-2

**Depends** R (>= 3.5.0), Matrix, glmnet, stats, MASS, mpath, ggplot2

**VignetteBuilder** knitr

**Suggests** knitr, markdown, formatR

**NeedsCompilation** no

**Author** Marina Gomtsyan [aut, cre]

**Maintainer** Marina Gomtsyan <[mgomtsian@gmail.com](mailto:mgomtsian@gmail.com)>

**Repository** CRAN

**Date/Publication** 2023-07-17 17:40:02 UTC

## Contents

NBtsVarSel-package	2
grad_hess_beta	3
grad_hess_gamma	4
NR_gamma	5
variable_selection	6
Y	7

## Index

8

## Description

NBtsVarSel consists of four functions: "variable\_selection.R", "grad\_hess\_beta.R", "grad\_hess\_gamma.R" and "NR\_gamma.R" For further information on how to use these functions, we refer the reader to the vignette of the package.

## Details

This package consists of four functions: "variable\_selection.R", "grad\_hess\_beta.R", "grad\_hess\_gamma.R" and "NR\_gamma.R" For further information on how to use these functions, we refer the reader to the vignette of the package.

## Author(s)

Marina Gomtsyan

Maintainer: Marina Gomtsyan <mgomtsian@gmail.com>

## References

M. Gomtsyan "Variable selection in a specific regression time series of counts.", arXiv:2307.00929

## Examples

```
n = 50
p = 30
X = matrix(NA,(p+1),n)
f = 1/0.7
for(t in 1:n){X[,t] = c(1,cos(2*pi*(1:(p/2))*t*f/n),sin(2*pi*(1:(p/2))*t*f/n))}
gamma0 = c(0)
data(Y)
result = variable_selection(Y, X, gamma.init=gamma0, alpha.init=NULL, k.max=1, method="cv",
tr=0.3, n.iter=100, n.rep=1000)
beta_est = result$beta_est
Estim_active = result$estim_active
gamma_est = result$gamma_est
alpha_est = result$alpha_est
```

---

grad_hess_beta	<i>Gradient and Hessian of the log-likelihood with respect to beta</i>
----------------	--

---

**Description**

This function calculates the gradient and Hessian of the log-likelihood with respect to beta.

**Usage**

```
grad_hess_beta(Y, X, beta, gamma, alpha)
```

**Arguments**

Y	Observation matrix
X	Design matrix
beta	Initial beta vector
gamma	Initial gamma vector
alpha	Initial overdispersion parameter

**Value**

grad_L_beta	Vector of the gradient of L with respect to beta
hess_L_beta	Matrix of the Hessian of L with respect to beta

**Author(s)**

Marina Gomtsyan

Maintainer: Marina Gomtsyan <mgomtsian@gmail.com>

**References**

M. Gomtsyan "Variable selection in a specific regression time series of counts.", arXiv:2307.00929

**Examples**

```
n = 50
p = 30
X = matrix(NA,(p+1),n)
f = 1/0.7
for(t in 1:n){X[,t] = c(1,cos(2*pi*(1:(p/2))*t*f/n),sin(2*pi*(1:(p/2))*t*f/n))}
gamma0 = c(0)
data(Y)
glm_nb = glm.nb(Y~t(X)[,2:(p+1)])
beta0 = as.numeric(glm_nb$coefficients)
alpha0 = glm_nb$theta
result = grad_hess_beta(Y, X, beta0, gamma0, alpha0)
grad = result$grad_L_beta
Hessian = result$hess_L_beta
```

**grad\_hess\_gamma***Gradient and Hessian of the log-likelihood with respect to gamma***Description**

This function calculates the gradient and Hessian of the log-likelihood with respect to gamma

**Usage**

```
grad_hess_gamma(Y, X, beta, gamma, alpha)
```

**Arguments**

<code>Y</code>	Observation matrix
<code>X</code>	Design matrix
<code>beta</code>	Initial beta vector
<code>gamma</code>	Initial gamma vector
<code>alpha</code>	Initial overdispersion parameter

**Value**

<code>grad_L_gamma</code>	Vector of the gradient of L with respect to gamma
<code>hess_L_gamma</code>	Matrix of the Hessian of L with respect to gamma

**Author(s)**

Marina Gomtsyan

Maintainer: Marina Gomtsyan <mgomtsian@gmail.com>

**References**

M. Gomtsyan "Variable selection in a specific regression time series of counts.", arXiv:2307.00929

**Examples**

```
n = 50
p = 30
X = matrix(NA, (p+1), n)
f = 1/0.7
for(t in 1:n){X[,t] = c(1,cos(2*pi*(1:(p/2))*t*f/n),sin(2*pi*(1:(p/2))*t*f/n))}
gamma0 = c(0)
data(Y)
glm_nb = glm.nb(Y~t(X)[,2:(p+1)])
beta0 = as.numeric(glm_nb$coefficients)
alpha0 = glm_nb$theta
result = grad_hess_gamma(Y, X, beta0, gamma0, alpha0)
grad = result$grad_L_gamma
Hessian = result$hess_L_gamma
```

NR\_gamma

*Newton-Raphson method for estimation of gamma***Description**

This function estimates gamma with Newton-Raphson method

**Usage**

```
NR_gamma(Y, X, beta, gamma, alpha, n.iter)
```

**Arguments**

Y	Observation matrix
X	Design matrix
beta	Initial beta vector
gamma	Initial gamma vector
alpha	Initial overdispersion parameter
n.iter	Number of iterations of the algorithm. Default=100

**Value**

gamma	Estimated gamma vector
-------	------------------------

**Author(s)**

Marina Gomtsyan

Maintainer: Marina Gomtsyan <mgomtsian@gmail.com>

**References**

M. Gomtsyan "Variable selection in a specific regression time series of counts.", arXiv:2307.00929

**Examples**

```
n = 50
p = 30
X = matrix(NA, (p+1), n)
f = 1/0.7
for(t in 1:n){X[,t] = c(1,cos(2*pi*(1:(p/2))*t*f/n),sin(2*pi*(1:(p/2))*t*f/n))}
gamma0 = c(0)
data(Y)
glm_nb = glm.nb(Y~t(X)[,2:(p+1)])
beta0 = as.numeric(glm_nb$coefficients)
alpha0 = glm_nb$theta
gamma_est = NR_gamma(Y, X, beta0, gamma0, alpha0, n.iter=100)
```

---

<code>variable_selection</code>	<i>Variable selection</i>
---------------------------------	---------------------------

---

## Description

This function performs variable selection, estimates new vectors of beta and gamma and a new alpha

## Usage

```
variable_selection(Y, X, gamma.init, alpha.init = NULL, k.max = 1, method = "cv",
tr = 0.3, n.iter = 100, n.rep = 1000)
```

## Arguments

<code>Y</code>	Observation matrix
<code>X</code>	Design matrix
<code>gamma.init</code>	Initial gamma vector
<code>alpha.init</code>	Optional initial alpha value. The default is NULL
<code>k.max</code>	Number of iteration to repeat the whole algorithm
<code>method</code>	Stability selection method: "min" or "cv". In "min" the smallest lambda is chosen, in "cv" cross-validation lambda is chosen for stability selection. The default is "cv"
<code>tr</code>	Threshold for stability selection. The default is 0.3
<code>n.iter</code>	Number of iteration for Newton-Raphson algorithm. The default is 100
<code>n.rep</code>	Number of replications in stability selection step. The default is 1000

## Value

<code>estim_active</code>	Estimated active coefficients
<code>beta_est</code>	Vector of estimated beta values
<code>gamma_est</code>	Vector of estimated gamma values
<code>alpha_est</code>	Estimation of alpha

## Author(s)

Marina Gomtsyan

Maintainer: Marina Gomtsyan <mgomtsian@gmail.com>

## References

M. Gomtsyan "Variable selection in a specific regression time series of counts.", arXiv:2307.00929

## Examples

```
n = 50
p = 30
X = matrix(NA,(p+1),n)
f = 1/0.7
for(t in 1:n){X[,t] = c(1,cos(2*pi*(1:(p/2))*t*f/n),sin(2*pi*(1:(p/2))*t*f/n))}
gamma0 = c(0)
data(Y)
result = variable_selection(Y, X, gamma.init=gamma0, alpha.init=NULL, k.max=1, method="cv",
tr=0.3, n.iter=100, n.rep=1000)
beta_est = result$beta_est
Estim_active = result$estim_active
gamma_est = result$gamma_est
alpha_est = result$alpha_est
```

---

Y

*Observation matrix Y*

## Description

An example of observation matrix

## Usage

```
data("Y")
```

## Format

The format is: num [1:50] 9 2 11 14 18 17 1 0 1 0 ...

## References

M. Gomtsyan "Variable selection in a specific regression time series of counts.", arXiv:2307.00929

## Examples

```
data(Y)
```

# Index

\* **package**

NBtsVarSel-package, [2](#)

grad\_hess\_beta, [3](#)

grad\_hess\_gamma, [4](#)

NBtsVarSel (NBtsVarSel-package), [2](#)

NBtsVarSel-package, [2](#)

NR\_gamma, [5](#)

variable\_selection, [6](#)

Y, [7](#)